

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
1	N/0/0001	29731021	T016/016	HIGH VOLTAGE BUSHING	HBTB585625R0001	CLW/ES/3/0052/D	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T016/016	HIGH VOLTAGE BUSHING	HBTB585625R0001		01	1.00	NIL				
			B016/016	HIGH VOLTAGE BUSHING	HBTB585625R0001		01	NIL	1.00				
2	N/0/0007	29610035	T032/003	BUZZER OVERSPEED / FIRE ALARM / VIGILANCE WARNING	HBTB585528R0101	CLW/ES/3/0078/C	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T032/044	BUZZER OVERSPEED/FIRE ALARM/ VIGILANCE WARNING	HBTB585528R0101		01	2.00	NIL				
			B032/044	BUZZER OVERSPEED/FIRE ALARM/ VIGILANCE WARNING	HBTB585528R0101		01	NIL	2.00				
3	N/0/0009	29771031	T020/008	CAPACITORS (22 MICRO FARAD) ALONGWITH ACCESSORIES i.e. RETAINING RING, MOUNTING PLATE, INSULATING PART AS PER DRAWING NO. CLW/ES/3/SK-2/0097/D	3EHP585811P0002	CLW/ES/3/0097/D	01	NIL	NIL				
			T020/224	CAPACITOR TO SCAVENGE BLOWER MR	3EHP585811P0002		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T020/081	CAPACITOR TO SCAVENGE BLOWER MR	3EHP585811 P0002		01	NIL	NIL				
			T023/033	RUNNING CAPACITOR FOR M. R. BLOWER	3EHP585811 P0002		01	NIL	NIL				
			T023/515	RUNNING CAPACITOR FOR M. R. BLOWER	3EHP585811 P0002		01	NIL	NIL				
			B023/180	RUNNING CAPACITOR FOR M. R. BLOWER	3EHP585811 P0002		01	NIL	NIL				
			B023/033	RUNNING CAPACITOR FOR M. R. BLOWER	3EHP585811 P0002		01	NIL	NIL				
			B020/224	CAPACITOR TO SCAVENGE BLOWER MR	3EHP585811 P0002		01	NIL	NIL				
			B020/081	CAPACITOR TO SCAVENGE BLOWER MR	3EHP585811 P0002		01	NIL	NIL				
4	N/0/0010	29960022	T019/009	CONTACTOR FILTER ON/OFF & ADAPTION (CONTACTOR TYPE-1)	HSBA43369 9R1384	CLW/ES/3/0 086/C	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T021/004	CONTACTOR FILTER ADAPTION	HSBA43369 9R1384		01	1.00	NIL				
			T021/003	CONTACTOR FILTER ON/OFF	HSBA43369 9R1384		01	1.00	NIL				
			B021/004	CONTACTOR FILTER ADAPTION	HSBA43369 9R1384		01	NIL	1.00				
			B021/003	CONTACTOR FILTER ON/OFF	HSBA43369 9R1384		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
5	N/0/0011	29771006	T021/005	CAPACITOR BANK HARMONIC FILTER ALONGWITH ACCESSORIES i.e. TIGHTENING CLAMP ,FRONT HALF SHELL,REAR HALF SHELL WITH HARDWARES AS PER DRAWING NO. CLW/ES/3/SK-1/0087/E AND CLW/ES/3/SK-2/0087/E.	3EHP510205 R1001	CLW/ES/3/0 087/E	01	6.00	2.00	NO	NA	AS PER IRS CONDITION	
			T021/005	CAPACITOR BANK HARMONIC FILTER ALONGWITH ACCESSORIES i.e. TIGHTENING CLAMP ,FRONT HALF SHELL,REAR HALF SHELL WITH HARDWARES AS PER DRAWING NO. CLW/ES/3/SK-1/0087/E AND CLW/ES/3/SK-2/0087/E.	3EHP510205 R1001		01	6.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B021/005	CAPACITOR BANK HARMONIC FILTER ALONGWITH ACCESSORIES i.e. TIGHTENING CLAMP ,FRONT HALF SHELL,REAR HALF SHELL WITH HARDWARES AS PER DRAWING NO. CLW/ES/3/SK-1/0087/E AND CLW/ES/3/SK-2/0087/E.	3EHP510205 R1001		01	NIL	2.00				
6	N/0/0012	29890032	T021/006	CONTACTOR FOR DISCHARGING RESISTOR (CONTACTOR TYPE-2)	3EHP585762 R6183	CLW/ES/3/0 088/A	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T021/006	CONTACTOR FOR DISCHARGING RESISTOR	3EHP585762 R6183		01	1.00	NIL				
			B021/006	CONTACTOR FOR DISCHARGING RESISTOR	3EHP585762 R6183		01	NIL	1.00				
7	N/0/0014	29890056	T023/009	CONTACTOR FOR MAIN COMPRESSOR AND BUR-1/2 (CONTACTOR TYPE - 3)	HBTB58568 3R2927	CLW/ES/3/0 095/D	01	5.00	5.00	NO	NA	AS PER IRS CONDITION	01 no is to be drawn for fitting in A.C. systems in the Locos.
			T023/177	CONTACTOR FOR MAIN COMPRESSOR	HBTB585683 R2927		01	1.00	NIL				
			T023/025	CONTACTOR FOR MAIN COMPRESSOR	HBTB585683 R2927		01	1.00	NIL				
			T023/517	CONTACTOR FOR BUR - 1/2	HBTB585683 R2927		01	2.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T023/638	CONTACTOR FOR AC SYSTEM	HBTB585683 R2927		01	1.00	NIL				
			B023/517	CONTACTOR FOR BUR - 1/2	HBTB585683 R2927		01	NIL	2.00				
			B023/177	CONTACTOR FOR MAIN COMPRESSOR	HBTB585683 R2927		01	NIL	1.00				
			B023/025	CONTACTOR FOR MAIN COMPRESSOR	HBTB585683 R2927		01	NIL	1.00				
			B023/638	CONTACTOR FOR AC SYSTEM	HBTB585683 R2927		01	NIL	1.00				
8	N/2/0015	29771020	T023/371	START- UP CAPACITOR (47 MICRO FARAD)	3EHP585811 P0005	CLW/ES/3/0 097/D	01	NIL	NIL				
			T023/516	START - UP CAPACITOR FOR MACHINE ROOM BLOWER	3EHP585811 P0005		01	NIL	NIL				
			T023/180	START - UP CAPACITOR FOR MACHINE ROOM BLOWER	3EHP585811 P0005		01	NIL	NIL				
			B023/372	START - UP CAPACITOR FOR MACHINE ROOM BLOWER	3EHP585811 P0005		01	NIL	NIL				
			B023/421	START - UP CAPACITOR FOR MACHINE ROOM BLOWER	3EHP585811 P0005		01	NIL	NIL				
9	N/0/0016	29890020	T024/011	CONTACTOR FOR CONTROL ELECTRONICS AND CONTROL CKT. 'ON ' (CONTACTOR TYPE - 4)	HBTB58563 3R0820	CLW/ES/3/0 034/C	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T024/236	CONTACTOR CONTROL ELECTRONICS	HBTB585633 R0820		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T024/214	CONTACTOR, CONTROL CIRCUIT 'ON' '	HBTB585633 R0820		01	1.00	NIL				
			B024/236	CONTACTOR CONTROL ELECTRONICS	HBTB585633 R0820		01	NIL	1.00				
			B024/214	CONTACTOR, CONTROL CIRCUIT 'ON' '	HBTB585633 R0820		01	NIL	1.00				
10	N/0/0017	29891000	T024/364	CONTACTOR POWER SUPPLY TO CAB WITH ITS ACCESSORIES (CONTACTOR TYPE - 5)	i)HBTB5856 83R4227 ii)3EHP5857 71R0006	CLW/ES/3/0 064/C	03	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T024/439	CONTACTOR POWER SUPPLY TO CAB WITH ITS ACCESSORIES	i)HBTB58568 3R4227 ii)3EHP5857 71R0006		03	1.00	NIL				
			T024/217	CONTACTOR POWER SUPPLY TO CAB WITH ITS ACCESSORIES	i)HBTB58568 3R4227 ii)3EHP5857 71R0006		03	1.00	NIL				
			B024/439	CONTACTOR POWER SUPPLY TO CAB WITH ITS ACCESSORIES	i)HBTB58568 3R4227 ii)3EHP5857 71R0006		03	NIL	1.00				
			B024/217	CONTACTOR POWER SUPPLY TO CAB WITH ITS ACCESSORIES	i)HBTB58568 3R4227 ii)3EHP5857 71R0006		03	NIL	1.00				
11	N/1/0017	2996003401 14P	T021/240	CONTACTOR FOR HOTEL LOAD	HSBA43369 1R1485	CLW/ES/3/0 308/A	01	NIL	NIL				
			T021/240	CONTACTOR FOR HOTEL LOAD	HSBA43369 1R1485		01	NIL	NIL				
			B021/240	CONTACTOR FOR HOTEL LOAD	HSBA43369 1R1485		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
12	N/0/0018	29710091	T024/366	CKT. BREAKERS WITHOUT AUXILIARY CONTACTS (TYPE-1)	HBTB58555 5R1013	CLW/ES/3/0 037/H	01	19.00	19.00	NO	NA	AS PER IRS CONDITION	
			T024/466	CIRCUIT BREAKER WITHOUT AUX. CONTACTS MARKER LIGHTS	HBTB585555 R1013		01	1.00	NIL				
			T024/459	CIRCUIT BREAKER WITHOUT AUX. CONTACTS LIGHTING FRONT	HBTB585555 R1013		01	1.00	NIL				
			T024/452	CIRCUIT BREAKER WITHOUT AUX. CONTACTS MEMOTEL SPEEDOMETER	HBTB585555 R1013		01	1.00	NIL				
			T024/451	CIRCUIT BREAKER WITHOUT AUX. CONTACTS 24 V / 48 V POWER SUPPLY	HBTB585555 R1013		01	1.00	NIL				
			T024/450	CIRCUIT BREAKER WITHOUT AUX. CONTACTS CENTRAL ELECTRONICS	HBTB585555 R1013		01	2.00	NIL				
			T024/449	CIRCUIT BREAKER WITHOUT AUX. CONTACTS COMMISSIONING -2	HBTB585555 R1013		01	1.00	NIL				
			T024/448	CIRCUIT BREAKER WITHOUT AUX. CONTACTS COMMISSIONING -1	HBTB585555 R1013		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T024/447	CIRCUIT BREAKER WITHOUT AUX. CONTACTS PNEUMATIC PANEL	HBTB585555 R1013		01	NIL	NIL				
			T024/444	CIRCUIT BREAKER WITHOUT AUX. CONTACTS MONITORING	HBTB585555 R1013		01	1.00	NIL				
			T024/443	CIRCUIT BREAKER WITHOUT AUX. CONTACTS VIGILANCE CONTROL	HBTB585555 R1013		01	1.00	NIL				
			T024/441	CIRCUIT BREAKER WITHOUT AUX. CONTACTS ELECTRONICS TRACTION CONVERTER	HBTB585555 R1013		01	1.00	NIL				
			T024/238	CIRCUIT BREAKER LIGHTING FRONT	HBTB585555 R1013		01	1.00	NIL				
			T024/226	CIRCUIT BREAKER WITHOUT AUX. CONTACTS 24 V / 48 V POWER SUPPLY	HBTB585555 R1013		01	1.00	NIL				
			T024/225	CIRCUIT BREAKER WITHOUT AUX. CONTACTS CENTRAL ELECTRONICS	HBTB585555 R1013		01	2.00	NIL				
			T024/222	CIRCUIT BREAKER WITHOUT AUX. CONTACTS MONITORING	HBTB585555 R1013		01	1.00	NIL				
			T024/221	CIRCUIT BREAKERWITHOUT AUX. CONTACTS PANTOGRAPH / VCB CONTROL	HBTB585555 R1013		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T024/219	CIRCUIT BREAKER WITHOUT AUX. CONTACTS ELECTRONICS TRACTION CONVERTER	HBTB585555 R1013		01	1.00	NIL				
			T024/463	CIRCUIT BREAKER WITHOUT AUX. CONTACTS FOR BUR - 1/2	HBTB585555 R1013		01	1.00	NIL				
			T024/626	CIRCUIT BREAKER FOR SPEED SENSOR MONITORING	HBTB585555 R1013		01	NIL	NIL				
			T024/627	CIRCUIT BREAKER FOR SR COOLING PUMP	HBTB585555 R1013		01	NIL	NIL				
			B024/466	CIRCUIT BREAKER MARKER LIGHTS	HBTB585555 R1013		01	NIL	1.00				
			B024/459	CIRCUIT BREAKER WITHOUT AUX. CONTACTOR LIGHTING FRONT	HBTB585555 R1013		01	NIL	1.00				
			B024/452	CIRCUIT BREAKER WITHOUT AUX. CONTACT MEMOTEL SPEEDOMETER	HBTB585555 R1013		01	NIL	1.00				
			B024/451	CIRCUIT BREAKER WITHOUT AUX. CONTACT 24 V / 48 V POWER SUPPLY	HBTB585555 R1013		01	NIL	1.00				
			B024/450	CIRCUIT BREAKER WITHOUT AUX. CONTACT CENTRAL ELECTRONICS	HBTB585555 R1013		01	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B024/449	CIRCUIT BREAKER WITHOUT AUX. CONTACT COMMISSIONING -2	HBTB585555 R1013		01	NIL	1.00				
			B024/448	CIRCUIT BREAKER WITHOUT AUX. CONTACT COMMISSIONING -1	HBTB585555 R1013		01	NIL	1.00				
			B024/447	CIRCUIT BREAKER WITHOUT AUX. CONTACT PNEUMATIC PANEL	HBTB585555 R1013		01	NIL	NIL				
			B024/444	CIRCUIT BREAKER WITHOUT AUX. CONTACT MONITORING	HBTB585555 R1013		01	NIL	1.00				
			B024/443	CIRCUIT BREAKER WITHOUT AUX. CONTACT VIGILANCE CONTROL	HBTB585555 R1013		01	NIL	1.00				
			B024/441	CIRCUIT BREAKER WITHOUT AUX. CONTACT ELECTRONICS TRACTION CONVERTER	HBTB585555 R1013		01	NIL	1.00				
			B024/238	CIRCUIT BREAKER LIGHTING FRONT	HBTB585555 R1013		01	NIL	1.00				
			B024/226	CIRCUIT BREAKER WITHOUT AUX. CONTACTS 24 V / 48 V POWER SUPPLY	HBTB585555 R1013		01	NIL	1.00				
			B024/225	CIRCUIT BREAKER WITHOUT AUX. CONTACTS CENTRAL ELECTRONICS	HBTB585555 R1013		01	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO.	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATION NO.	CLW SPECIFICATION NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B024/222	CIRCUIT BREAKER WITHOUT AUX. CONTACTS MONITORING	HBTB585555 R1013		01	NIL	1.00				
			B024/221	CIRCUIT BREAKER WITHOUT AUX. CONTACTS PANTOGRAPH / VCB CONTROL	HBTB585555 R1013		01	NIL	1.00				
			B024/219	CIRCUIT BREAKER WITHOUT AUX. CONTACTS ELECTRONICS TRACTION CONVERTER	HBTB585555 R1013		01	NIL	1.00				
			B024/463	CIRCUIT BREAKER WITHOUT AUX. CONTACTS FOR BUR - 1/2	HBTB585555 R1013		01	NIL	1.00				
			B024/626	CIRCUIT BREAKER FOR SPEED SENSOR MONITORING	HBTB585555 R1013		01	NIL	NIL				
			B024/626	CIRCUIT BREAKER FOR SR COOLING PUMP	HBTB585555 R1013		01	NIL	NIL				
13	N/0/0019	29710108	T024/367	CKT. BREAKER WITHOUT AUXILIARY CONTACTS (TYPE-2)	HBTB585555 R1043	CLW/ES/3/0 037/H	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T024/442	CIRCUIT BREAKER WITHOUT AUX. CONTACTS POWER SUPPLY GATE - UNITS	HBTB585555 R1043		01	1.00	NIL				
			T024/220	CIRCUIT BREAKER WITHOUT AUX. CONTACTS POWER SUPPLY GATE - UNITS	HBTB585555 R1043		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B024/442	CIRCUIT BREAKER WITHOUT AUX. CONTACT POWER SUPPLY GATE - UNITS	HBTB585555 R1043		01	NIL	1.00				
			B024/220	CIRCUIT BREAKER WITHOUT AUX. CONTACTS POWER SUPPLY GATE - UNITS	HBTB585555 R1043		01	NIL	1.00				
14	N/0/0020	29710110	T024/368	CKT. BREAKER WITHOUT AUXILIARY CONTACTS (TYPE - 3)	HBTB585555 5R1023	CLW/ES/3/0 037/H	01	6.00/7.00	6.00	NO	NA	AS PER IRS CONDITION	
			T024/446	CIRCUIT BREAKER WITHOUT AUX. CONTACTS DRIVER'S CAB	HBTB585555 R1023		01	1.00	NIL				
			T024/224	CIRCUIT BREAKER WITHOUT AUX. CONTACTS DRIVER'S CAB	HBTB585555 R1023		01	1.00	NIL				
			T024/445	CIRCUIT BREAKER WITHOUT AUX. CONTACTS ELECTRONICS AUXILIARY CONVERTER	HBTB585555 R1023		01	2.00	NIL				
			T024/223	CIRCUIT BREAKER WITHOUT AUX. CONTACTS ELECTRONICS AUXILIARY CONVERTER	HBTB585555 R1023		01	1.00	NIL				
			T024/628	CIRCUIT BREAKER FOR HOTEL LOAD CONVERTER	HBTB585555 R1023		01	NIL/1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T024/629	CIRCUIT BREAKER FOR CCB PANEL	HBTB585555 R1023		01	1.00	NIL				
			B024/446	CIRCUIT BREAKER WITHOUT AUX. CONTACT DRIVER'S CAB	HBTB585555 R1023		01	NIL	1.00				
			B024/224	CIRCUIT BREAKER WITHOUT AUX. CONTACTS DRIVER'S CAB	HBTB585555 R1023		01	NIL	1.00				
			B024/445	CIRCUIT BREAKER WITHOUT AUX. CONTACTS ELECTRONICS AUXILIARY CONVERTER	HBTB585555 R1023		01	NIL	2.00				
			B024/223	CIRCUIT BREAKER WITHOUT AUX. CONTACTS ELECTRONICS AUXILIARY CONVERTER	HBTB585555 R1023		01	NIL	1.00				
			B024/628	CIRCUIT BREAKER FOR HOTEL LOAD CONVERTER	HBTB585555 R1023		01	NIL	NIL				
			B024/629	CIRCUIT BREAKER FOR CCB PANEL	HBTB585555 R1023		01	NIL	1.00				
15	N/0/0021	29890068	T024/019	AUXILIARY CONTACTOR FOR VCB / PANTOGRAPH IN SB1 & SB2	HBTB585683 R1127	CLW/ES/3/0 040/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T024/453	AUXILIARY CONTACTOR PANTOGRAPH	HBTB585683 R1127		01	1.00	NIL				
			T024/229	AUXILIARY CONTACTOR VCB	HBTB585683 R1127		01	1.00	NIL				
			B024/453	AUXILIARY CONTACTOR PANTOGRAPH	HBTB585683 R1127		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B024/229	AUXILIARY CONTACTOR VCB	HBTB585683 R1127		01	NIL	1.00				
16	N/0/0023	29711010	T024/040	CKT. BREAKERS WITHOUT AUXILIARY CONTACTS FOR AUX. COMPRESSOR (TYPE - 6)	i)HBTB58555 55R1033 ii)HBTB58555 57R1200	CLW/ES/3/0 037/H	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T024/430	CKT. BREAKER WITHOUT AUXILIARY CONTACT FOR AUX. COMPRESSOR	i)HBTB58555 5R1033 ii)HBTB58555 57R1200		03	1.00	NIL				
			B024/430	CKT. BREAKER WITHOUT AUX. CONTACT FOR AUXILIARY COMPRESSOR	i)HBTB58555 5R1033 ii)HBTB58555 57R1200		03	NIL	1.00				
17	N/1/0023	29711009	T024/451	CKT. BREAKERS WITHOUT AUXILIARY CONTACTS (TYPE-7)	HBTB58555 5R1033	CLW/ES/3/0 037/H	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T024/460	CKT. BREAKER WITHOUT AUX. CONTACT LIGHTING MACHINE ROOM	HBTB585555 R1033		01	1.00	NIL				
			B024/460	CKT. BREAKER WITHOUT AUX. CONTACT LIGHTING MACHINE ROOM	HBTB585555 R1033		01	NIL	1.00				
18	N/0/0024	29890019	T024/041	CONTACTOR TYPE - 6	HBTB58540 2R0821	CLW/ES/3/0 034/C	01	7.00	7.00	NO	NA	AS PER IRS CONDITION	

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T024/431	CONTACTOR AUXILIARY COMPRESSOR	HBTB585402 R0821		01	1.00	NIL				
			T023/029	AUXILIARY CONTACTOR FOR CONTACTOR AUXILIARIES	HBTB585402 R0821		01	4.00	NIL				
			T024/464	CONTACTOR FOR HEAD LIGHT	HBTB585402 R0821		01	1.00	NIL				
			T024/465	CONTACTOR FOR HEAD LIGHT	HBTB585402 R0821		01	1.00	NIL				
			B024/431	CONTACTOR AUXILIARY COMPRESSOR	HBTB585402 R0821		01	NIL	1.00				
			B023/029	AUXILIARY CONTACTOR FOR CONTACTOR AUXILIARIES	HBTB585402 R0821		01	NIL	4.00				
			B024/464	CONTACTOR FOR HEAD LIGHT	HBTB585402 R0821		01	NIL	1.00				
			B024/465	CONTACTOR FOR HEAD LIGHT	HBTB585402 R0821		01	NIL	1.00				
19	N/0/0025	29710212	T024/042	CKT. BREAKER WITHOUT AUXILIARY CONTACTS (TYPE - 8)	HBTB58550 1R4371	CLW/ES/3/0 050/C	01	3.00	3.00	NO	NA	AS PER IRS CONDITION	Procurement quantity will be as per production target of Locos for CLW/CRJ only not for Dunkuni.
			T024/433	CIRCUIT BREAKER CONTROL CIRCUITS LOCOMOTIVE	HBTB585501 R4371		01	1.00	NIL				
			T024/432	CIRCUIT BREAKER OUTPUT BATTERY CHARGER	HBTB585501 R4371		01	1.00	NIL				
			T017/107	CIRCUIT BREAKER , BATTERY	HBTB585501 R4371		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B024/433	CIRCUIT BREAKER CONTROL CIRCIUTS LOCOMOTIVE	HBTB585501 R4371		01	NIL	1.00				
			B024/432	CIRCUIT BREAKER OUTPUT BATTERY CHARGER	HBTB585501 R4371		01	NIL	1.00				
			B017/107	CIRCUIT BREAKER , BATTERY	HBTB585501 R4371		01	NIL	1.00				
20	N/0/0026	29741026	T024/453	DC/DC FOR CONVERTER - 1 IN SB-1	3EHP590001 R0100	CLW/ES/3/0 054/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T024/434	DC / DC - CONVERTER - 1	3EHP590001 R0100		01	1.00	NIL				
			T024/210	DC / DC - CONVERTER - 1	3EHP590001 R0100		01	1.00	NIL				
			B024/434	DC / DC - CONVERTER - 1	3EHP590001 R0100		01	NIL	1.00				
			B024/210	DC / DC - CONVERTER - 1	3EHP590001 R0100		01	NIL	1.00				
21	N/1/0026	29741063	T024/360	DC/DC FOR CONVERTER 2 IN SB-2	3EHP590001 R0090	CLW/ES/3/0 054/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T024/435	DC / DC - CONVERTER - 2	3EHP590001 R0090		01	1.00	NIL				
			T024/211	DC / DC - CONVERTER - 2	3EHP590001 R0090		01	1.00	NIL				
			B024/435	DC / DC - CONVERTER - 2	3EHP590001 R0090		01	NIL	1.00				
			B024/211	DC / DC - CONVERTER - 2	3EHP590001 R0090		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
22	N/0/0029A			SET OF SINGLE CORE CABLES FOR PANEL						NO	NA	AS PER IRS CONDITION	Procurement shall be as per Loco target minus Procurement of panels from trade including Chittaranjan and Dankuni for 2023-24 and 2024-25.
(1)	N/2/0029	26600055	T034/304	CABLE 0.62CU/ETFE GNGE	HZN452890P0854	CLW/ES/3/0458/E	22	NIL	NIL				
(1)	N/3/0029	29600066	T023/160	CAB 4 GKW-AX 1.5 1800 V BK	3EHW470015P0015	CLW/ES/3/0458/E	22	2570.50/2620.50	2570.50				
(2)	N/4/0029	29600078	T023/161	CAB 4 GKW-AX 2.5 1800 V BK	3EHW470015P0025	CLW/ES/3/0458/E	22	1671.20	1671.20				
(3)	N/5/0029	29600080	T023/162	CAB 4 GKW-AX 6 1800 V BK	3EHW470015P0060	CLW/ES/3/0458/E	22	45.00	45.00				
(4)	N/6/0029	29600091	T023/163	CAB 4 GKW-AX 10 1800 V BK	3EHW470015P0100	CLW/ES/3/0458/E	22	145.65	145.65				
(5)	N/7/0029	29600108	T034/188	CAB 4 GKW-AX 16 1800 V BK	3EHW470015P0160	CLW/ES/3/0458/E	22	10.00	10.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(6)	N/8/0029	29600110	T023/164	CAB 4 GKW-AX 25 1800 V BK	3EHW47001 5P0250	CLW/ES/3/0 458/E	22	38.00	38.00				
(7)	N/9/0029	29600121	T034/108	CAB 4 GKW-A X 35 1800 V BK	3EHW47001 5P0350	CLW/ES/3/0 458/E	22	6.00	6.00				
(8)	N/10/0029	29600133	T023/165	CAB 4 GKW-AX 50 1800 V BK	3EHW47001 5P0500	CLW/ES/3/0 458/E	22	16.00	16.00				
(9)	N/11/0029	29600145	T034/094	CAB 4 GKW-AX 70 1800 V BK	3EHW47001 5P0700	CLW/ES/3/0 458/E	22	NIL	NIL				
(10)	N/12/0029	29600157	T029/032	CAB 4 GKW-AX 95 1800 V BK	3EHW47001 5P0950	CLW/ES/3/0 458/E	22	NIL	NIL				
(11)	N/13/0029	2960016922 14H	T034/078	CAB 4 GKW-AX 120 1800 V BK	3EHW47001 5P1200	CLW/ES/3/0 458/E	22	NIL	NIL				
(12)	N/25/0029	2960500322 14H	T029/233	CAB 4 GKW - AX 150 1800 V BK	3EHW47001 5P1500	CLW/ES/3/0 458/E	22	NIL	NIL				
(13)	N/14/0029	29600170	T021/084	CAB 9 GKW-AX 10 4000 V BK	3EHW47001 6P0100	CLW/ES/3/0 458/E	22	10.00	10.00				
(14)	N/15/0029	29600182	T021/085	CAB 9 GKW-AX 25 4000 V BK	3EHW47001 6P0250	CLW/ES/3/0 458/E	22	8.00	6.00				
(15)	N/16/0029	29600194	T029/060	CAB 9 GKW-AX 70 4000 V BK	3EHW47001 6P0700	CLW/ES/3/0 458/E	22	NIL	NIL				
(16)	N/17/0029	29600200	T034/082	CAB 9 GKW-AX 95 4000 V BK	3EHW47001 6P0950	CLW/ES/3/0 458/E	22	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(17)	N/18/0029	29600212	T016/193	CAB 9 GKW-AX 120 4000 V BK	3EHW47001 6P1200	CLW/ES/3/0 458/E	22	NIL	NIL				
(18)	N/19/0029	29600224	T021/220	CAB 9 GKW - AX 150 4000V BK	3EHW47001 6P1500	CLW/ES/3/0 458/E	22	12.00	12.00				
(19)	N/20/0029	2960023622 14H	T031/459	CAB - 3GKW-0.5 FLEX YE- GN	HZN452926P 0301	CLW/ES/3/0 458/E	22	NIL	NIL				
(20)	N/21/0029	29600248	T030/986	CAB - 3GKW- 0.5 FLEX RED	HZN452926P 0201	CLW/ES/3/0 458/E	22	41.00	41.00				
23	N/0/0029B			SET OF SINGLE CORE CABLES FOR NON PANEL						NO	NA	AS PER IRS CONDITION	Procurement shall be as per Loco target minus Procurement of set of Harnessed cables from trade including Chittaranjan and Dankuni for 2023-24 and 2024-25.
(1)	N/3/0029B	29600066	T071/026	CAB 4 GKW-AX 1.5 1800 V BK	3EHW47001 5P0015	CLW/ES/3/0 458/E	22	1044.00/ 2070.00	2070				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(2)	N/4/0029B	29600078	T071/027	CAB 4 GKW-AX 2.5 1800 V BK	3EHW47001 5P0025	CLW/ES/3/0 458/E	22	7769.00/ 8880.50	7486.50				78 metres are to be drawn for fitting in A.C. systems in the Locos.
(3)	N/5/0029B	29600080	T071/028	CAB 4 GKW-AX 6 1800 V BK	3EHW47001 5P0060	CLW/ES/3/0 458/E	22	353.00/390.0 0	390.00				10 metres are to be drawn for fitting in A.C. systems in the Locos.
(4)	N/6/0029B	29600091	T071/029	CAB 4 GKW-AX 10 1800 V BK	3EHW47001 5P0100	CLW/ES/3/0 458/E	22	252.00/270.0 0	260.00				
(5)	N/7/0029B	29600108	T071/030	CAB 4 GKW-AX 16 1800 V BK	3EHW47001 5P0160	CLW/ES/3/0 458/E	22	175.00/205.0 0	205.00				
(6)	N/8/0029B	29600110	T071/031	CAB 4 GKW-AX 25 1800 V BK	3EHW47001 5P0250	CLW/ES/3/0 458/E	22	105.00/112.0 0	110.00				
(7)	N/9/0029B	29600121	T071/032	CAB 4 GKW-A X 35 1800 V BK	3EHW47001 5P0350	CLW/ES/3/0 458/E	22	31.00/35.00	35.00				
(8)	N/10/0029B	29600133	T071/033	CAB 4 GKW-AX 50 1800 V BK	3EHW47001 5P0500	CLW/ES/3/0 458/E	22	53.00/65.00	57.00				
(9)	N/11/0029B	29600145	T071/034	CAB 4 GKW-AX 70 1800 V BK	3EHW47001 5P0700	CLW/ES/3/0 458/E	22	167.00/188.0 0	175.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(10)	N/12/0029B	29600157	T071/035	CAB 4 GKW-AX 95 1800 V BK	3EHW47001 5P0950	CLW/ES/3/0 458/E	22	36.00/40.00	40.00				
(11)	N/13/0029B	2960016922 14H	T071/036	CAB 4 GKW-AX 120 1800 V BK	3EHW47001 5P1200	CLW/ES/3/0 458/E	22	NIL	NIL				
(12)	N/25/0029B	2960500322 14H	T071/037	CAB 4 GKW - AX 150 1800 V BK	3EHW47001 5P1500	CLW/ES/3/0 458/E	22	NIL	NIL				
(13)	N/14/0029B	29600170	T071/038	CAB 9 GKW-AX 10 4000 V BK	3EHW47001 6P0100	CLW/ES/3/0 458/E	22	NIL	NIL				
(14)	N/15/0029B	29600182	T071/039	CAB 9 GKW-AX 25 4000 V BK	3EHW47001 6P0250	CLW/ES/3/0 458/E	22	NIL	NIL				
(15)	N/16/0029B	29600194	T071/040	CAB 9 GKW-AX 70 4000 V BK	3EHW47001 6P0700	CLW/ES/3/0 458/E	22	40.00/45.00	45.00				
(16)	N/17/0029B	29600200	T071/041	CAB 9 GKW-AX 95 4000 V BK	3EHW47001 6P0950	CLW/ES/3/0 458/E	22	1.80/2.00	2.00				
(17)	N/18/0029B	29600212	T071/042	CAB 9 GKW-AX 120 4000 V BK	3EHW47001 6P1200	CLW/ES/3/0 458/E	22	309.00/498.00	295.00				
(18)	N/19/0029B	29600224	T071/043	CAB 9 GKW - AX 150 4000V BK	3EHW47001 6P1500	CLW/ES/3/0 458/E	22	23.00/100.00	75.00				
(19)	N/20/0029B	2960023622 14H	T071/044	CAB - 3GKW-0.5 FLEX YE- GN	HZN452926P 0301	CLW/ES/3/0 458/E	22	NIL	NIL				
(20)	N/21/0029B	29600248	T071/045	CAB - 3GKW- 0.5 FLEX RED	HZN452926P 0201	CLW/ES/3/0 458/E	22	12.00/15.00	15.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(21)	N/22/0029B		T071/058	THIN WALLED CABLES (ELECTRON BEAM IRRADIATION CURING PROCESS), GRADE 1.8/3.0 KV, 4.0 SQ. MM BK AS PER RDSO SPECIFICATION NO. ELRS/SPEC/ELC/0019, REV-4		ELRS/SPEC /ELC/0019, Rev-4	22	8.00	8.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
24	N/0/0030c	29615460	T028/730	SET OF CONNECTOR FOR PANEL FOR WAG-9 AS PER E70 BRAKE SYSTEM		CLW/ES/3/0 124/O	03	1.00/NIL	NIL	NO	NA	AS PER IRS CONDITION	i. Procurement shall be as per Loco target minus Procurement of panels from trade including Chittaranjan and Dankuni considering offloading of panel duly approved by competent authority for 2025-26 and onwards. ii. Procurable quantity should be reviewed anually, considering quantity of CAT. No. N/0/0030i and

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
													actual ordering of Brake system for 3-phase Loco for 2025-2026 and onwards. iii. It will be applicable for 2025-2026 and onwards. Previous Category provision may be followed till 2024-25."

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
24a	N/0/0030d	29615471	T028/731	SET OF CONNECTOR FOR PANEL FOR WAP-5 AS PER E70 BRAKE SYSTEM		CLW/ES/3/0 124/O	03	NIL	1.00	NO	NA	AS PER IRS CONDITION	i. Procurable quantity should be reviewed annually, considering quantity of CAT. No. N/0/0030j and actual ordering of Brake system for 3-phase Loco for 2025-2026 and onwards. ii. It will be applicable for 2025-2026 and onwards. Previous Category provision may be followed till 2024-25."

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
24b	N/0/0030e	29615483	T028/732	SET OF CONNECTOR FOR PANEL FOR WAP-7 AS PER E70 BRAKE SYSTEM		CLW/ES/3/0 124/O	03	NIL/1.00	NIL	NO	NA	AS PER IRS CONDITION	i. Procurable quantity should be reviewed annually, considering quantity of CAT. No. N/0/0030k and actual ordering of Brake system for 3-phase Loco for 2025-2026 and onwards. ii. It will be applicable for 2025-2026 and onwards. Previous Category provision may be followed till 2024-25.
(1)	N/1/0030		T030/046	CONTACT SOCKET SIZE 8 / 2.5 MM2	3EHW47032 1P2025		01	NIL	NIL				
(2)	N/2/0030		T030/047	CONTACT SOCKET SIZE 8 / 6 MM2	3EHW47032 1P2060		01	NIL	NIL				
(3)	N/3/0030		T030/048	CONTACT SOCKET SIZE 8 10 MM2	3EHW47032 1P2100		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(4)	N/4/0030		T030/049	SET OF COMPLETE PLUG / PLUG P7/24 SOCKET 'N' INDOOR	HBTB31511 0R0011		01	NIL	NIL				
(5)	N/5/0030		T030/050	CONTACT FEMALE GR16 / CONTACT SOCKET SIZE 16	HBTB41539 9P0002		01	NIL	NIL				
(6)	N/6/0030		T030/051	PLUG DO 5P/ 14	HBTB41539 9P0022		01	NIL	NIL				
(7)	N/8/0030		T030/053	CONT. PIN 0.24-0.62/24-20	*1.8076.005/ 01		01	50.00	50.00				
(8)	N/9/0030		T030/054	ADAPTOR STR. SIZE 18	HBT415278P 0001		01	NIL	NIL				
(9)	N/10/0030		T030/055	PROTECTIVE CAP / CABLE CLIP	HETT401293 P0032		01	4.00	4.00				
(10)	N/11/0030		T030/065	CONTACT PIN, SIZE 8/2,5 SQ.MM	3EHW47032 1P1025		01	36.00	36.00				
(11)	N/12/0030		T030/066	CONTACT PIN, SIZE 8/6 SQ.MM	3EHW47032 1P1060		01	12.00	12.00				
(12)	N/13/0030		T030/067	CONTACT PIN, SIZE 8/10 SQ.MM	3EHW47032 1P1100		01	NIL	NIL				
(13)	N/14/0030		T017/424	CONTACT PIN 12/0.5	HBT415298P 0001		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(14)	N/15/0030		T033/112	CONTACT PIN 12/1.0	HBT415298P 0003		01	140.00/158.0 0	158.00				
(15)	N/16/0030		T023/166	CONTACT PIN 12/1.5	HBT415298P 0005		01	525.00	525.00				
(16)	N/17/0030		T023/167	CONTACT PIN 12/2,5	HBT415298P 0007		01	210.00/262.0 0	262.00				
(17)	N/18/0030		T023/168	CONTACT PIN 12/4.0	HBT415298P 0009		01	48.00	48.00				
(18)	N/19/0030		T023/169	CONTACT PIN 12/6.0	HBT415298P 0011		01	38.00	38.00				
(19)	N/20/0030		T031/070	CONTACT PIN 16/1.0	HBT415299P 0005		01	10.00	10.00				
(20)	N/21/0030		T031/069	CONTACT PIN 16/1.5	HBT415299P 0007		01	430.00	430.00				
(21)	N/22/0030		T033/115	CONTACT PIN 16/2.0/ AWG 14	HBT415299P 0009		01	200.00	200.00				
(22)	N/23/0030		T023/173	CONTACT PIN GRO/25 SQ.MM	HBTB41643 5P0002		01	16.00	16.00				
(23)	N/24/0030		T023/174	CONTACT PIN GRO/50 SQ.MM	HBTB41643 5P0004		01	12.00	12.00				
(24)	N/25/0030		T031/071	CONTACT PIN SUB -D	HESG45563 9P1200		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(25)	N/26/0030		T017/321	CONTACT PIN MALE GR16 0,5-1,0 mm2	HBTB41539 9P0001		01	NIL	NIL				
(26)	N/27/0030		T017/378	SUB-D PLUG SET / CONNECTOR SPEEDOMETER CONNECTOR SUB-SET	3EHP590025 R0519		01	NIL	NIL				
(27)	N/28/0030		T031/063	ST. 9P D-SUB GR1 / CONNECTOR	HBTB31624 0R0009		01	6.00	6.00				
(28)	N/29/0030		T021/063	SOCKET 9P D-SUB SIZE 1	HBTB31624 1R0009		01	8.00	8.00				
(29)	N/30/0030		T031/142	PLUG, INSULATED 0.5X2.8	3EHN424077 P0001		01	4.00	4.00				
(30)	N/31/0030		T033/039	PLUG SIZE 32/31 POLES (With non metallicCable Clamp)	As per Old Gimota Part No. except surface plating)		01	2.00	2.00				
(31)	N/32/0030		T030/237	CONTACT SOCKET	3EHP430759 P0002		01	NIL	NIL				
(32)	N/33/0030		T033/098	PLUG, SIZE 22/19POLE	3EHP431609 R0001		01	2.00	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(33)	N/34/0030		T020/036	PLUG, SIZE 28/37POLE	3EHP431609 R0002		01	NIL	NIL				
(34)	N/35/0030		T031/612	SOCKET BODY A 1P PA	3EHW47000 1P0001		01	NIL	NIL				
(35)	N/37/0030		T023/157	SOCKET 4P/24 PIN "N"	3EHW47007 2P0001		01	NIL	NIL				
(36)	N/39/0030		T030/914	SET OF COMPLETE SOCKET / SOCKET 5P / S18 PIN 'N'	HBT315075 R0011		01	NIL	NIL				
(37)	N/40/0030		T033/103	SET OF COMPLETE SOCKET / SOCKET 5P / S18 PIN 'N' STR	HBT315075 R0031		01	7.00	7.00				
(38)	N/41/0030		T030/115	SET OF COMPLETE PLUG / PLUG ASSEMBLY (KIT.)	HBT315076 R0011		01	NIL	NIL				
(39)	N/42/0030		T033/052	L-PLUG 31P/S32 BUSH"N"B	HBT315088 R0031		01	NIL	NIL				
(40)	N/43/0030		T033/076	CONTACT SOCKET 12/1.0	HBT415298P 0004		01	NIL	NIL				
(41)	N/44/0030		T030/888	CONTACT SOCKET 12/1.5	HBT415298P 0006		01	NIL	NIL				
(42)	N/45/0030		T033/072	CONTACT SOCKET 12/2.5	HBT415298P 0008		01	110.00	110.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(43)	N/46/0030		T030/674	CONTACT SOCKET 16/0.5	HBT415299P 0002		01	NIL	NIL				
(44)	N/47/0030		T033/074	CONTACT SOCKET 16/1.0	HBT415299P 0006		01	6.00	6.00				
(45)	N/48/0030		T033/073	CONTACT SOCKET 16/1.5	HBT415299P 0008		01	160.00	160.00				
(46)	N/50/0030		T033/097	SET OF COMPLETE PLUG / PLUG 13P/32 SKT 'N' INDOOR	HBTB31511 1R0011		01	2.00	2.00				
(47)	N/51/0030		T032/058	ST.35P/40 BU"N"IR KABELH./ PLUG 25P/40 SKT 'N' INDOOR	HBTB31511 3R0011		01	2.00	2.00				
(48)	N/52/0030		T031/061	ST.61P/40 BU"N"IR KABELH./ PLUG 61P/40 SKT 'N' INDOOR	HBTB31515 7R0011		01	2.00	2.00				
(49)	N/53/0030		T023/158	SOCKET 7P/24 PIN "N" (With Cable Clamp and Reduction Ring)	HBTB31515 8R0011		01	4.00	4.00				
(50)	N/55/0030		T030/818	SET OF COMPLETE SOCKET / SOCKET 13P/32 PIN 'N' INDOOR	HBTB31515 9R0011		01	5.00/6.00	6.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(51)	N/56/0030		T033/038	SET OF COMPLETE SOCKET / SOCKET 31P/31 PIN 'N' (With Cable Clamp)	HBTB31516 0R0011		01	2.00	2.00				
(52)	N/58/0030		T021/064	SOCKET 35P/40 PIN 'N' IND.	HBTB31516 2R0011		01	19.00	19.00				
(53)	N/60/0030		T033/102	SET OF COMPLETE SOCKET / SOCKET 61P/40 PIN 'N' INDOOR	HBTB31516 3R0011		01	10.00/12.00	12.00				
(54)	N/61/0030		T029/434	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0112		01	NIL	NIL				
(55)	N/62/0030		T030/755	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0113		01	NIL	NIL				
(56)	N/63/0030		T029/216	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0114		01	NIL	NIL				
(57)	N/64/0030		T030/782	SET OF COMPLETE PLUG / L-PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0211		01	NIL	NIL				
(58)	N/65/0030		T030/756	SET OF COMPLETE PLUG /L- PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0213		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(59)	N/66/0030		T023/156	SOCKET 4P/40 PIN "N"	HBTB315177R0001		01	7.00	7.00				
(60)	N/67/0030		T031/168	SET OF COMPLETE PLUG / L-PLUG 13P PIN 'N' OUTDOOR	HBTB315205R0111		01	NIL	NIL				
(61)	N/68/0030		T018/062	SOCKET 13P PIN "N" OUTDOOR	HBTB315305R0111		01	NIL	NIL				
(62)	N/69/0030		T017/377	SET OF COMPLETE SOCKET / SOCKET 13P PIN'N' OUTDOOR	HBTB315305R0311		01	NIL	NIL				
(63)	N/70/0030		T032/054	PLUG , 9P D-SUB , S1 . PINS	HBTB316240R0091		01	NIL	NIL				
(64)	N/71/0030		T017/420	ADAPTOR NW17/SIZE18	HBT415393P0437		01	NIL	NIL				
(65)	N/72/0030		T017/322	DUMMY CONTACT MALE GR16 BL/ DUMMY PLUG SIZE 16 BL	HBTB415399P0005		01	NIL	NIL				
(66)	N/73/0030		T029/862	SOCKET / PLUG , 5 CRIMP SOCKET S16	HBTB415399P0012		01	NIL	NIL				
(67)	N/74/0030		T030/275	CONTACT SOCKET AWG24-20	HESG455638P0120		01	450.00	450.00				
(68)	N/76/0030		T030/428	PLUG 9 POLES	HETT401293P0001		01	4.00	4.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(69)	N/77/0030		T021/110	CONNECTOR SKT 0.23, 0.5	SE408197P0013		01	30.00/38.00	38.00				
(70)	N/78/0030		T017/763	ANDERSON CONTACTS 120A	*1319		01	NIL	NIL				
(71)	N/79/0030		T017/762	ANDERSON PLUG PP 120A	*1321BLAU		01	NIL	NIL				
(72)	N/80/0030		T018/212	ANDERSON PLUG PP 120A	*1321G3ROT		01	NIL	NIL				
(73)	N/81/0030		T031/441	CABLE CONNECTION / HP-9P-SG-SG-17S-21-13.0 M	HBTB315385R0172		01	NIL	NIL				
(74)	N/82/0030		T033/075	CONTACT SOCKET 16/2/AWG14	HBT415299P0010		01	130.00	130.00				
(75)	N/83/0030		T030/588	SET OF COMPLETE PLUG / PLUG 22P / 36 SKT ' N' INDOOR	HBTB315112R0011		01	0.00/1.00	1.00				
(76)	N/84/0030		T029/263	PLUG 4 P BU "N" IR CA / CONNECTOR	3EHW470084R0001		01	NIL	NIL				
(77)	N/85/0030		T019/041	CONNECTOR / SUB D PLUG 25 P D- SUB	HBTB316240R0025		01	1.00	1.00				
(78)	N/86/0030		T019/042	CONNECTOR SPEEDOMETER	3EHP590025R0530		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(79)	N/87/0030		T019/043	PLUG, SIZE 22/19 POLE	3EHP431611 R0001		01	NIL	NIL				
(80)	N/88/0030		T019/044	PLUG, SIZE 28/37 POLE	3EHP431611 R0002		01	NIL	NIL				
(81)	N/89/0030		T019/045	SOCKET 4P/24 PIN"N"	3EHW47007 1P0001		01	10.00	10.00				
(82)	N/97/0030		T019/053	CONTACT SOCKET SUB-D	HESG45563 8P1200		01	NIL	NIL				
(83)	N/107/0030		T019/063	CONTACT SOCKET S-0/35 MM2	HBTB41643 4P0003		01	NIL	NIL				
(84)	N/108/0030		T019/064	CONTACT SOCKET S-0/30 MM2	HBTB41643 4P0004		01	NIL	NIL				
(85)	N/111/0030		T030/946	CONTACT SOCKET 16/0.5	HBTB41529 8P0012		01	NIL	NIL				
(86)	N/113/0030		T019/235	CONTACT SOCKET 12/6.0	HBT415298P 0012		01	NIL	NIL				
(87)	N/116/0030		T024/151	CONTACT SOCKET 1.5 MM2 * 2 RILLEN	HBT415176P 0003		01	NIL	NIL				
(88)	N/117/0030		T024/150	CONTACT SOCKET 0.5 MM2 * 3 RILLEN	HBT415176P 0004		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(89)	N/118/0030		T024/146	CONTACT PIN GR 16* 0.5 MM2 FOR SB - 1/2	HBT415299P 0001		01	105.00	105.00				
(90)	N/119/0030		T024/253	SOCKET 22P / 36 PIN 'N'	HBTB31516 1R0011		01	3.00/6.00	5.00				
(91)	N/120/0030		T024/469	SOCKET 4P / 40 PIN 'N' IND WITHOUT CONTACT PIN GR0/16 MM2	HBTB31517 7R0111		01	1.00	1.00				
(92)	N/121/0030		T024/470	SOCKET 4P / 40 PIN 'N' IND WITHOUT CONTACT PIN GR0/35 MM2	HBTB31517 7R0113		01	1.00	1.00				
(93)	N/122/0030		T024/246	CONNECTOR / PLUG, 15P D-SUB, SIZE-2	HBTB31624 0R0015		01	NIL	NIL				
(94)	N/123/0030		T024/247	CONNECTOR / PLUG, 17P D-SUB, SIZE-3	HBTB31624 0R0017		01	NIL	NIL				
(95)	N/124/0030		T024/352	CONTACT PIN GR0/ 16 MM2	HBTB41643 5P0001		01	4.00	4.00				
(96)	N/125/0030		T024/353	CONTACT PIN GR0/ 35 MM2	HBTB41643 5P0003		01	4.00	4.00				
(97)	N/126/0030		T024/159	CONTACT SOCKET 2-3 MM2	HESG45550 9P0021		01	NIL	NIL				
(98)	N/130/0030		T029/994	PROTECTION BOOT	HBTB41639 7P0012		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
24c	N/0/0030i		T028/763	SET OF CONNECTOR FOR PANEL FOR WAG-9 AS PER CCB SYSTEM		CLW/ES/3/0 124/O	03	1.00/NIL	NIL	NO	NA	AS PER IRS CONDITION	i. Procurement shall be as per Loco target minus Procurement of panels from trade including Chittaranjan and Dankuni considering offloading of panel duly approved by competent authority for 2025-26 and onwards. ii. Procurable quantity should be reviewed anually, considering quantity of CAT. No. N/0/0030c and

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
													actual ordering of Brake system for 3-phase Loco for 2025-2026 and onwards. iii. It will be applicable for 2025-2026 and onwards."
24d	N/0/0030j		T028/764	SET OF CONNECTOR FOR PANEL FOR WAP-5 AS PER CCB SYSTEM		CLW/ES/3/0 124/O	03	NIL	1.00	NO	NA	AS PER IRS CONDITION	Procurable quantitiy should be reviewed anually, considering quantity of CAT. No. N/0/0030d and actual ordering of Brake system for 3-phase Loco for 2025-2026 and onwards. ii. It will be applicable for 2025-2026 and onwards."

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
24e	N/0/0030k		T028/765	SET OF CONNECTOR FOR PANEL FOR WAP-7 AS PER CCB SYSTEM		CLW/ES/3/0 124/O	03	NIL/1.00	NIL	NO	NA	AS PER IRS CONDITION	Procurable quantity should be reviewed annually, considering quantity of CAT. No. N/0/0030e and actual ordering of Brake system for 3-phase Loco for 2025-2026 and onwards. ii. It will be applicable for 2025-2026 and onwards."
(1)	N/250/0030		T030/046	CONTACT SOCKET SIZE 8 / 2.5 MM2	3EHW47032 1P2025		01	NIL	NIL				
(2)	N/251/0030		T030/047	CONTACT SOCKET SIZE 8 / 6 MM2	3EHW47032 1P2060		01	NIL	NIL				
(3)	N/252/0030		T030/048	CONTACT SOCKET SIZE 8 10 MM2	3EHW47032 1P2100		01	NIL	NIL				
(4)	N/253/0030		T030/049	SET OF COMPLETE PLUG / PLUG P7/24 SOCKET 'N' INDOOR	HBTB31511 0R0011		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(5)	N/254/0030		T030/050	CONTACT FEMALE GR16 / CONTACT SOCKET SIZE 16	HBTB41539 9P0002		01	NIL	NIL				
(6)	N/255/0030		T030/051	PLUG DO 5P/ 14	HBTB41539 9P0022		01	NIL	NIL				
(7)	N/256/0030		T030/053	CONT. PIN 0.24-0.62/24-20	*1.8076.005/ 01		01	50.00	50.00				
(8)	N/257/0030		T030/054	ADAPTOR STR. SIZE 18	HBT415278P 0001		01	NIL	NIL				
(9)	N/258/0030		T030/055	PROTECTIVE CAP / CABLE CLIP	HETT401293 P0032		01	4.00	4.00				
(10)	N/259/0030		T030/065	CONTACT PIN, SIZE 8/2,5 SQ.MM	3EHW47032 1P1025		01	36.00	36.00				
(11)	N/260/0030		T030/066	CONTACT PIN, SIZE 8/6 SQ.MM	3EHW47032 1P1060		01	12.00	12.00				
(12)	N/261/0030		T030/067	CONTACT PIN, SIZE 8/10 SQ.MM	3EHW47032 1P1100		01	NIL	NIL				
(13)	N/262/0030		T017/424	CONTACT PIN 12/0.5	HBT415298P 0001		01	NIL	NIL				
(14)	N/263/0030		T033/112	CONTACT PIN 12/1.0	HBT415298P 0003		01	140.00/158.0 0	158.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(15)	N/264/0030		T023/166	CONTACT PIN 12/1.5	HBT415298P 0005		01	525.00	525.00				
(16)	N/265/0030		T023/167	CONTACT PIN 12/2,5	HBT415298P 0007		01	210.00/262.00	262.00				
(17)	N/266/0030		T023/168	CONTACT PIN 12/4.0	HBT415298P 0009		01	48.00	48.00				
(18)	N/267/0030		T023/169	CONTACT PIN 12/6.0	HBT415298P 0011		01	38.00	38.00				
(19)	N/268/0030		T031/070	CONTACT PIN 16/1.0	HBT415299P 0005		01	10.00	10.00				
(20)	N/269/0030		T031/069	CONTACT PIN 16/1.5	HBT415299P 0007		01	430.00	430.00				
(21)	N/270/0030		T033/115	CONTACT PIN 16/2.0/ AWG 14	HBT415299P 0009		01	200.00	200.00				
(22)	N/271/0030		T023/173	CONTACT PIN GRO/25 SQ.MM	HBTB41643 5P0002		01	16.00	16.00				
(23)	N/272/0030		T023/174	CONTACT PIN GRO/50 SQ.MM	HBTB41643 5P0004		01	12.00	12.00				
(24)	N/273/0030		T031/071	CONTACT PIN SUB -D	HESG45563 9P1200		01	NIL	NIL				
(25)	N/274/0030		T017/321	CONTACT PIN MALE GR16 0,5-1,0 mm2	HBTB41539 9P0001		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(26)	N/275/0030		T017/378	SUB-D PLUG SET / CONNECTOR SPEEDOMETER CONNECTOR SUB-SET	3EHP590025 R0519		01	NIL	NIL				
(27)	N/276/0030		T031/063	ST. 9P D-SUB GR1 / CONNECTOR	HBTB31624 0R0009		01	6.00	6.00				
(28)	N/277/0030		T021/063	SOCKET 9P D-SUB SIZE 1	HBTB31624 1R0009		01	8.00	8.00				
(29)	N/278/0030		T031/142	PLUG, INSULATED 0.5X2.8	3EHN424077 P0001		01	4.00	4.00				
(30)	N/279/0030		T033/039	PLUG SIZE 32/31 POLES (With non metallicCable Clamp)	As per Old Gimota Part No. except surface plating)		01	2.00	2.00				
(31)	N/280/0030		T030/237	CONTACT SOCKET	3EHP430759 P0002		01	NIL	NIL				
(32)	N/281/0030		T033/098	PLUG, SIZE 22/19POLE	3EHP431609 R0001		01	NIL	NIL				
(33)	N/282/0030		T020/036	PLUG, SIZE 28/37POLE	3EHP431609 R0002		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(34)	N/283/0030		T031/612	SOCKET BODY A 1P PA	3EHW47000 1P0001		01	NIL	NIL				
(35)	N/284/0030		T023/157	SOCKET 4P/24 PIN "N"	3EHW47007 2P0001		01	NIL	NIL				
(36)	N/285/0030		T030/914	SET OF COMPLETE SOCKET / SOCKET 5P / S18 PIN 'N'	HBT315075 R0011		01	NIL	NIL				
(37)	N/286/0030		T033/103	SET OF COMPLETE SOCKET / SOCKET 5P / S18 PIN 'N' STR	HBT315075 R0031		01	7.00	7.00				
(38)	N/287/0030		T030/115	SET OF COMPLETE PLUG / PLUG ASSEMBLY (KIT.)	HBT315076 R0011		01	NIL	NIL				
(39)	N/288/0030		T033/052	L-PLUG 31P/S32 BUSH"N"B	HBT315088 R0031		01	NIL	NIL				
(40)	N/289/0030		T033/076	CONTACT SOCKET 12/1.0	HBT415298P 0004		01	NIL	NIL				
(41)	N/290/0030		T030/888	CONTACT SOCKET 12/1.5	HBT415298P 0006		01	NIL	NIL				
(42)	N/291/0030		T033/072	CONTACT SOCKET 12/2.5	HBT415298P 0008		01	110.00	110.00				
(43)	N/292/0030		T030/674	CONTACT SOCKET 16/0.5	HBT415299P 0002		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(44)	N/293/0030		T033/074	CONTACT SOCKET 16/1.0	HBT415299P 0006		01	6.00	6.00				
(45)	N/294/0030		T033/073	CONTACT SOCKET 16/1.5	HBT415299P 0008		01	122.00	122.00				
(46)	N/295/0030		T033/097	SET OF COMPLETE PLUG / PLUG 13P/32 SKT 'N' INDOOR	HBTB31511 1R0011		01	2.00	2.00				
(47)	N/296/0030		T032/058	ST.35P/40 BU"N"IR KABELH./ PLUG 25P/40 SKT 'N' INDOOR	HBTB31511 3R0011		01	2.00	2.00				
(48)	N/297/0030		T031/061	ST.61P/40 BU"N"IR KABELH./ PLUG 61P/40 SKT 'N' INDOOR	HBTB31515 7R0011		01	2.00	2.00				
(49)	N/298/0030		T023/158	SOCKET 7P/24 PIN "N" (With Cable Clamp and Reduction Ring)	HBTB31515 8R0011		01	4.00	4.00				
(50)	N/299/0030		T030/818	SET OF COMPLETE SOCKET / SOCKET 13P/32 PIN 'N' INDOOR	HBTB31515 9R0011		01	5.00/6.00	6.00				
(51)	N/300/0030		T033/038	SET OF COMPLETE SOCKET / SOCKET 31P/31 PIN 'N' (With Cable Clamp)	HBTB31516 0R0011		01	2.00	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(52)	N/301/0030		T021/064	SOCKET 35P/40 PIN 'N' IND.	HBTB31516 2R0011		01	19.00	19.00				
(53)	N/302/0030		T033/102	SET OF COMPLETE SOCKET / SOCKET 61P/40 PIN 'N' INDOOR	HBTB31516 3R0011		01	10.00/12.00	12.00				
(54)	N/303/0030		T029/434	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0112		01	NIL	NIL				
(55)	N/304/0030		T030/755	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0113		01	NIL	NIL				
(56)	N/305/0030		T029/216	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0114		01	NIL	NIL				
(57)	N/306/0030		T030/782	SET OF COMPLETE PLUG / L-PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0211		01	NIL	NIL				
(58)	N/307/0030		T030/756	SET OF COMPLETE PLUG /L- PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0213		01	NIL	NIL				
(59)	N/308/0030		T023/156	SOCKET 4P/40 PIN "N"	HBTB31517 7R0001		01	7.00	7.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(60)	N/309/0030		T031/168	SET OF COMPLETE PLUG / L-PLUG 13P PIN 'N' OUTDOOR	HBTB31520 5R0111		01	NIL	NIL				
(61)	N/310/0030		T018/062	SOCKET 13P PIN "N" OUTDOOR	HBTB31530 5R0111		01	NIL	NIL				
(62)	N/311/0030		T017/377	SET OF COMPLETE SOCKET / SOCKET 13P PIN'N' OUTDOOR	HBTB31530 5R0311		01	NIL	NIL				
(63)	N/312/0030		T032/054	PLUG , 9P D-SUB , S1 . PINS	HBTB31624 0R0091		01	NIL	NIL				
(64)	N/313/0030		T017/420	ADAPTOR NW17/SIZE18	HBT415393P 0437		01	NIL	NIL				
(65)	N/314/0030		T017/322	DUMMY CONTACT MALE GR16 BL/ DUMMY PLUG SIZE 16 BL	HBTB41539 9P0005		01	NIL	NIL				
(66)	N/315/0030		T029/862	SOCKET / PLUG , 5 CRIMP SOCKET S16	HBTB41539 9P0012		01	NIL	NIL				
(67)	N/316/0030		T030/275	CONTACT SOCKET AWG24-20	HESG45563 8P0120		01	450.00	450.00				
(68)	N/317/0030		T030/428	PLUG 9 POLES	HETT401293 P0001		01	4.00	4.00				
(69)	N/318/0030		T021/110	CONNECTOR SKT 0.23, 0.5	SE408197P0 013		01	30.00/38.00	38.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(70)	N/319/0030		T017/763	ANDERSON CONTACTS 120A	*1319		01	NIL	NIL				
(71)	N/320/0030		T017/762	ANDERSON PLUG PP 120A	*1321BLAU		01	NIL	NIL				
(72)	N/321/0030		T018/212	ANDERSON PLUG PP 120A	*1321G3ROT		01	NIL	NIL				
(73)	N/322/0030		T031/441	CABLE CONNECTION / HP-9P-SG-SG-17S-21-13.0 M	HBTB31538 5R0172		01	NIL	NIL				
(74)	N/323/0030		T033/075	CONTACT SOCKET 16/2/AWG14	HBT415299P 0010		01	130.00	130.00				
(75)	N/324/0030		T030/588	SET OF COMPLETE PLUG / PLUG 22P / 36 SKT ' N' INDOOR	HBTB31511 2R0011		01	0.00/1.00	1.00				
(76)	N/325/0030		T029/263	PLUG 4 P BU "N" IR CA / CONNECTOR	3EHW47008 4R0001		01	NIL	NIL				
(77)	N/326/0030		T019/041	CONNECTOR / SUB D PLUG 25 P D- SUB	HBTB31624 0R0025		01	1.00	1.00				
(78)	N/327/0030		T019/042	CONNECTOR SPEEDOMETER	3EHP590025 R0530		01	NIL	NIL				
(79)	N/328/0030		T019/043	PLUG, SIZE 22/19 POLE	3EHP431611 R0001		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(80)	N/329/0030		T019/044	PLUG, SIZE 28/37 POLE	3EHP431611 R0002		01	NIL	NIL				
(81)	N/330/0030		T019/045	SOCKET 4P/24 PIN"N"	3EHW47007 1P0001		01	10.00	10.00				
(82)	N/331/0030		T019/053	CONTACT SOCKET SUB-D	HESG45563 8P1200		01	NIL	NIL				
(83)	N/332/0030		T019/063	CONTACT SOCKET S-0/35 MM2	HBTB41643 4P0003		01	NIL	NIL				
(84)	N/333/0030		T019/064	CONTACT SOCKET S-0/30 MM2	HBTB41643 4P0004		01	NIL	NIL				
(85)	N/334/0030		T030/946	CONTACT SOCKET 16/0.5	HBTB41529 8P0012		01	NIL	NIL				
(86)	N/335/0030		T019/235	CONTACT SOCKET 12/6.0	HBT415298P 0012		01	NIL	NIL				
(87)	N/336/0030		T024/151	CONTACT SOCKET 1.5 MM2 * 2 RILLEN	HBT415176P 0003		01	NIL	NIL				
(88)	N/337/0030		T024/150	CONTACT SOCKET 0.5 MM2 * 3 RILLEN	HBT415176P 0004		01	NIL	NIL				
(89)	N/338/0030		T024/146	CONTACT PIN GR 16* 0.5 MM2 FOR SB - 1/2	HBT415299P 0001		01	105.00	105.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(90)	N/339/0030		T024/253	SOCKET 22P / 36 PIN 'N'	HBTB31516 1R0011		01	3.00/6.00	5.00				
(91)	N/340/0030		T024/469	SOCKET 4P / 40 PIN 'N' IND WITHOUT CONTACT PIN GR0/16 MM2	HBTB31517 7R0111		01	1.00	1.00				
(92)	N/341/0030		T024/470	SOCKET 4P / 40 PIN 'N' IND WITHOUT CONTACT PIN GR0/35 MM2	HBTB31517 7R0113		01	1.00	1.00				
(93)	N/342/0030		T024/246	CONNECTOR / PLUG, 15P D-SUB, SIZE-2	HBTB31624 0R0015		01	NIL	NIL				
(94)	N/343/0030		T024/247	CONNECTOR / PLUG, 17P D-SUB, SIZE-3	HBTB31624 0R0017		01	NIL	NIL				
(95)	N/344/0030		T024/352	CONTACT PIN GR0/ 16 MM2	HBTB41643 5P0001		01	4.00	4.00				
(96)	N/345/0030		T024/353	CONTACT PIN GR0/ 35 MM2	HBTB41643 5P0003		01	4.00	4.00				
(97)	N/346/0030		T024/159	CONTACT SOCKET 2-3 MM2	HESG45550 9P0021		01	NIL	NIL				
(98)	N/347/0030		T029/994	PROTECTION BOOT	HBTB41639 7P0012		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
24f	N/0/0030f	29615495	T028/733	SET OF CONNECTORS FOR LOCO EXCEPT PANEL FOR WAG-9		CLW/ES/3/0 124/O	03	1.00/NIL	NIL	NO	NA	AS PER IRS CONDITION	Procurement shall be as per Loco target minus Procurement of set of Harnessed cables from trade including Chittaranjan and Dankuni for 2023-24 and 2024-25.
24g	N/0/0030g	29615501	T028/734	SET OF CONNECTORS FOR LOCO EXCEPT PANEL FOR WAP-5		CLW/ES/3/0 124/O	03	NIL	1.00	NO	NA	AS PER IRS CONDITION	
24h	N/0/0030h	29615513	T028/735	SET OF CONNECTORS FOR LOCO EXCEPT PANEL FOR WAP-7		CLW/ES/3/0 124/O	03	NIL/1.00	NIL	NO	NA	AS PER IRS CONDITION	
(1)	N/150/0030		T030/046	CONTACT SOCKET SIZE 8 / 2.5 MM2	3EHW47032 1P2025	CLW/ES/3/0 124/O	01	40.00	40.00				
			T030/046	CONTACT SOCKET SIZE 8 / 2.5 MM2	3EHW47032 1P2025		01	40.00	NIL				
			B030/046	CONTACT SOCKET SIZE 8 / 2.5 MM2	3EHW47032 1P2025		01	NIL	40.00				
(2)	N/151/0030		T030/047	CONTACT SOCKET SIZE 8 / 6 MM2	3EHW47032 1P2060	CLW/ES/3/0 124/O	01	10.00	10.00				
			T030/047	CONTACT SOCKET SIZE 8 / 6 MM2	3EHW47032 1P2060		01	10.00	NIL				
			B030/047	CONTACT SOCKET SIZE 8 / 6 MM2	3EHW47032 1P2060		01	NIL	10.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(3)	N/152/0030		T030/048	CONTACT SOCKET SIZE 8 10 MM2	3EHW47032 1P2100	CLW/ES/3/0 124/O	01	NIL	NIL				
(4)	N/153/0030		T030/049	SET OF COMPLETE PLUG / PLUG P7/24 SOCKET 'N' INDOOR	HBTB31511 0R0011	CLW/ES/3/0 124/O	01	4.00	4.00				
			T030/049	SET OF COMPLETE PLUG / PLUG P7/24 SOCKET 'N' INDOOR	HBTB315110 R0011		01	4.00	NIL				
			B030/049	SET OF COMPLETE PLUG / PLUG P7/24 SOCKET 'N' INDOOR	HBTB315110 R0011		01	NIL	4.00				
(5)	N/154/0030		T030/050	CONTACT FEMALE GR16 / CONTACT SOCKET SIZE 16	HBTB41539 9P0002	CLW/ES/3/0 124/O	01	34.00	34.00				
			T030/050	CONTACT FEMALE GR16 / CONTACT SOCKET SIZE 16	HBTB415399 P0002		01	34.00	NIL				
			B030/050	CONTACT FEMALE GR16 / CONTACT SOCKET SIZE 16	HBTB415399 P0002		01	NIL	34.00				
(6)	N/155/0030		T030/051	PLUG DO 5P/ 14	HBTB41539 9P0022	CLW/ES/3/0 124/O	01	8.00	8.00				
			T030/051	PLUG DO5P/ 14	HBTB415399 P0022		01	8.00	NIL				
			B030/051	PLUG DO5P/ 14	HBTB415399 P0022		01	NIL	8.00				
(7)	N/156/0030		T030/053	CONT. PIN 0.24-0.62/24-20	*1.8076.005/ 01	CLW/ES/3/0 124/O	01	18.00	18.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T030/053	CONT. PIN 0.24-0.62/24-20	*1.8076.005/01		01	18.00	NIL				
			B030/053	CONT. PIN 0.24-0.62/24-20	*1.8076.005/01		01	NIL	18.00				
(8)	N/157/0030		T030/054	ADAPTOR STR. SIZE 18	HBT415278P0001	CLW/ES/3/0124/O	01	NIL	NIL				
(9)	N/158/0030		T030/055	PROTECTIVE CAP / CABLE CLIP	HETT401293P0032	CLW/ES/3/0124/O	01	2.00/4.00	2.00				
			T030/055	PROTECTIVE CAP / CABLE CLIP	HETT401293P0032		01	2.00/4.00	NIL				
			B030/055	PROTECTIVE CAP / CABLE CLIP	HETT401293P0032		01	NIL	2.00				
(10)	N/159/0030		T030/065	CONTACT PIN, SIZE 8/2,5 SQ.MM	3EHW470321P1025	CLW/ES/3/0124/O	01	NIL	NIL				
(11)	N/160/0030		T030/066	CONTACT PIN, SIZE 8/6 SQ.MM	3EHW470321P1060	CLW/ES/3/0124/O	01	NIL	NIL				
(12)	N/161/0030		T030/067	CONTACT PIN, SIZE 8/10 SQ.MM	3EHW470321P1100	CLW/ES/3/0124/O	01	NIL	NIL				
(13)	N/162/0030		T017/424	CONTACT PIN 12/0.5	HBT415298P0001	CLW/ES/3/0124/O	01	NIL	NIL				
(14)	N/163/0030		T033/112	CONTACT PIN 12/1.0	HBT415298P0003	CLW/ES/3/0124/O	01	10.00	10.00				
			T033/112	CONTACT PIN 12/1.0	HBT415298P0003		01	10.00	NIL				
			B033/112	CONTACT PIN 12/1.0	HBT415298P0003		01	NIL	10.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(15)	N/164/0030		T023/166	CONTACT PIN 12/1.5	HBT415298P 0005	CLW/ES/3/0 124/O	01	40.00	40.00				
			T023/166	CONTACT PIN 12/1.5	HBT415298P 0005		01	40.00	NIL				
			B023/166	CONTACT PIN 12/1.5	HBT415298P 0005		01	NIL	40.00				
(16)	N/165/0030		T023/167	CONTACT PIN 12/2,5	HBT415298P 0007	CLW/ES/3/0 124/O	01	30.00	30.00				
			T023/167	CONTACT PIN 12/2,5	HBT415298P 0007		01	30.00	NIL				
			B023/167	CONTACT PIN 12/2,5	HBT415298P 0007		01	NIL	30.00				
(17)	N/166/0030		T023/168	CONTACT PIN 12/4.0	HBT415298P 0009	CLW/ES/3/0 124/O	01	3.00	3.00				
			T023/168	CONTACT PIN 12/4.0	HBT415298P 0009		01	3.00	NIL				
			B023/168	CONTACT PIN 12/4.0	HBT415298P 0009		01	NIL	3.00				
(18)	N/167/0030		T023/169	CONTACT PIN 12/6.0	HBT415298P 0011	CLW/ES/3/0 124/O	01	4.00	4.00				
			T023/169	CONTACT PIN 12/6.0	HBT415298P 0011		01	4.00	NIL				
			B023/169	CONTACT PIN 12/6.0	HBT415298P 0011		01	NIL	4.00				
(19)	N/168/0030		T031/070	CONTACT PIN 16/1.0	HBT415299P 0005	CLW/ES/3/0 124/O	01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(20)	N/169/0030		T031/069	CONTACT PIN 16/1.5	HBT415299P0007	CLW/ES/3/0124/O	01	NIL	NIL				
(21)	N/170/0030		T033/115	CONTACT PIN 16/2.0/ AWG 14	HBT415299P0009	CLW/ES/3/0124/O	01	NIL	NIL				
(22)	N/171/0030		T023/173	CONTACT PIN GRO/25 SQ.MM	HBTB416435P0002	CLW/ES/3/0124/O	01	NIL	NIL				
(23)	N/172/0030		T023/174	CONTACT PIN GRO/50 SQ.MM	HBTB416435P0004	CLW/ES/3/0124/O	01	NIL	NIL				
(24)	N/173/0030		T031/071	CONTACT PIN SUB -D	HESG455639P1200	CLW/ES/3/0124/O	01	NIL	NIL				
(25)	N/174/0030		T017/321	CONTACT PIN MALE GR16 0,5-1,0 mm2	HBTB415399P0001	CLW/ES/3/0124/O	01	40.00	40.00				
(26)	N/175/0030		T017/378	SUB-D PLUG SET / CONNECTOR SPEEDOMETER CONNECTOR SUB-SET	3EHP590025R0519	CLW/ES/3/0124/O	01	NIL	NIL				
(27)	N/176/0030		T031/063	ST. 9P D-SUB GR1 / CONNECTOR	HBTB316240R0009	CLW/ES/3/0124/O	01	49.00	49.00				
			T031/063	ST. 9P D-SUB GR1 / CONNECTOR	HBTB316240R0009		01	49.00	NIL				
			B031/063	ST. 9P D-SUB GR1 / CONNECTOR	HBTB316240R0009		01	NIL	49.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(28)	N/177/0030		T021/063	SOCKET 9P D-SUB SIZE 1	HBTB31624 1R0009	CLW/ES/3/0 124/O	01	NIL	NIL				
			T021/063	SOCKET 9P D-SUB SIZE 1	HBTB316241 R0009		01	NIL	NIL				
			B021/063	SOCKET 9P D-SUB SIZE 1	HBTB316241 R0009		01	NIL	NIL				
(29)	N/178/0030		T031/142	PLUG, INSULATED 0.5X2.8	3EHN424077 P0001	CLW/ES/3/0 124/O	01	NIL	NIL				
(30)	N/179/0030		T033/039	PLUG SIZE 32/31 POLES (With non metallicCable Clamp)	As per Old Gimota Part No. except surface plating)	CLW/ES/3/0 124/O	01	NIL	NIL				
(31)	N/180/0030		T030/237	CONTACT SOCKET	3EHP430759 P0002	CLW/ES/3/0 124/O	01	NIL	NIL				
(32)	N/181/0030		T033/098	PLUG, SIZE 22/19POLE	3EHP431609 R0001	CLW/ES/3/0 124/O	01	2.00	2.00				
			T033/098	PLUG, SIZE 22/19POLE	3EHP431609 R0001		01	2.00	NIL				
			B033/098	PLUG, SIZE 22/19POLE	3EHP431609 R0001		01	NIL	2.00				
(33)	N/182/0030		T020/036	PLUG, SIZE 28/37POLE	3EHP431609 R0002	CLW/ES/3/0 124/O	01	1.00	1.00				
			T020/036	PLUG, SIZE 28/37POLE	3EHP431609 R0002		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B020/036	PLUG, SIZE 28/37POLE	3EHP431609 R0002		01	NIL	1.00				
(34)	N/183/0030		T031/612	SOCKET BODY A 1P PA	3EHW47000 1P0001	CLW/ES/3/0 124/O	01	NIL	NIL				
(35)	N/184/0030		T023/157	SOCKET 4P/24 PIN "N"	3EHW47007 2P0001	CLW/ES/3/0 124/O	01	NIL	NIL				
(36)	N/185/0030		T030/914	SET OF COMPLETE SOCKET / SOCKET 5P / S18 PIN 'N'	HBT315075 R0011	CLW/ES/3/0 124/O	01	NIL	NIL				
(37)	N/186/0030		T033/103	SET OF COMPLETE SOCKET / SOCKET 5P / S18 PIN 'N' STR	HBT315075 R0031	CLW/ES/3/0 124/O	01	1.00	1.00				
			T033/103	SET OF COMPLETE SOCKET / SOCKET 5P / S18 PIN 'N' STR	HBT315075R 0031		01	1.00	NIL				
			B033/103	SET OF COMPLETE SOCKET / SOCKET 5P / S18 PIN 'N' STR	HBT315075R 0031		01	NIL	1.00				
(38)	N/187/0030		T030/115	SET OF COMPLETE PLUG / PLUG ASSEMBLY (KIT.)	HBT315076 R0011	CLW/ES/3/0 124/O	01	10.00	10.00				
			T030/115	SET OF COMPLETE PLUG / PLUG ASSEMBLY (KIT.)	HBT315076R 0011		01	10.00	NIL				
			B030/115	SET OF COMPLETE PLUG / PLUG ASSEMBLY (KIT.)	HBT315076R 0011		01	NIL	10.00				
(39)	N/188/0030		T033/052	L-PLUG 31P/S32 BUSH"N"B	HBT315088 R0031	CLW/ES/3/0 124/O	01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(40)	N/189/0030		T033/076	CONTACT SOCKET 12/1.0	HBT415298P 0004	CLW/ES/3/0 124/O	01	126.00/144.0 0	144.00				
			T033/076	CONTACT SOCKET 12/1.0	HBT415298P 0004		01	126.00/144.0 0	NIL				
			B033/076	CONTACT SOCKET 12/1.0	HBT415298P 0004		01	NIL	144.00				
(41)	N/190/0030		T030/888	CONTACT SOCKET 12/1.5	HBT415298P 0006	CLW/ES/3/0 124/O	01	40.00	40.00				
			T030/888	CONTACT SOCKET 12/1.5	HBT415298P 0006		01	40.00	NIL				
			B030/888	CONTACT SOCKET 12/1.5	HBT415298P 0006		01	NIL	40.00				
(42)	N/191/0030		T033/072	CONTACT SOCKET 12/2.5	HBT415298P 0008	CLW/ES/3/0 124/O	01	819.00/871.0 0	871.00				
			T033/072	CONTACT SOCKET 12/2.5	HBT415298P 0008		01	819.00/871.0 0	NIL				
			B033/072	CONTACT SOCKET 12/2.5	HBT415298P 0008		01	NIL	871.00				
(43)	N/192/0030		T030/674	CONTACT SOCKET 16/0.5	HBT415299P 0002	CLW/ES/3/0 124/O	01	90.00	90.00				
			T030/674	CONTACT SOCKET 16/0.5	HBT415299P 0002		01	90.00	NIL				
			B030/674	CONTACT SOCKET 16/0.5	HBT415299P 0002		01	NIL	90.00				
(44)	N/193/0030		T033/074	CONTACT SOCKET 16/1.0	HBT415299P 0006	CLW/ES/3/0 124/O	01	86.00	86.00				
			T033/074	CONTACT SOCKET 16/1.0	HBT415299P 0006		01	86.00	NIL				
			B033/074	CONTACT SOCKET 16/1.0	HBT415299P 0006		01	NIL	86.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO.	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATION NO.	CLW SPECIFICATION NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(45)	N/194/0030		T033/073	CONTACT SOCKET 16/1.5	HBT415299P0008	CLW/ES/3/0124/O	01	NIL	NIL				
(46)	N/195/0030		T033/097	SET OF COMPLETE PLUG / PLUG 13P/32 SKT 'N' INDOOR	HBTB315111R0011	CLW/ES/3/0124/O	01	8.00/9.00	9.00				
			T033/097	SET OF COMPLETE PLUG / PLUG 13P/32 SKT 'N' INDOOR	HBTB315111R0011		01	8.00/9.00	NIL				
			B033/097	SET OF COMPLETE PLUG / PLUG 13P/32 SKT 'N' INDOOR	HBTB315111R0011		01	NIL	9.00				
(47)	N/196/0030		T032/058	ST.35P/40 BU"N"IR KABELH./ PLUG 25P/40 SKT 'N' INDOOR	HBTB315113R0011	CLW/ES/3/0124/O	01	22.00	22.00				
			T032/058	ST.35P/40 BU"N"IR KABELH./ PLUG 25P/40 SKT 'N' INDOOR	HBTB315113R0011		01	22.00	NIL				
			B032/058	ST.35P/40 BU"N"IR KABELH./ PLUG 25P/40 SKT 'N' INDOOR	HBTB315113R0011		01	NIL	22.00				
(48)	N/197/0030		T031/061	ST.61P/40 BU"N"IR KABELH./ PLUG 61P/40 SKT 'N' INDOOR	HBTB315157R0011	CLW/ES/3/0124/O	01	8.00/10.00	10.00				
			T031/061	ST.61P/40 BU"N"IR KABELH./ PLUG 61P/40 SKT 'N' INDOOR	HBTB315157R0011		01	8.00/10.00	NIL				
			B031/061	ST.61P/40 BU"N"IR KABELH./ PLUG 61P/40 SKT 'N' INDOOR	HBTB315157R0011		01	NIL	10.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(49)	N/198/0030		T023/158	SOCKET 7P/24 PIN "N" (With Cable Clamp and Reduction Ring)	HBTB315158R0011	CLW/ES/3/0124/O	01	NIL	NIL				
(50)	N/199/0030		T030/818	SET OF COMPLETE SOCKET / SOCKET 13P/32 PIN 'N' INDOOR	HBTB315159R0011	CLW/ES/3/0124/O	01	2.00	2.00				
			T030/818	SET OF COMPLETE SOCKET / SOCKET 13P/32 PIN 'N' INDOOR	HBTB315159R0011		01	2.00	NIL				
			B030/818	SET OF COMPLETE SOCKET / SOCKET 13P/32 PIN 'N' INDOOR	HBTB315159R0011		01	NIL	2.00				
(51)	N/200/0030		T033/038	SET OF COMPLETE SOCKET / SOCKET 31P/31 PIN 'N' (With Cable Clamp)	HBTB315160R0011	CLW/ES/3/0124/O	01	NIL	NIL				
(52)	N/201/0030		T021/064	SOCKET 35P/40 PIN 'N' IND.	HBTB315162R0011	CLW/ES/3/0124/O	01	1.00	1.00				
			T021/064	SOCKET 35P/40 PIN 'N' IND.	HBTB315162R0011		01	1.00	NIL				
			B021/064	SOCKET 35P/40 PIN 'N' IND.	HBTB315162R0011		01	NIL	1.00				
(53)	N/202/0030		T033/102	SET OF COMPLETE SOCKET / SOCKET 61P/40 PIN 'N' INDOOR	HBTB315163R0011	CLW/ES/3/0124/O	01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(54)	N/203/0030		T029/434	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0112	CLW/ES/3/0 124/O	01	4.00	4.00				
(55)	N/204/0030		T030/755	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0113	CLW/ES/3/0 124/O	01	1.00	1.00				
			T030/755	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176 R0113		01	1.00	NIL				
			B030/755	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176 R0113		01	NIL	1.00				
(56)	N/205/0030		T029/216	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0114	CLW/ES/3/0 124/O	01	6.00	6.00				
			T029/216	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176 R0114		01	6.00	NIL				
			B029/216	SET OF COMPLETE PLUG / PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176 R0114		01	NIL	6.00				
(57)	N/206/0030		T030/782	SET OF COMPLETE PLUG / L-PLUG 4P/40 SOCKET 'N' INDOOR	HBTB31517 6R0211	CLW/ES/3/0 124/O	01	1.00	1.00				
			T030/782	SET OF COMPLETE PLUG / L-PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176 R0211		01	1.00	NIL				
			B030/782	SET OF COMPLETE PLUG / L-PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176 R0211		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(58)	N/207/0030		T030/756	SET OF COMPLETE PLUG /L- PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176R0213	CLW/ES/3/0124/O	01	1.00	1.00				
			T030/756	SET OF COMPLETE PLUG /L- PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176R0213		01	1.00	NIL				
			B030/756	SET OF COMPLETE PLUG /L- PLUG 4P/40 SOCKET 'N' INDOOR	HBTB315176R0213		01	NIL	1.00				
(59)	N/208/0030		T023/156	SOCKET 4P/40 PIN "N"	HBTB315177R0001	CLW/ES/3/0124/O	01	NIL	NIL				
(60)	N/209/0030		T031/168	SET OF COMPLETE PLUG / L-PLUG 13P PIN 'N' OUTDOOR	HBTB315205R0111	CLW/ES/3/0124/O	01	NIL	NIL				
(61)	N/210/0030		T018/062	SOCKET 13P PIN "N" OUTDOOR	HBTB315305R0111	CLW/ES/3/0124/O	01	NIL	NIL				
(62)	N/211/0030		T017/377	SET OF COMPLETE SOCKET / SOCKET 13P PIN'N' OUTDOOR	HBTB315305R0311	CLW/ES/3/0124/O	01	NIL	NIL				
(63)	N/212/0030		T032/054	PLUG , 9P D-SUB , S1 . PINS	HBTB316240R0091	CLW/ES/3/0124/O	01	2.00	2.00				
			T032/054	PLUG , 9P D-SUB , S1 . PINS	HBTB316240R0091		01	2.00	NIL				
			B032/054	PLUG , 9P D-SUB , S1 . PINS	HBTB316240R0091		01	NIL	2.00				
(64)	N/213/0030		T017/420	ADAPTOR NW17/SIZE18	HBT415393P0437	CLW/ES/3/0124/O	01	2.00	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T017/420	ADAPTOR NW17/SIZE18	HBT415393P0437		01	2.00	NIL				
			B017/420	ADAPTOR NW17/SIZE18	HBT415393P0437		01	NIL	2.00				
(65)	N/214/0030		T017/322	DUMMY CONTACT MALE GR16 BL/ DUMMY PLUG SIZE 16 BL	HBTB415399P0005	CLW/ES/3/0 124/O	01	43.00	43.00				
			T017/322	DUMMY CONTACT MALE GR16 BL/ DUMMY PLUG SIZE 16 BL	HBTB415399P0005		01	43.00	NIL				
			B017/322	DUMMY CONTACT MALE GR16 BL/ DUMMY PLUG SIZE 16 BL	HBTB415399P0005		01	NIL	43.00				
(66)	N/215/0030		T029/862	SOCKET / PLUG , 5 CRIMP SOCKET S16	HBTB415399P0012	CLW/ES/3/0 124/O	01	2.00	2.00				
			T029/862	SOCKET / PLUG , 5 CRIMP SOCKET S16	HBTB415399P0012		01	2.00	NIL				
			B029/862	SOCKET / PLUG , 5 CRIMP SOCKET S16	HBTB415399P0012		01	NIL	2.00				
(67)	N/216/0030		T030/275	CONTACT SOCKET AWG24-20	HESG455638P0120	CLW/ES/3/0 124/O	01	275.00	275.00				
			T030/275	CONTACT SOCKET AWG24-20	HESG455638P0120		01	275.00	NIL				
			B030/275	CONTACT SOCKET AWG24-20	HESG455638P0120		01	NIL	275.00				
(68)	N/217/0030		T030/428	PLUG 9 POLES	HETT401293P0001	CLW/ES/3/0 124/O	01	2.00/4.00	4.00				
			T030/428	PLUG 9 POLES	HETT401293P0001		01	2.00/4.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B030/428	PLUG 9 POLES	HETT401293 P0001		01	NIL	4.00				
(69)	N/218/0030		T021/110	CONNECTOR SKT 0.23, 0.5	SE408197P0 013	CLW/ES/3/0 124/O	01	12.00/24.00	12.00				
(70)	N/219/0030		T017/763	ANDERSON CONTACTS 120A	*1319	CLW/ES/3/0 124/O	01	8.00	8.00				
			T017/763	ANDERSON CONTACTS 120A	*1319		01	8.00	NIL				
			B017/763	ANDERSON CONTACTS 120A	*1319		01	NIL	8.00				
(71)	N/220/0030		T017/762	ANDERSON PLUG PP 120A	*1321BLAU	CLW/ES/3/0 124/O	01	4.00	4.00				
			T017/762	ANDERSON PLUG PP 120A	*1321BLAU		01	4.00	NIL				
			B017/762	ANDERSON PLUG PP 120A	*1321BLAU		01	NIL	4.00				
(72)	N/221/0030		T018/212	ANDERSON PLUG PP 120A	*1321G3ROT	CLW/ES/3/0 124/O	01	4.00	4.00				
			T018/212	ANDERSON PLUG PP 120A	*1321G3ROT		01	4.00	NIL				
			B018/212	ANDERSON PLUG PP 120A	*1321G3ROT		01	NIL	4.00				
(73)	N/222/0030		T031/441	CABLE CONNECTION / HP-9P-SG-SG-17S-21-13.0 M	HBTB31538 5R0172	CLW/ES/3/0 124/O	01	2.00	2.00				
			T031/441	CABLE CONNECTION / HP-9P-SG-SG-17S-21-13.0 M	HBTB315385 R0172		01	2.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B031/441	CABLE CONNECTION / HP-9P-SG-SG-17S-21-13.0 M	HBTB315385 R0172		01	NIL	2.00				
(74)	N/223/0030		T033/075	CONTACT SOCKET 16/2/AWG14	HBT415299P 0010	CLW/ES/3/0 124/O	01	465.00	465.00				
			T033/075	CONTACT SOCKET 16/2/AWG14	HBT415299P 0010		01	465.00	NIL				
			B033/075	CONTACT SOCKET 16/2/AWG14	HBT415299P 0010		01	NIL	465.00				
(75)	N/224/0030		T030/588	SET OF COMPLETE PLUG / PLUG 22P / 36 SKT ' N' INDOOR	HBTB31511 2R0011	CLW/ES/3/0 124/O	01	3.00/6.00	6.00				
			T030/588	SET OF COMPLETE PLUG / PLUG 22P / 36 SKT ' N' INDOOR	HBTB315112 R0011		01	3.00/6.00	NIL				
			B030/588	SET OF COMPLETE PLUG / PLUG 22P / 36 SKT ' N' INDOOR	HBTB315112 R0011		01	NIL	6.00				
(76)	N/225/0030		T029/263	PLUG 4 P BU "N" IR CA / CONNECTOR	3EHW47008 4R0001	CLW/ES/3/0 124/O	01	10.00	10.00				02 nos. are to be drawn for fitting in A.C. systems in the Locos.
			T029/263	PLUG 4 P BU "N" IR CA / CONNECTOR	3EHW47008 4R0001		01	10.00	NIL				
			B029/263	PLUG 4 P BU "N" IR CA / CONNECTOR	3EHW47008 4R0001		01	NIL	10.00				
(77)	N/226/0030		T019/041	CONNECTOR / SUB D PLUG 25 P D- SUB	HBTB31624 0R0025	CLW/ES/3/0 124/O	01	NIL	NIL				
(78)	N/227/0030		T019/042	CONNECTOR SPEEDOMETER	3EHP590025 R0530	CLW/ES/3/0 124/O	01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(79)	N/228/0030		T019/043	PLUG, SIZE 22/19 POLE	3EHP431611 R0001	CLW/ES/3/0 124/O	01	NIL	NIL				
(80)	N/229/0030		T019/044	PLUG, SIZE 28/37 POLE	3EHP431611 R0002	CLW/ES/3/0 124/O	01	NIL	NIL				
(81)	N/230/0030		T019/045	SOCKET 4P/24 PIN"N"	3EHW47007 1P0001	CLW/ES/3/0 124/O	01	NIL	NIL				
(82)	N/231/0030		T019/053	CONTACT SOCKET SUB-D	HESG45563 8P1200	CLW/ES/3/0 124/O	01	14.00	14.00				
			T019/053	CONTACT SOCKET SUB-D	HESG45563 8P1200		01	14.00	NIL				
			B019/053	CONTACT SOCKET SUB-D	HESG45563 8P1200		01	NIL	14.00				
(83)	N/232/0030		T019/063	CONTACT SOCKET S-0/35 MM2	HBTB41643 4P0003	CLW/ES/3/0 124/O	01	NIL	NIL				
(84)	N/233/0030		T019/064	CONTACT SOCKET S-0/30 MM2	HBTB41643 4P0004	CLW/ES/3/0 124/O	01	NIL	NIL				
(85)	N/234/0030		T030/946	CONTACT SOCKET 16/0.5	HBTB41529 8P0012	CLW/ES/3/0 124/O	01	NIL	NIL				
(86)	N/235/0030		T019/235	CONTACT SOCKET 12/6.0	HBT415298P 0012	CLW/ES/3/0 124/O	01	14.00	14.00				
			T019/235	CONTACT SOCKET 12/6.0	HBT415298P 0012		01	14.00	NIL				
			B019/235	CONTACT SOCKET 12/6.0	HBT415298P 0012		01	NIL	14.00				
(87)	N/236/0030		T024/151	CONTACT SOCKET 1.5 MM2 * 2 RILLEN	HBT415176P 0003	CLW/ES/3/0 124/O	01	NIL	NIL				
(88)	N/237/0030		T024/150	CONTACT SOCKET 0.5 MM2 * 3 RILLEN	HBT415176P 0004	CLW/ES/3/0 124/O	01	NIL	NIL				
(89)	N/238/0030		T024/146	CONTACT PIN GR 16* 0.5 MM2 FOR SB - 1/2	HBT415299P 0001	CLW/ES/3/0 124/O	01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(90)	N/239/0030		T024/253	SOCKET 22P / 36 PIN 'N'	HBTB31516 1R0011	CLW/ES/3/0 124/O	01	NIL	NIL				
(91)	N/240/0030		T024/469	SOCKET 4P / 40 PIN 'N' IND	HBTB31517 7R0111	CLW/ES/3/0 124/O	01	NIL	NIL				
(92)	N/241/0030		T024/470	SOCKET 4P / 40 PIN 'N' IND	HBTB31517 7R0113	CLW/ES/3/0 124/O	01	NIL	NIL				
(93)	N/242/0030		T024/246	CONNECTOR / PLUG, 15P D-SUB, SIZE-2	HBTB31624 0R0015	CLW/ES/3/0 124/O	01	NIL	NIL				
(94)	N/243/0030		T024/247	CONNECTOR / PLUG, 17P D-SUB, SIZE-3	HBTB31624 0R0017	CLW/ES/3/0 124/O	01	NIL	NIL				
(95)	N/244/0030		T024/352	CONTACT PIN GR0/ 16 MM2	HBTB41643 5P0001	CLW/ES/3/0 124/O	01	NIL	NIL				
(96)	N/245/0030		T024/353	CONTACT PIN GR0/ 35 MM2	HBTB41643 5P0003	CLW/ES/3/0 124/O	01	NIL	NIL				
(97)	N/246/0030		T024/159	CONTACT SOCKET 2-3 MM2	HESG45550 9P0021	CLW/ES/3/0 124/O	01	NIL	NIL				
(98)	N/247/0030		T029/994	PROTECTION BOOT	HBTB41639 7P0012	CLW/ES/3/0 124/O	01	NIL	NIL				
25	N/0/0031	2960004203 14H	T029/002	SET OF FIBRE OPTICS CABLE CONSISTING OF	3EHP431518 R0800	CLW/ES/3/0 141	03	NIL	NIL				
				i) FO - ST2PD - ST - GN - KP. L=7M	HESN45439 2R0154	CLW/ES/3/0 141	01	NIL	NIL				
			T030/804	FO - ST2PD - ST - GN - KP. L=7M	HESN45439 2R0154		01	NIL	NIL				
			B030/804	FO - ST2PD - ST - GN - KP. L=7M	HESN45439 2R0154		01	NIL	NIL				
				ii) FO - ST2PD - ST - GN - KP. L=8M	HESN45439 2R0156	CLW/ES/3/0 141	01	NIL	NIL				
			T030/810	FO - ST2PD - ST - GN - KP. L=8M	HESN45439 2R0156		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B030/810	FO - ST2PD - ST - GN - KP. L= 8M	HESN45439 2R0156		01	NIL	NIL				
				iii) FO - ST2PD - ST - GN - KP. L=11M	HESN45439 2R0170	CLW/ES/3/0 141	01	NIL	NIL				
			T030/805	FO - ST2PD - ST - GN - KP. L=11M	HESN45439 2R0170		01	NIL	NIL				
			T030/809	FO - ST2PD - ST - GN - KP. L=11M	HESN45439 2R0170		01	NIL	NIL				
			B030/805	FO - ST2PD - ST - GN - KP. L=11M	HESN45439 2R0170		01	NIL	NIL				
			B030/809	FO - ST2PD - ST - GN - KP. L=11M	HESN45439 2R0170		01	NIL	NIL				
				iv) FO - ST2PD - ST - GN - KP. L=22M	HESN45439 2R0181	CLW/ES/3/0 141	01	NIL	NIL				
			T030/808	FO - ST2PD - ST - GN - KP. L=22M	HESN45439 2R0181		01	NIL	NIL				
			B030/808	FO - ST2PD - ST - GN - KP. L=22M	HESN45439 2R0181		01	NIL	NIL				
				v) FO - ST2PD - ST - GN - KP. L=26M	HESN45439 2R0185	CLW/ES/3/0 141	01	NIL	NIL				
			T030/806	FO - ST2PD - ST - GN - KP. L=26M	HESN45439 2R0185		01	NIL	NIL				
			T030/807	FO - ST2PD - ST - GN - KP. L=26M	HESN45439 2R0185		01	NIL	NIL				
			T030/811	FO - ST2PD - ST - GN - KP. L=26M	HESN45439 2R0185		01	NIL	NIL				
			B030/806	FO - ST2PD - ST - GN - KP. L=26M	HESN45439 2R0185		01	NIL	NIL				
			B030/807	FO - ST2PD - ST - GN - KP. L=26M	HESN45439 2R0185		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B030/811	FO - ST2PD - ST - GN - KP. L=26M	HESN45439 2R0185		01	NIL	NIL				
26	N/0/0032A			SET OF MULTIPLE CORE CABLES FOR PANEL						NO	NA	AS PER IRS CONDITION	Procurement shall be as per Loco target minus Procurement of panels from trade including Chittaranjan and Dankuni for 2023-24 and 2024-25.
(1)	N/1/0032	29600285	T031/065	CAB 2 x 0.5 SCR	3EHP470000 P0502	CLW/ES/3/0 459/C	22	3.00	3.00				
(2)	N/2/0032	29600297	T029/867	CAB 3 x 0.5 SCR	3EHP470000 P0503	CLW/ES/3/0 459/C	22	NIL	NIL				
(3)	N/3/0032	29600303	T030/404	CAB 2 x 2 x 0.5 SCR	3EHP470000 P0504	CLW/ES/3/0 459/C	22	NIL	NIL				
(4)	N/4/0032	29600315	T021/086	CAB 5 x 0.5 SCR	3EHP470000 P0505	CLW/ES/3/0 459/C	22	13.00	13.00				
(5)	N/5/0032	29600327	T030/277	CAB 9 x 0.5 SCR	3EHP470000 P0509	CLW/ES/3/0 459/C	22	2.20	2.20				
(6)	N/6/0032	29600339	T031/066	CAB 2 x 1.0 SCR	3EHP470001 P1002	CLW/ES/3/0 459/C	22	15.00	15.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(7)	N/7/0032	29600340	T030/519	CAB 2 x 2 x 1.0 SCR	3EHP470001 P1004	CLW/ES/3/0 459/C	22	NIL	NIL				
(8)	N/8/0032	29600352	T031/360	CAB 3 x 4 x 1.0 SCR	3EHP470001 P1012	CLW/ES/3/0 459/C	22	5.00	5.00				
(9)	N/9/0032	29600364	T033/104	CAB 9 x 0.5 TWIST	3EHP470002 P0509	CLW/ES/3/0 459/C	22	NIL	NIL				
(10)	N/10/0032	29600376	T030/678	CAB 25 x 0.5 TWIST	3EHP470002 P0525	CLW/ES/3/0 459/C	22	NIL	NIL				
(11)	N/11/0032	2960038822 14H	T030/989	CAB 2 x 1.0 TWIST	3EHP470003 P1002	CLW/ES/3/0 459/C	22	NIL	NIL				
(12)	N/12/0032	29600443	T071/022	UIC CABLE 5X4X1+2CORE SCR		CLW/ES/3/0 459/C	22	NIL	NIL				
26a	N/0/0032B			SET OF MULTIPLE CORE CABLES FOR NON PANEL						NO	NA	AS PER IRS CONDITION	Procurement shall be as per Loco target minus Procurement of set of Harnessed cables from trade including Chittaranjan and Dankuni for 2023-24 and 2024-25.

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(1)	N/1/0032B	29600285	T071/046	CAB 2 x 0.5 SCR	3EHP470000 P0502	CLW/ES/3/0 459/C	22	154.00/178.00	135.00				
(2)	N/2/0032B	29600297	T071/047	CAB 3 x 0.5 SCR	3EHP470000 P0503	CLW/ES/3/0 459/C	22	18.00/20.00	20.00				
(3)	N/3/0032B	29600303	T071/048	CAB 2 x 2 x 0.5 SCR	3EHP470000 P0504	CLW/ES/3/0 459/C	22	155.00/175.00	128.00				
(4)	N/4/0032B	29600315	T071/049	CAB 5 x 0.5 SCR	3EHP470000 P0505	CLW/ES/3/0 459/C	22	30.00/55.00	30.00				
(5)	N/5/0032B	29600327	T071/050	CAB 9 x 0.5 SCR	3EHP470000 P0509	CLW/ES/3/0 459/C	22	124.00/142.00	105.00				
(6)	N/6/0032B	29600339	T071/051	CAB 2 x 1.0 SCR	3EHP470001 P1002	CLW/ES/3/0 459/C	22	130.00/138.00	138.00				
(7)	N/7/0032B	29600340	T071/052	CAB 2 x 2 x 1.0 SCR	3EHP470001 P1004	CLW/ES/3/0 459/C	22	76.00/78.00	72.00				
(8)	N/8/0032B	29600352	T071/053	CAB 3 x 4 x 1.0 SCR	3EHP470001 P1012	CLW/ES/3/0 459/C	22	31.00/55.00	55.00				
(9)	N/9/0032B	29600364	T071/054	CAB 9 x 0.5 TWIST	3EHP470002 P0509	CLW/ES/3/0 459/C	22	20.00/20.60	20.60				
(10)	N/10/0032B	29600376	T071/055	CAB 25 x 0.5 TWIST	3EHP470002 P0525	CLW/ES/3/0 459/C	22	10.00/10.90	9.50				
(11)	N/11/0032B	2960038822 14H	T071/056	CAB 2 x 1.0 TWIST	3EHP470003 P1002	CLW/ES/3/0 459/C	22	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(12)	N/12/0032B	29600443	T071/057	UIC CABLE 5X4X1+2CORE SCR		CLW/ES/3/0 459/C	22	NIL/30.00	30.00				
27	N/0/0034	29790013	T024/362	BLOCKING DIODES IN SB1/2 (DIBLO - 5)	HBTB58548 0R0001	CLW/ES/3/0 055/H	03	10.00	10.00	NO	NA	AS PER IRS CONDITION	
			T024/436	BLOCKING DIODES	HBTB585480 R0001		03	5.00	NIL				
			T024/212	BLOCKING DIODES	HBTB585480 R0001		03	5.00	NIL				
			B024/436	BLOCKING DIODES	HBTB585480 R0001		03	NIL	5.00				
			B024/212	BLOCKING DIODES	HBTB585480 R0001		03	NIL	5.00				
28	N/0/0035	29790025	T024/363	BLOCKING DIODES FOR ILLUMINATION TEST IN SB1/2 (DIBLO- 8)	HBTB58548 0R0003	CLW/ES/3/0 055/H	03	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T024/437	BLOCKING DIODES ILLUMINATION TEST	HBTB585480 R0003		03	1.00	NIL				
			T024/213	BLOCKING DIODES ILLUMINATION TEST	HBTB585480 R0003		03	1.00	NIL				
			B024/437	BLOCKING DIODES ILLUMINATION TEST	HBTB585480 R0003		03	NIL	1.00				
			B024/213	BLOCKING DIODES ILLUMINATION TEST	HBTB585480 R0003		03	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
28.1	N/0/0035a		T024/718	BLOCKING DIODE NORMAL CURRENT RATING 12 AMPS AS PER SPECIFICATION NO. CLW/ES/D-2.		CLW/ES/D-2	01	NIL/1.00	1.00	NO	NA	AS PER IRS CONDITION	
29	N/0/0036	29780100	T023/001	FUSE AUXILIARY 415V/110V ALONG WITH BASE WITH MICRO SWITCH.	HBTB58560 5R1009	CLW/ES/3/0 092/D	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T023/001	FUSE AUXILIARY 415V/110V	HBTB585605 R1009		03	1.00	NIL				
			B023/001	FUSE AUXILIARY 415V/110V	HBTB585605 R1009		03	NIL	1.00				
30	N/0/0037	29610047	T024/361	FIRE DETECTION EQUIPMENTS ALONG WITH CONNECTOR IN SB2	3EHP590451 R0002	CLW/ES/3/0 057	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T024/457	FIRE DETECTION EQUIPMENT (SMOKE DETECTORS)	3EHP590451 R0002		01	1.00	NIL				
			B024/457	FIRE DETECTION EQUIPMENT (SMOKE DETECTORS)	3EHP590451 R0002		01	NIL	1.00				
31	N/0/0042	29700279	T024/023	ILLUMINATED PUSH BUTTON CONFIGURATION IN SB1	3EHP585726 P0024	CLW/ES/3/0 072/G	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T024/234	ILLUMINATED PUSH BUTTON CONFIGURATION	3EHP585726 P0024		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B024/234	ILLUMINATED PUSH BUTTON CONFIGURATION	3EHP585726 P0024		01	NIL	1.00				
32	N/1/0045	29610023	T025/006	HEAD LIGHT LAMP	15601709	CLW/ES/3/0 655/A	01	NIL	NIL				i. Qty./Loco will be NIL from the year 2022-23. ii.Item shifted to category no. P/1/0269
			T025/006	HEAD LIGHT LAMP	15601709		01	NIL	NIL				
			B025/006	HEAD LIGHT LAMP	15601709		01	NIL	NIL				
33	N/2/0045	29610965	T025/007	HEAD LIGHT DUAL HOUSING WITHOUT LAMP	156017010	CLW/ES/3/S K-1/0114/A	01	NIL	NIL				i. Qty./Loco will be NIL from the year 2022-23. ii.Item shifted to category no. P/2/0269
			T025/007	HEAD LIGHT DUAL HOUSING	156017010		01	NIL	NIL				
			B025/007	HEAD LIGHT DUAL HOUSING	156017010		01	NIL	NIL				
34	N/0/0049	29700218	T019/007	ILLUMINATED PUSH BUTTON - 1	3EHP585818 P1014	CLW/ES/3/0 072/G	01	6.00/8.00	8.00	NO	NA	AS PER IRS CONDITION	
			T032/042	FAULT STATUS LAMP	3EHP585818 P1014		01	2.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T031/008	INDICATION LAMP FOR VCB	3EHP585818 P1014		01	2.00/4.00	NIL				
			T031/003	INDICATION LAMP TRAIN PARTING.	3EHP585818 P1014		01	2.00	NIL				
			B032/042	FAULT STATUS LAMP	3EHP585818 P1014		01	NIL	2.00				
			B031/008	INDICATION LAMP FOR VCB	3EHP585818 P1014		01	NIL	4.00				
			B031/003	INDICATION LAMP TRAIN PARTING.	3EHP585818 P1014		01	NIL	2.00				
35	N/O/0050	29700220	T019/008	ILLUMINATED PUSH BUTTON - 2	3EHP585818 P1015	CLW/ES/3/0 072/G	01	6.00/8.00	8.00	NO	NA	AS PER IRS CONDITION	
			T031/017	INDICATION LAMP VIGILANCE WARNING	3EHP585818 P1015		01	2.00	NIL				
			T031/014	INDICATION LAMP HOTEL LOAD SUPPLY	3EHP585818 P1015		01	NIL/2.00	NIL				
			T031/012	INDICATION LAMP TEMP. OF CONTROL ELECTRONICS.	3EHP585818 P1015		01	2.00	NIL				
			T031/004	INDICATION LAMP WHEEL SLIPPING.	3EHP585818 P1015		01	2.00	NIL				
			B031/017	INDICATION LAMP VIGILANCE WARNING	3EHP585818 P1015		01	NIL	2.00				
			B031/014	INDICATION LAMP HOTEL LOAD SUPPLY	3EHP585818 P1015		01	NIL	2.00				
			B031/012	INDICATION LAMP TEMP. OF CONTROL ELECTRONICS.	3EHP585818 P1015		01	NIL	2.00				
			B031/004	INDICATION LAMP WHEEL SLIPPING.	3EHP585818 P1015		01	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
36	N/O/0051	29701004	T031/010	ILLUMINATED PUSH BUTTON CONSTANT SPEED CONTROL	3EHP585818 P2131	CLW/ES/3/0 072/G	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T031/010	ILLUMINATED PUSH BUTTON CONSTANT SPEED CONTROL.	3EHP585818 P2131		01	2.00	NIL				
			B031/010	ILLUMINATED PUSH BUTTON CONSTANT SPEED CONTROL.	3EHP585818 P2131		01	NIL	2.00				
37	N/O/0052	29701016	T031/019	ILLUMINATED PUSH BUTTON PARKING BRAKE	3EHP585818 P2141	CLW/ES/3/0 072/G	01	NIL	2.00	NO	NA	AS PER IRS CONDITION	
			T031/019	ILLUMINATED PUSH BUTTON PARKING BRAKE.	3EHP585818 P2141		01	NIL	NIL				
			B031/019	ILLUMINATED PUSH BUTTON PARKING BRAKE.	3EHP585818 P2141		01	NIL	2.00				
38	N/O/0053	29701028	T032/002	ILLUMINATED PUSH BUTTON FOR FAILURE ACKNOWLEDGE	3EHP585818 P2151	CLW/ES/3/0 072/G	01	2.00/4.00	4.00	NO	NA	AS PER IRS CONDITION	
			T032/043	ILLUMINATED PUSH BUTTON FAULT INDIC./ACKNOWLEDGE	3EHP585818 P2151		01	2.00/4.00	NIL				
			B032/043	ILLUMINATED PUSH BUTTON FAULT INDIC./ACKNOWLEDGE	3EHP585818 P2151		01	NIL	4.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
39	N/0/0054	29700231	T032/006	ILLUMINATED PUSH BUTTON EMERGENCY FLASHER LIGHT	3EHP585848 P0251	CLW/ES/3/0 072/G	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T032/048	ILLUMINATED SWITCH EMERGENCY FLASHER LIGHT	3EHP585848 P0251		01	2.00	NIL				
			B032/048	ILLUMINATED SWITCH EMERGENCY FLASHER LIGHT	3EHP585848 P0251		01	NIL	2.00				
40	N/0/0055	29700243	T033/001	ILLUMINATED PUSH BUTTON FOR VIGILANCE CONTROL	3EHP585818 P0291	CLW/ES/3/0 072/E	01	NIL	NIL				
			T033/033	PUSH BUTTON VIGILANCE CONTROL	3EHP585818 P0291		01	NIL	NIL				
			B033/033	PUSH BUTTON VIGILANCE CONTROL	3EHP585818 P0291		01	NIL	NIL				
41	N/1/0055	29700255	T031/016	PUSH BUTTON RESET VIGILANCE CONTROL.	3EHP585818 P0311	CLW/ES/3/0 072/G	01	3.00	3.00	NO	NA	AS PER IRS CONDITION	
			T031/016	PUSH BUTTON RESET VIGILANCE CONTROL.	3EHP585818 P0311		01	2.00	NIL				
			B031/016	PUSH BUTTON RESET VIGILANCE CONTROL.	3EHP585818 P0311		01	NIL	2.00				
			T031/728	PUSH BUTTON RESET VIGILANCE CONTROL FOR VCU RESET IN SB-I.	3EHP585818 P0311		01	1.00	NIL				
			B031/728	PUSH BUTTON RESET VIGILANCE CONTROL FOR VCU RESET IN SB-I.	3EHP585818 P0311		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
42	N/O/0056	29860015	T022/005	MASTER CONTROLLER	3EHP510214 R0001	CLW/ES/3/0 031/I	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T031/259	MASTER CONTROLLER	3EHP510214 R0001		01	1.00	NIL				
			T031/167	MASTER CONTROLLER	3EHP510214 R0001		01	1.00	NIL				
			B031/259	MASTER CONTROLLER	3EHP510214 R0001		01	NIL	1.00				
			B031/167	MASTER CONTROLLER	3EHP510214 R0001		01	NIL	1.00				
43	N/O/0057	29500114	T031/002	TRACT/BRAKE EFFORT METER BOGIE	3EHP590546 R0002	CLW/ES/3/0 071	01	4.00	4.00	NO	NA	AS PER IRS CONDITION	
			T031/076	TRACT.BREAK. EFFORT METER BOGIE2	3EHP590546 R0002		01	2.00	NIL				
			T031/075	TRACT.BREAK. EFFORT METER BOGIE1	3EHP590546 R0002		01	2.00	NIL				
			B031/076	TRACT.BREAK. EFFORT METER BOGIE2	3EHP590546 R0002		01	NIL	2.00				
			B031/075	TRACT.BREAK. EFFORT METER BOGIE1	3EHP590546 R0002		01	NIL	2.00				
44	N/O/0065	29470031	T020/010	OIL COOLER RADIATOR FOR CONVERTER / TRANSFORMER COOLING	3EHP590472 R0001	CLW/ES/3/0 102/E	01	2.00	2.00	NO	NA	60 MONTH AS PER SPECIFICAT ION	
			T020/010	OIL COOLER RADIATOR FOR CONVERTER / TRANSFORMER COOLING	3EHP590472 R0001		01	2.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B020/010	OIL COOLER RADIATOR FOR CONVERTER / TRANSFORMER COOLING	3EHP590472 R0001		01	NIL	2.00				
45	N/O/0066	29650057	T021/007	DISCHARGING RESISTOR FOR CAPACITOR BANK	3EHP590470 R0004	CLW/ES/3/0 089	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T021/007	DISCHARGING RESISTOR FOR CAPACITOR	3EHP590470 R0004		01	1.00	NIL				
			B021/007	DISCHARGING RESISTOR FOR CAPACITOR	3EHP590470 R0004		01	NIL	1.00				
46	N/O/0067	29660014	T019/010	EARTH FAULT RELAYS	HBVW40001 1R0001	CLW/ES/3/0 090/C	01	4.00	4.00	NO	NA	AS PER IRS CONDITION	
			T024/208	EARTH FAULT RELAY AUXILIARY CONTROL CIRCUIT	HBVW40001 1R0001		01	1.00	NIL				
			T023/021	EARTH FAULT RELAY AUX. CONVERTER	HBVW40001 1R0001		01	1.00	NIL				
			T023/006	EARTH FAULT RELAY AUX.CONV.	HBVW40001 1R0001		01	1.00	NIL				
			T021/011	EARTH FAULT RELAY HARMONIC FILTER	HBVW40001 1R0001		01	1.00	NIL				
			T021/243	EARTH FAULT RELAY FOR HOTEL LOAD	HBVW40001 1R0001		01	NIL	NIL				
			B024/208	EARTH FAULT RELAY CONTROL CIRCUIT	HBVW40001 1R0001		01	NIL	1.00				
			B023/021	EARTH FAULT RELAY AUX. CONVERTER	HBVW40001 1R0001		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B023/006	EARTH FAULT RELAY AUX.CONV.	HBVW40001 1R0001		01	NIL	1.00				
			B021/243	EARTH FAULT RELAY FOR HOTEL LOAD	HBVW40001 1R0001		01	NIL	NIL				
			B021/011	EARTH FAULT RELAY HARMONIC FILTER	HBVW40001 1R0001		01	NIL	1.00				
47	N/0/0068	29890044	T013/003	CONTACTOR AUXILIARIES IN HB -1 & HB-2	3EHE428074 R0001	CLW/ES/3/0 201/D	03	4.00	4.00	NO	NA	AS PER IRS CONDITION	
				CONTACTOR AUXILIARIES IN HB-2 CONSISTING OF			03	2.00	2.00				
			T023/520	CONTACTOR 3 PHASES (ONE NO. FOR EACH SET)	3EHE428074 P0100								
			T023/521	AUXILIARY CONTACT 2NO+2NC (ONE NO. FOR EACH SET)	3EHE428074 P0101								
			T023/522	DC CHOKE 77 - 137 V (ONE NO. FOR EACH SET)	3EHE428074 P0102								
			B023/520	CONTACTOR 3 PHASES (ONE NO. FOR EACH SET)	3EHE428074 P0100								
			B023/521	AUXILIARY CONTACT 2NO+2NC (ONE NO. FOR EACH SET)	3EHE428074 P0101								
			B023/522	DC CHOKE 77 - 137 V (ONE NO. FOR EACH SET)	3EHE428074 P0102								
				CONTACTOR AUXILIARIES IN HB-1 CONSISTING OF			03	2.00	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO.	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATION NO.	CLW SPECIFICATION NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T023/569	CONTACTOR 3 PHASES (ONE NO. FOR EACH SET)	3EHE428074 P0100								
			T023/570	02 NOS AUXILIARY CONTACTS 2NO+2NC & 1NO+3NC (FOR EACH SET)	3EHE428074 P0101								
			T023/571	DC CHOKE 77 - 137 V (ONE NO. FOR EACH SET)	3EHE428074 P0102								
			B023/569	CONTACTOR 3 PHASES (ONE NO. FOR EACH SET)	3EHE428074 P0100								
			B023/570	02 NOS AUXILIARY CONTACTS 2NO+2NC & 1NO+3NC (FOR EACH SET)	3EHE428074 P0101								
			B023/571	DC CHOKE 77 - 137 V (ONE NO. FOR EACH SET)	3EHE428074 P0102								
48	N/O/0069	29750064	T013/004	SNUBBER CIRCUIT TO CONTACTOR AUXILIARIES	3EHE428099 P0001	CLW/ES/3/0 202/A	01	4.00	4.00	NO	NA	AS PER IRS CONDITION	
			T023/028	SNUBBER CIRCUIT FOR AUXILIARY CONTACTOR	3EHE428099 P0001		01	2.00	NIL				
			T023/523	SNUBBER CIRCUIT FOR AUXILIARY CONTACTOR	3EHE428099 P0001		01	2.00	NIL				
			B023/028	SNUBBER CIRCUIT FOR AUXILIARY CONTACTOR	3EHE428099 P0001		01	NIL	2.00				
			B023/523	SNUBBER CIRCUIT FOR AUXILIARY CONTACTOR	3EHE428099 P0001		01	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
49	N/1/0070	29700280	T023/490	AUXILIARY SWITCH FOR HB - 1	3EHP585771 R0006	CLW/ES/3/0 203/B	01	NIL	NIL				
			T023/490	AUXILIARY SWITCH FOR HB - 1	3EHP585771 R0006		01	NIL	NIL				
			B023/490	AUXILIARY SWITCH FOR HB - 1	3EHP585771 R0006		01	NIL	NIL				
50	N/0/0071	29511008	T017/003	MAIN COMPRESSOR WITH MOUNTING ACCESSORIES ALONG WITH MOTOR (WOUND WITH CORONA RESISTANCE WIRE)		1.RDSO/201 8/EL/SPEC/ 0137 Rev.0 2.SPEC/E- 10/3/09 (MOTOR) WITH AMENDME NT NOS. 01 TO 06	03	2.00	2.00	YES	1, STAGE INSPECTION OF MOTOR	AS PER IRS CONDITION	MOTOR WOUND WITH CORONA RESISTANCE WIRE IS FOR INDIGENOUS SOURCES ONLY
			T017/003	MAIN COMPRESSOR WITH MOUNTING ACCESSORIES ALONG WITH MOTOR (WOUND WITH CORONA RESISTANCE WIRE)			03	2.00	NIL				
			B017/003	MAIN COMPRESSOR WITH MOUNTING ACCESSORIES ALONG WITH MOTOR (WOUND WITH CORONA RESISTANCE WIRE)			03	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
51	N/0/0072	29511010	T020/015	AUXILIARY COMPRESSOR (MCPA)		CLW/ES/C-4/F	03	1.00	1.00	NO	NA	12 MONTHS FROM DATE OF COMMISSIO NING	
			T020/015	AUXILIARY COMPRESSOR			03	1.00	NIL				
			B020/015	AUXILIARY COMPRESSOR			03	NIL	1.00				
52	N/0/0073	29640039	T024/025	MAXIMUM CURRENT RELAY IN SB1	DKA210013 R0037	CLW/ES/3/0 059/D	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T024/205	MAXIMUM CURRENT RELAY	DKA210013 R0037		01	1.00	NIL				
			B024/205	MAXIMUM CURRENT RELAY	DKA210013 R0037		01	NIL	1.00				
53	N/0/0074	29660026	T024/452	MINIMUM VOLTAGE RELAY IN SB1	3EHP585821 R0202	CLW/ES/3/0 060/B	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T024/207	MINIMUM VOLTAGE RELAY	3EHP585821 R0202		01	1.00	NIL				
			B024/207	MINIMUM VOLTAGE RELAY	3EHP585821 R0202		01	NIL	1.00				
54	N/0/0076	29640027	T024/012	RELAY FOR CONTROL ELECTRONICS OFF / TEMPERATURE	3EHP585807 P1207	CLW/ES/3/0 066/B	01	2.00/3.00	2.00	NO	NA	AS PER IRS CONDITION	

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T024/455	RELAY TEMPERATURE CONTROL ELECTRONICS	3EHP585807 P1207		01	1.00	NIL				
			T024/215	RELAY CONTROL ELECTRONICS OFF	3EHP585807 P1207		01	1.00/2.00	NIL				
			B024/455	RELAY TEMPERATURE CONTROL ELECTRONICS	3EHP585807 P1207		01	NIL	1.00				
			B024/215	RELAY CONTROL ELECTRONICS OFF	3EHP585807 P1207		01	NIL	1.00				
55	N/1/0076	29640088	T024/438	RELAY FOR CONTROL ELECTRONICS ON along with accessories.	I) 3EHP585807 P1207 II)3EHP585771R0006	CLW/ES/3/0 066/B	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T024/438	RELAY FOR CONTROL ELECTRONICS ON along with accessories.	I) 3EHP585807 P1207 II) 3EHP585771 R0006		03	1.00	NIL				
			B024/438	RELAY FOR CONTROL ELECTRONICS ON along with accessories.	I) 3EHP585807 P1207 II) 3EHP585771 R0006		03	NIL	1.00				
56	N/0/0077	29640015	T024/018	TIME RELAY FOR VCB WITH AUX. CONTACTS CONSISTING OF (i) CONTACTOR / RELAY (1 NO.) (ii) TIME DELAY MODULE (1 NO.)	(i)HBTB5856 83R4227 (ii)3EHP590 028R0001	CLW/ES/3/0 064/C	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T024/227	TIME RELAY VCB	(i)HBTB5856 83R4227 (ii)3EHP5900 28R0001		03	1.00	NIL				
			B024/227	TIME RELAY VCB	(i)HBTB5856 83R4227 (ii)3EHP5900 28R0001		03	NIL	1.00				
57	N/O/0080	29700085	T019/002	SPRING LOADED SWITCH 1	3EHP585810 R0001	CLW/ES/3/0 032/G	01	6.00	6.00	NO	NA	AS PER IRS CONDITION	
			T031/264	FOOT SWITCH FOR RELEASE OF LOCO BRAKE	3EHP585810 R0001		01	1.00	NIL				
			T031/263	FOOT SWITCH FOR VIGILANCE	3EHP585810 R0001		01	1.00	NIL				
			T031/262	FOOT SWITCH FOR SANDING	3EHP585810 R0001		01	1.00	NIL				
			T031/172	FOOT SWITCH FOR RELEASE OF LOCO BRAKE	3EHP585810 R0001		01	1.00	NIL				
			T031/171	FOOT SWITCH FOR VIGILANCE	3EHP585810 R0001		01	1.00	NIL				
			T031/170	FOOT SWITCH FOR SANDING	3EHP585810 R0001		01	1.00	NIL				
			B031/264	FOOT SWITCH FOR RELEASE OF LOCO BRAKE	3EHP585810 R0001		01	NIL	1.00				
			B031/263	FOOT SWITCH FOR VIGILANCE	3EHP585810 R0001		01	NIL	1.00				
			B031/262	FOOT SWITCH FOR SANDING	3EHP585810 R0001		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B031/172	FOOT SWITCH FOR RELEASE OF LOCO BRAKE	3EHP585810 R0001		01	NIL	1.00				
			B031/171	FOOT SWITCH FOR VIGILANCE / KEY SWITCH SIMULATION	3EHP585810 R0001		01	NIL	1.00				
			B031/170	FOOT SWITCH FOR VIGILANCE / KEY SWITCH SIMULATION	3EHP585810 R0001		01	NIL	1.00				
58	N/O/0081	29700024	T019/003	SPRING LOADED SWITCH - 2	HBTB58560 4R1201	CLW/ES/3/0 075/B	01	18.00/16.00	16.00	NO	NA	AS PER IRS CONDITION	
			T033/036	SWITCH HAND LAMP.	HBTB585604 R1201		01	2.00	NIL				
			T033/034	SWITCH ASST. DESK ILLUMINATION	HBTB585604 R1201		01	2.00	NIL				
			T032/052	SWITCH DRIVER'S DESK ILLUMINATION	HBTB585604 R1201		01	4.00	NIL				
			T032/050	SWITCH DRIVER'S CAB LIGHTING	HBTB585604 R1201		01	2.00	NIL				
			T032/047	SWITCH MARKER LIGHTS RED	HBTB585604 R1201		01	2.00	NIL				
			T032/046	SWITCH MARKER LIGHTS WHITE	HBTB585604 R1201		01	2.00	NIL				
			T031/011	SWITCH FOR BANKING OPERATION	HBTB585604 R1201		01	2.00/NIL	NIL				
			T031/009	SWITCH MAXIMUM TRACTIVE EFFORT LIMITATION.	HBTB585604 R1201		01	2.00	NIL				
			B033/036	SWITCH HAND LAMP.	HBTB585604 R1201		01	NIL	2.00				
			B033/034	SWITCH ASST. DESK ILLUMINATION	HBTB585604 R1201		01	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B032/052	SWITCH DRIVER'S DESK ILLUMINATION	HBTB585604 R1201		01	NIL	4.00				
			B032/050	SWITCH DRIVER'S CAB LIGHTING	HBTB585604 R1201		01	NIL	2.00				
			B032/047	SWITCH MARKER LIGHTS RED	HBTB585604 R1201		01	NIL	2.00				
			B032/046	SWITCH MARKER LIGHTS WHITE	HBTB585604 R1201		01	NIL	2.00				
			B031/011	SWITCH FOR BANKING OPERATION	HBTB585604 R1201		01	NIL	NIL				
			B031/009	SWITCH MAXIMUM TRACTIVE EFFORT LIMITATION.	HBTB585604 R1201		01	NIL	2.00				
59	N/O/0082	29700073	T016/005	EARTHING SWITCH FOR VCB - with locking arrangement.	HSBA03119 7R0001	CLW/ES/3/0 010/D	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T016/005	EARTHING SWITCH	HSBA03119 7R0001		01	1.00	NIL				
			B016/005	EARTHING SWITCH	HSBA03119 7R0001		01	NIL	1.00				
60	N/O/0083	29711046	T016/006	MAIN CIRCUIT BREAKER (VCB) WITH ITS CONNECTOR and 05% extra Flexible reinforced Rubber 27" long Air Hose Pipe I/D 5/16" with 3/8" BSP Female coupling fitting at both end as manufacturing spares.		CLW/ES/C- 47/I	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T016/006	VACCUM MAIN CKT. BREAKER			03	1.00	NIL				
			B016/006	VACCUM MAIN CKT. BREAKER			03	NIL	1.00				
61	N/0/0084	29750052	T016/009	SURGE ARRESTOR	HATW20555 8R0033	CLW/ES/3/0 016/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T016/135	SURGE ARRESTOR	HATW20555 8R0033		01	2.00	NIL				
			B016/135	SURGE ARRESTOR	HATW20555 8R0033		01	NIL	2.00				
62	N/2/0084	29735002	T021/244	SURGE ARRESTOR FOR HOTEL LOAD	HAWA10006 1R0003	CLW/ES/3/0 313/A	01	NIL	NIL				
			T021/244	SURGE ARRESTOR FOR HOTEL LOAD	HAWA10006 1R0003		01	NIL	NIL				
			B021/244	SURGE ARRESTOR FOR HOTEL LOAD	HAWA10006 1R0003		01	NIL	NIL				
63	N/0/0085	29700097	T016/012	LATCHING PUSH BUTTON CORRIDOR LIGHTING	HBTB58545 6R0102	CLW/ES/3/0 044	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T016/325	LATCHING PUSH-BUTTON CORRIDOR LIGHTING	HBTB585456 R0102		01	1.00	NIL				
			T016/089	LATCHING PUSH-BUTTON CORRIDOR LIGHTING	HBTB585456 R0102		01	1.00	NIL				
			B016/325	LATCHING PUSH-BUTTON CORRIDOR LIGHTING	HBTB585456 R0102		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B016/089	LATCHING PUSH-BUTTON CORRIDOR LIGHTING	HBTB585456 R0102		01	NIL	1.00				
64	N/4/0087	29200040	T022/195	MICROPROCESSOR BASED ELECTRONIC SPEED INDICATING , RECORDING SYSTEM and 01(ONE) EVALUATION SOFTWARE FOR EVERY 10(TEN) SETS OF SPM (WITHOUT MEMORY CARD READER UNIT & COMMUNICATION CABLE FOR MASTER TO SLAVE) FOR WAG-9 / WAP-7 & WAP-5 TYPE 3-PHASE LOCOMOTIVES.		ELRS/SPEC / SPM/0002 (Rev.4)	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T022/195	MICROPROCESSOR BASED ELECTRONIC SPEED INDICATING , RECORDING SYSTEM and 01(one) evaluation software for every 10(Ten) sets of SPM (WITHOUT MEMORY CARD READER UNIT & COMMUNICATION CABLE FOR MASTER TO SLAVE) FOR WAG-9 / WAP-7 & WAP-5 TYPE 3-PHASE LOCOMOTIVES.			03	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B022/195	MICROPROCESSOR BASED ELECTRONIC SPEED INDICATING , RECORDING SYSTEM and 01(one) evaluation software for every 10(Ten) sets of SPM (WITHOUT MEMORY CARD READER UNIT & COMMUNICATION CABLE FOR MASTER TO SLAVE) FOR WAG-9 / WAP-7 & WAP-5 TYPE 3-PHASE LOCOMOTIVES.			03	NIL	1.00				
65	N/2/0088	29710145	T023/624	AC Circuit Breaker 63 A, 3pole (Type 17) with Aux. Contact 2 NO	(i)HBTB585554R3083 (ii)HBTB585557R1200	CLW/ES/3/0096/L	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	one set comprises of 04 nos. of AC circuit Breakers along with 04 nos. of Aux. Contact 2NO.
			T023/624	AC Ckt. Breaker 63 A, 3 Pole (Type –17)	HBTB585554R3083		01	4.00	NIL				
			B023/624	AC Ckt. Breaker 63 A, 3 Pole (Type –17)	HBTB585554R3083		01	NIL	4.00				
			T023/632	AUXILIARY CONTACT 2 NO	HBTB585557R1200		01	4.00	NIL				
			B023/632	AUXILIARY CONTACT 2NO	HBTB585557R1200		01	NIL	4.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
66	N/3/0088	29710017	T023/625	AC Circuit Breaker 41 A, 3pole (Type 16) with Aux. Contact 2 NO	(i)3EH_1134 56R0001(ii)H BTB585557 R1200	CLW/ES/3/0 096/L	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	one set comprises of 02 nos. of AC circuit Breakers along with 02 nos. of Aux. Contact 2NO.
			T023/625	AC Ckt. Breaker 41 A, 3 Pole (Type –16)	3EH_113456 R0001		01	2.00	NIL				
			B023/625	AC Ckt. Breaker 41 A, 3 Pole (Type –16)	3EH_113456 R0001		01	NIL	2.00				
			T023/632	AUXILIARY CONTACT 2 NO	HBTB585557 R1200		01	2.00	NIL				
			B023/632	AUXILIARY CONTACT 2NO	HBTB585557 R1200		01	NIL	2.00				
67	N/2/0089	29710170	T023/626	AC Circuit Breaker 6 A, 1pole (Type 20)	(i)HBTB5855 52R1013 (ii)HBTB585 557R1200	CLW/ES/3/0 096/L	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	one set comprises of 02 nos. of AC circuit Breakers only
			T023/626	AC Ckt. Breaker 6 A, 1 Pole (Type –20)	HBTB585552 R1013		01	2.00	NIL				
			B023/626	AC Ckt. Breaker 6 A, 1 Pole (Type –20)	HBTB585552 R1013		01	NIL	2.00				
			T023/632	AUXILIARY CONTACT 2 NO	HBTB585557 R1200		01	NIL	NIL				
			B023/632	AUXILIARY CONTACT 2NO	HBTB585557 R1200		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
68	N/0/0090	29750040	T021/002	SURGE ARRESTOR CURRENT TRANSFORMER	HAMM31207 9R0001	CLW/ES/3/0 085/A	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T021/002	SURGE ARRESTOR CURRENT TRANSFORMER	HAMM31207 9R0001		01	1.00	NIL				
			B021/002	SURGE ARRESTOR CURRENT TRANSFORMER	HAMM31207 9R0001		01	NIL	1.00				
69	N/1/0092	29710194	T023/004	AC Ckt. Breaker 11 A, 1 Pole Revised (Type –21)	HBTB58555 2R1033	CLW/ES/3/0 096/L	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T023/004	AC Ckt. Breaker 11 A, 1 Pole Revised (Type –21)	HBTB585552 R1033		01	1.00	NIL				
			B023/004	AC Ckt. Breaker 11 A, 1 Pole Revised (Type –21)	HBTB585552 R1033		01	NIL	1.00				
70	N/2/0092	29710157	T023/627	AC Circuit Breaker 20 A, 1pole (Type 19) with Aux. Contact 2 NO	(i)3EHP5906 39R0101 (ii)HBTB585 557R1200	CLW/ES/3/0 096/L	03	NIL	NIL				one set comprises of 02 nos. of AC circuit Breakers along with 02 nos. of Aux. Contact 2NO.
			T023/627	AC Ckt. Breaker 20 A, 1Pole (Type –19)	3EHP590639 R0101		01	NIL	NIL				
			B023/627	AC Ckt. Breaker 20 A, 1Pole (Type –19)	3EHP590639 R0101		01	NIL	NIL				
			T023/632	AUXILIARY CONTACT 2 NO	HBTB585557 R1200		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B023/632	AUXILIARY CONTACT 2NO	HBTB585557 R1200		01	NIL	NIL				
71	N/1/0093	29710169	T023/629	AC Circuit Breaker 6 A, 3pole (Type 18) with Aux. Contact 2 NO	(i)HBTB5855 52R3013 (ii)HBTB585 557R1200	CLW/ES/3/0 096/L	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	i. one set comprises of 07 nos. of AC Circuit Breakers along with 06 nos. of Aux. Contact 2NO. ii. 01 no. AC circuit Breaker is to be drawn for fitting in A.C. systems in the Locos.
			T023/629	AC Ckt. Breaker 6 A, 3 Pole (Type –18)	HBTB585552 R3013		01	6.00	NIL				
			T023/637	AC Ckt. Breaker 6 A, 3 Pole Revised (Type –18) FOR AC SYSTEM	HBTB585552 R3013		01	1.00	NIL				
			B023/629	AC Ckt. Breaker 6 A, 3 Pole (Type –18)	HBTB585552 R3013		01	NIL	6.00				
			B023/637	AC Ckt. Breaker 6 A, 3 Pole Revised (Type –18) FOR AC SYSTEM	HBTB585552 R3013		01	NIL	1.00				
			T023/632	AUXILIARY CONTACT 2 NO	HBTB585557 R1200		01	6.00	NIL				
			B023/632	AUXILIARY CONTACT 2NO	HBTB585557 R1200		01	NIL	6.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
72	N/1/0094	29710182	T023/630	AC Circuit Breaker 16 A, 3pole (Type 14) with Aux. Contact 2 NO	(i)HBTB585552R3033 (ii)HBTB585557R1200	CLW/ES/3/0 096/L	03	1.00	1.00	NO	NA	AS PER IRS CONDITION	one set comprises of 02 nos. of AC circuit Breakers along with 02 nos. of Aux. Contact 2NO.
			T023/630	AC Ckt. Breaker 16 A, 3 Pole (Type –14)	HBTB585552 R3033		01	2.00	NIL				
			B023/630	AC Ckt. Breaker 16 A, 3 Pole (Type –14)	HBTB585552 R3033		01	NIL	2.00				
			T023/632	AUXILIARY CONTACT 2 NO	HBTB585557 R1200		01	2.00	NIL				
			B023/632	AUXILIARY CONTACT 2NO	HBTB585557 R1200		01	NIL	2.00				
73	N/1/0095	2971103401 14P	T023/631	AC Circuit Breaker 32 A, 3pole (Type 15) with Aux. Contact 2 NO	(i)HBTB585552R3063 (ii)HBTB585557R1200	CLW/ES/3/0 096/L	03	NIL	NIL				one set comprises of 02 nos. of AC circuit Breakers along with 02 nos. of Aux. Contact 2NO.
			T023/631	AC Ckt. Breaker 32 A, 3 Pole (Type –15)	HBTB585552 R3063		01	NIL	NIL				
			B023/631	AC Ckt. Breaker 32 A, 3 Pole (Type –15)	HBTB585552 R3063		01	NIL	NIL				
			T023/632	AUXILIARY CONTACT 2 NO	HBTB585557 R1200		01	NIL	NIL				
			B023/632	AUXILIARY CONTACT 2NO	HBTB585557 R1200		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
74	N/2/0095	2971102201 14P	T023/632	AUXILIARY CONTACTS 2 N/O	HBTB58555 7R1200	CLW/ES/3/0 096/L	01	NIL	NIL				This category no. has been deleted. All 16 nos. Aux. Contacts 2 N/O have been distributed against Cat. nos. N/2/0088, N/3/0088, N/2/0089, N/2/0092, N/1/0093, N/1/0094, N/1/0095.
			T023/632	AUXILIARY CONTACT	HBTB585557 R1200		01	NIL	NIL				
			B023/632	AUXILIARY CONTACT	HBTB585557 R1200		01	NIL	NIL				
75	N/0/0096	29750027	T024/365	SNUBBER CKT.	3EHW47002 4R0005	CLW/ES/3/0 067/B	01	12.00	12.00	NO	NA	AS PER IRS CONDITION	01 no is to be drawn for fitting in A.C. systems in the Locos.
			T024/456	SNUBBER CIRCUIT TO RELAY TEMPERATURE CONTROL ELECTRONICS	3EHW47002 4R0005		01	1.00	NIL				
			T024/454	SNUBBER CIRCUIT TO ITEM AUXILIARY CONTACTOR PANTOGRAPH	3EHW47002 4R0005		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T024/440	SNUBBER CIRCUIT TO CONTACTOR POWER SUPPLY CAB	3EHW47002 4R0005		01	1.00	NIL				
			T024/230	SNUBBER CIRCUIT TO AUXILIARY CONTACTOR VCB	3EHW47002 4R0005		01	1.00	NIL				
			T024/228	SNUBBER CIRCUIT TO TIME RELAY VCB	3EHW47002 4R0005		01	1.00	NIL				
			T024/218	SNUBBER CIRCUIT TO CONTACTOR POWER SUPPLY CAB	3EHW47002 4R0005		01	1.00	NIL				
			T024/216	SNUBBER CIRCUIT TO RELAY CONTROL ELECTRONICS 'OFF'	3EHW47002 4R0005		01	1.00	NIL				
			T023/178	SNUBBER CIRCUIT FOR CONTACTOR MAIN COMPRESSOR & BUR -1&2	3EHW47002 4R0005		01	3.00	NIL				
			T023/026	SNUBBER CIRCUIT FOR CONTACTOR MAIN COMPRESSOR	3EHW47002 4R0005		01	1.00	NIL				
			T023/639	SNUBBER CIRCUIT FOR A.C. SYSTEM	3EHW47002 4R0005		01	1.00	NIL				
			B024/456	SNUBBER CIRCUIT TO RELAY TEMPERATURE CONTROL ELECTRONICS	3EHW47002 4R0005		01	NIL	1.00				
			B024/454	SNUBBER CIRCUIT TO AUXILIARY CONTACTOR PANTOGRAPH	3EHW47002 4R0005		01	NIL	1.00				
			B024/440	SNUBBER CIRCUIT TO CONTACTOR POWER SUPPLY CAB	3EHW47002 4R0005		01	NIL	1.00				
			B024/230	SNUBBER CIRCUIT TO AUXILIARY CONTACTOR VCB	3EHW47002 4R0005		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B024/228	SNUBBER CIRCUIT TO TIME RELAY VCB	3EHW47002 4R0005		01	NIL	1.00				
			B024/218	SNUBBER CIRCUIT TO CONTACTOR POWER SUPPLY CAB	3EHW47002 4R0005		01	NIL	1.00				
			B024/216	SUNBBER CIRCUIT TO RELAY CONTROL ELECTRONICS OFF	3EHW47002 4R0005		01	NIL	1.00				
			B023/178	SNUBBER CIRCUIT FOR CONTACTOR MAIN COMPRESSOR & BUR -1&2	3EHW47002 4R0005		01	NIL	3.00				
			B023/026	SNUBBER CIRCUIT FOR CONTACTOR MAIN COMPRESSOR	3EHW47002 4R0005		01	NIL	1.00				
			B023/639	SNUBBER CIRCUIT FOR A.C. SYSTEM	3EHW47002 4R0005		01	NIL	1.00				
76	N/0/0100	29700127	T024/024	KEY SWITCH SIMULATION IN SB1	3EHP585704 R2222	CLW/ES/3/0 079/A	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T024/235	KEY SWITCH SIMULATION	3EHP585704 R2222		01	1.00	NIL				
			B024/235	KEY SWITCH SIMULATION	3EHP585704 R2222		01	NIL	1.00				
77	N/0/0102	29610280	T025/005	18 PIN UIC - SOCKET (WITHOUT UIC PLUG)	HBTB58547 1R0001	CLW/ES/3/0 047/E	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T031/193	18 PIN UIC - SOCKET	HBTB585471 R0001		01	1.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T031/102	18 PIN UIC - SOCKET	HBTB585471 R0001		01	1.00	NIL				
			B031/493	18 PIN UIC - SOCKET	HBTB585471 R0001		01	NIL	1.00				
			B031/300	18 PIN UIC - SOCKET	HBTB585471 R0001		01	NIL	1.00				
77.1	N/0/0102a	29612366	T025/020	18 PIN UIC PLUG AS PER DRAWING NO. CLW/ES/3/SK-4/0047/E (WITHOUT UIC SOCKET AND CABLE)		CLW/ES/3/0 047/E	01	NIL/2.00	2.00	NO	NA	AS PER IRS CONDITION	
77.2	N/0/0102b	29612354	T025/022	22 PIN UIC SOCKET FOR PUSH PULL OPERATION		CLW/ES/3/0 671	01	NIL/2.00	2.00	NO	NA	AS PER IRS CONDITION	This item is required for WAP-7 and WAP-5 push-pull loco only.
77.3	N/0/0102c		T025/026	22 PIN UIC PLUG (WITHOUT UIC SOCKET AND CABLE)		CLW/ES/3/0 671	01	NIL/2.00	2.00	NO	NA	AS PER IRS CONDITION	This item is required for WAP-7 and WAP-5 push-pull loco only.
78	N/0/0103	29500047	T026/006	PRESSURE SENSOR OIL CIRCUIT TRANSFORMER	3EHN424144 R5000	CLW/ES/3/0 035/G	01	4.00	4.00	NO	NA	AS PER IRS CONDITION	
			T017/200	PRESSURE SENSOR	3EHN424144 R5000		01	4.00	NIL				
			B017/200	PRESSURE SENSOR	3EHN424144 R5000		01	NIL	4.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
79	N/0/0104	29500059	T020/012	AMPLIFIER TO SENSOR OIL CIRCUIT	3EHP585820 P0003	CLW/ES/3/0 035/G	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T020/012	AMPLIFIER TO SENSOR OIL CIRCUIT	3EHP585820 P0003		01	2.00	NIL				
			B020/012	AMPLIFIER TO SENSOR OIL CIRCUIT	3EHP585820 P0003		01	NIL	2.00				
80	N/0/0105	29701030	T031/006	CAB ACTIVATING KEY SWITCH	3EHP590522 P0001	CLW/ES/3/0 074	01	2.00/4.00	4.00	NO	NA	AS PER IRS CONDITION	
			T031/006	CAB ACTIVATING KEY SWITCH	3EHP590522 P0001		01	2.00/4.00	NIL				
			B031/006	CAB ACTIVATING KEY SWITCH	3EHP590522 P0001		01	NIL	4.00				
81	N/0/0106	29700036	T031/007	SPRING LOADED SWITCH FOR PANTOGRAPH/VCB/ HOTEL LOAD	HBTB58560 4R3001	CLW/ES/3/0 075/B	01	6.00/8.00	8.00	NO	NA	AS PER IRS CONDITION	
			T031/078	SPRING LOADED SWITCH FOR VCB	HBTB585604 R3001		01	2.00	NIL				
			T031/077	SPRING LOADED SWITCH PANTOGRAPH.	HBTB585604 R3001		01	2.00	NIL				
			T031/013	SPRING LOADED SWITCH HOTEL LOAD SUPPLY.	HBTB585604 R3001		01	NIL/2.00	NIL				
			T031/732	SPRING LOADED SWITCH FOR ADDITIONAL BLDJ	HBTB585604 R3001		01	2.00	NIL				
			B031/078	SPRING LOADED SWITCH FOR VCB	HBTB585604 R3001		01	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B031/077	SPRING LOADED SWITCH PANTOGRAPH.	HBTB585604 R3001		01	NIL	2.00				
			B031/013	SPRING LOADED SWITCH HOTEL LOAD SUPPLY.	HBTB585604 R3001		01	NIL	2.00				
			B031/732	SPRING LOADED SWITCH FOR ADDITIONAL BLDJ	HBTB585604 R3001		01	NIL	2.00				
82	N/0/0108	29700061	T031/015	SPRING LOADED SWITCH FOR COMPRESSOR	HBTB585604 R2001	CLW/ES/3/0 075/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T031/015	SPRING LOADED SWITCH MAIN COMPRESSOR.	HBTB585604 R2001		01	2.00	NIL				
			B031/015	SPRING LOADED SWITCH MAIN COMPRESSOR.	HBTB585604 R2001		01	NIL	2.00				
83	N/0/0110	29700048	T032/004	SPRING LOADED SWITCH FOR HEAD LIGHTS	3EHP585743 R2204	CLW/ES/3/0 075/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T032/045	SWITCH HEADLIGHTS.	3EHP585743 R2204		01	2.00	NIL				
			B032/045	SWITCH HEADLIGHTS.	3EHP585743 R2204		01	NIL	2.00				
84	N/0/0111	29700050	T032/007	SPRING LOADED SWITCH FOR HEAD LIGHT INTENSITY	3EHP585743 R2103	CLW/ES/3/0 075/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T032/049	SWITCH HEAD LIGHTS INTENSITY	3EHP585743 R2103		01	2.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B032/049	SWITCH HEAD LIGHTS INTENSITY	3EHP585743 R2103		01	NIL	2.00				
85	N/0/0112	29700139	T031/018	PUSH BUTTON FOR EMERGENCY STOP	3EHP590153 R0002	CLW/ES/3/0 077/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T031/018	PUSH BUTTON FOR EMERGENCY STOP.	3EHP590153 R0002		01	2.00	NIL				
			B031/018	PUSH BUTTON FOR EMERGENCY STOP.	3EHP590153 R0002		01	NIL	2.00				
				SHRINK DOWN SLEEVES									
86				a) SET OF SHRINKDOWN SLEEVES (Polyethelene Based Polyolefin)						YES	STAGE-1 (In the stage 1 inspection, polymer identification and physical properties of raw material is to be checked before carrying out final inspection of product.)	AS PER IRS CONDITION	

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(1)	N/1/0113	29610333	T031/298	SHRINKDOWN SLEEVE 6.4 X 0.28 PE5 BK	F415788P01 06	CLW/ES/3/0 154/R	22	26.00	26.00				01 metre is to be drawn for fitting in A.C. systems in the Locos.
			T031/298	SHRINKDOWN SLEEVE 6.4 X 0.28 PE5 BK	F415788P01 06		22	26.00	NIL				
			B031/298	SHRINKDOWN SLEEVE 6.4 X 0.28 PE5 BK	F415788P01 06		22	NIL	26.00				
(2)	N/2/0113	29610503	T031/389	SHRINKDOWN SLEEVE 12.7 x 0.28 PE5 BK	F415788P01 08	CLW/ES/3/0 154/R	22	20.00	20.00				
			T031/389	SHRINKDOWN SLEEVE 12.7 x 0.28 PE5 BK	F415788P01 08		22	20.00	NIL				
			B031/389	SHRINKDOWN SLEEVE 12.7 x 0.28 PE5 BK	F415788P01 08		22	NIL	20.00				
(3)	N/3/0113	29610515	T023/069	SD SLEEVE 19.0X0.35-PE 5 BK	F415788P01 09	CLW/ES/3/0 154/R	22	5.00	5.00				
			T023/069	SD SLEEVE 19.0X0.35-PE 5 BK	F415788P01 09		22	5.00	NIL				
			B023/069	SD SLEEVE 19.0X0.35-PE 5 BK	F415788P01 09		22	NIL	5.00				
(4)	N/4/0113	29610527	T021/222	SHRINKDOWN SLEEVE 25.4 X 0.38 PE5 BK	F415788P01 10	CLW/ES/3/0 154/R	22	12.50/14.50	12.50				
			T021/222	SHRINKDOWN SLEEVE 25.4 X 0.38 PE5 BK	F415788P01 10		22	12.50/14.50	NIL				
			B021/222	SHRINKDOWN SLEEVE 25.4 X 0.38 PE5 BK	F415788P01 10		22	NIL	12.50				
(5)	N/5/0113	29610539	T017/300	SHRINKDOWN SLEEVE 25.4 X 0.38 PE5 TR	F415788P06 10	CLW/ES/3/0 154/R	22	8.00	8.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T017/300	SHRINKDOWN SLEEVE 25.4 X 0.38 PE5 TR	F415788P0610		22	8.00	NIL				
			B017/300	SHRINKDOWN SLEEVE 25.4 X 0.38 PE5 TR	F415788P0610		22	NIL	8.00				
(6)	N/6/0113	29610540	T030/849	SHRINKDOWN SLEEVE 2.4 x 0.22 PE5 G/YEL	F415788P0703	CLW/ES/3/0154/R	22	1.20	1.20				
			T030/849	SHRINKDOWN SLEEVE 2.4 x 0.22 PE5 G/YEL	F415788P0703		22	1.20	NIL				
			B030/849	SHRINKDOWN SLEEVE 2.4 x 0.22 PE5 G/YEL	F415788P0703		22	NIL	1.20				
(7)	N/7/0113	29610552	T034/236	SD SLEEVE 6.4 x 0.28 PE5 G/YEL	F415788P0706	CLW/ES/3/0154/R	22	2.00	2.00				
			T034/236	SD SLEEVE 6.4 x 0.28 PE5 G/YEL	F415788P0706		22	2.00	NIL				
			B034/236	SD SLEEVE 6.4 x 0.28 PE5 G/YEL	F415788P0706		22	NIL	2.00				
(8)	N/8/0113	29610564	T030/281	SHRINKDOWN SLEEVE 9.5 x 0.28 - PE5 G/YEL	F415788P0707	CLW/ES/3/0154/R	22	2.00	2.00				
			T030/281	SHRINKDOWN SLEEVE 9.5 x 0.28 - PE5 G/YEL	F415788P0707		22	2.00	NIL				
			B030/281	SHRINKDOWN SLEEVE 9.5 x 0.28 - PE5 G/YEL	F415788P0707		22	NIL	2.00				
(9)	N/9/0113	29610576	T034/109	SHRINKDOWN SLEEVE 12.7 x 0.28 PE5 G/YEL	F415788P0708	CLW/ES/3/0154/R	22	4.00	4.00				
			T034/109	SHRINKDOWN SLEEVE 12.7 x 0.28 PE5 G/YEL	F415788P0708		22	4.00	NIL				
			B034/109	SHRINKDOWN SLEEVE 12.7 x 0.28 PE5 G/YEL	F415788P0708		22	NIL	4.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(10)	N/10/0113	29610588	T031/117	SHRINKDOWN SLEEVE YEL/GREEN 3/1.5	HBTB41626 9P0001	CLW/ES/3/0 154/R	22	2.00	2.00				
			T031/117	SHRINKDOWN SLEEVE YEL/GREEN 3/1.5	HBTB416269 P0001		22	2.00	NIL				
			B031/117	SHRINKDOWN SLEEVE YEL/GREEN 3/1.5	HBTB416269 P0001		22	NIL	2.00				
(11)	N/11/0113	29610590	T034/061	SHRINKDOWN SLEEVE YEL/GREEN 6/3	HBTB41626 9P0002	CLW/ES/3/0 154/R	22	1.00	1.00				
			T034/061	SHRINKDOWN SLEEVE YEL/GREEN 6/3	HBTB416269 P0002		22	1.00	NIL				
			B034/061	SHRINKDOWN SLEEVE YEL/GREEN 6/3	HBTB416269 P0002		22	NIL	1.00				
(12)	N/13/0113	29610618	T034/074	S.D. SLEEVE YEL/GREEN 26/13	HBTB41626 9P0005	CLW/ES/3/0 154/R	22	1.50	1.50				
			T034/074	S.D. SLEEVE YEL/GREEN 26/13	HBTB416269 P0005		22	1.50	NIL				
			B034/074	S.D. SLEEVE YEL/GREEN 26/13	HBTB416269 P0005		22	NIL	1.50				
(13)	N/14/0113	29610620	T030/739	AD HESIVE SHRINKDOWN SLEEVE 16/4	HBTB41641 1P0003	CLW/ES/3/0 154/R	22	4.50	4.50				
			T030/739	AD HESIVE SHRINKDOWN SLEEVE 16/4	HBTB416411 P0003		22	4.50	NIL				
			B030/739	AD HESIVE SHRINKDOWN SLEEVE 16/4	HBTB416411 P0003		22	NIL	4.50				
(14)	N/15/0113	29610631	T031/365	SHRINKDOWN SLEEVE 24/6	HBTB41641 1P0004	CLW/ES/3/0 154/R	22	14.50	14.50				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T031/365	SHRINKDOWN SLEEVE 24/6	HBTB416411 P0004		22	14.50	NIL				
			B031/365	SHRINKDOWN SLEEVE 24/6	HBTB416411 P0004		22	NIL	14.50				
(15)	N/17/0113	29610667	T021/116	ADHESIVE SD SLEEVE 12/3	HBTB416411 P0002	CLW/ES/3/0 154/R	22	3.50	3.50				
			T021/116	ADHESIVE SD SLEEVE 12/3	HBTB416411 P0002		22	3.50	NIL				
			B021/116	ADHESIVE SD SLEEVE 12/3	HBTB416411 P0002		22	NIL	3.50				
(16)	N/18/0113	29610679	T021/080	ADHESIVE SD SLEEVE 32/8	HBTB416411 P0005	CLW/ES/3/0 154/R	22	3.50	3.50				
			T021/080	ADHESIVE SD SLEEVE 32/8	HBTB416411 P0005		22	3.50	NIL				
			B021/080	ADHESIVE SD SLEEVE 32/8	HBTB416411 P0005		22	NIL	3.50				
(17)	N/19/0113	29610680	T016/192	SHRINKDOWN SLEEVE 1 KYNAR	HEIS415785 P0010	CLW/ES/3/0 154/R	22	3.00	3.00				
			T016/192	SHRINKDOWN SLEEVE 1 KYNAR	HEIS415785 P0010		22	3.00	NIL				
			B016/192	SHRINKDOWN SLEEVE 1 KYNAR	HEIS415785 P0010		22	NIL	3.00				
(18)	N/20/0113	29610692	T019/018	SHRINKDOWN SLEEVE YEL/GREEN 12/6	HBTB416269 P0003	CLW/ES/3/0 154/R	22	2.00	2.00				
			T019/018	SHRINKDOWN SLEEVE YEL/GREEN 12/6	HBTB416269 P0003		22	2.00	NIL				
			B019/018	SHRINKDOWN SLEEVE YEL/GREEN 12/6	HBTB416269 P0003		22	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(19)	N/28/0113	29611295	T017/039	S.D. SLEEVE SIZE 18	HBTB415391P0011	CLW/ES/3/0154/R	01	40.00	40.00				
			T017/039	S.D. SLEEVE SIZE 18	HBTB415391P0011		01	40.00	NIL				
			B017/039	S.D. SLEEVE SIZE 18	HBTB415391P0011		01	NIL	40.00				
(20)	N/29/0113	29610643	T017/350	ADHESIVE SHRINK DOWN SLEEVE SIZE 12/2.41		CLW/ES/3/0154/R	22	0.60	0.50				
87	N/0/0113a		T028/295	b) SET OF PRINTED SRINKDOWN SLEEVE		CLW/ES/3/0154/R	03	1.00	1.00	YES	STAGE-1 (In the stage 1 inspection, polymer identification and physical properties of raw material is to be checked before carrying out final inspection of product.)	AS PER IRS CONDITION	
(1)	N/22/0113	29610709	T031/046	SHRINKDOWN SLV DTMS 1/8	HBT416006P0003	CLW/ES/3/0154/R	01	1203.00/1221.00	1431.00				
			T031/046	SHRINKDOWN SLV DTMS 1/8	HBT416006P0003		01	1203.00/1221.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B031/046	SHRINKDOWN SLV DTMS 1/8	HBT416006P 0003		01	NIL	1431.00				
(2)	N/23/0113	29610710	T021/221	SHRINKDOWN SLV DTMS 3/16	HBT416007P 0003	CLW/ES/3/0 154/R	01	5743.00/ 6343.00	6133.00				60 nos are to be drawn for fitting in A.C. systems in the Locos.
			T021/221	SHRINKDOWN SLV DTMS 3/16	HBT416007P 0003		01	5743.00/ 6343.00	NIL				
			B021/221	SHRINKDOWN SLV DTMS 3/16	HBT416007P 0003		01	NIL	6133.00				
(3)	N/24/0113	29610722	T034/160	SHRINKDOWN SLV DTMS 1/4	HBT416008P 0003	CLW/ES/3/0 154/R	01	156.00/ 188.00	168.00				
			T034/160	SHRINKDOWN SLV DTMS 1/4	HBT416008P 0003		01	156.00/ 188.00	NIL				
			B034/160	SHRINKDOWN SLV DTMS 1/4	HBT416008P 0003		01	NIL	168.00				
(4)	N/25/0113	29610734	T034/154	SHRINKDOWN SLV DTMS 3/8	HBT416009P 0003	CLW/ES/3/0 154/R	01	310.00	310.00				
			T034/154	SHRINKDOWN SLV DTMS 3/8	HBT416009P 0003		01	310.00	NIL				
			B034/154	SHRINKDOWN SLV DTMS 3/8	HBT416009P 0003		01	NIL	310.00				
(5)	N/26/0113	29610746	T023/067	SHRINKDOWN SLV DTMS 1/2	HBT416010P 0003	CLW/ES/3/0 154/R	01	110.00	110.00				
			T023/067	SHRINKDOWN SLV DTMS 1/2	HBT416010P 0003		01	110.00	NIL				
			B023/067	SHRINKDOWN SLV DTMS 1/2	HBT416010P 0003		01	NIL	110.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(6)	N/27/0113	29610928	T031/072	PLATE: TMS-CM 10-50 YEL	3EHP416008 P0001	CLW/ES/3/0 154/R	01	250.00	266.00				
			T031/072	PLATE: TMS-CM 10-50 YEL.	3EHP416008 P0001		01	250.00	NIL				
			B031/072	PLATE: TMS-CM 10-50 YEL.	3EHP416008 P0001		01	NIL	266.00				
				SET OF NON-METALLIC SLEEVES									
88				a) SET OF NYLON SPACER						YES	STAGE-1 (In the stage 1 inspection, polymer identification and physical properties of raw material is to be checked before carrying out final inspection of product.)	AS PER IRS CONDITION	
(1)	N/1/0115	29610760	T030/675	FILLER SIZE 16 BLUE	HBTB41530 9P0001	CLW/ES/3/0 154/R	01	36.00	36.00				
			T030/675	FILLER SIZE 16 BLUE	HBTB415309 P0001		01	36.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B030/675	FILLER SIZE 16 BLUE	HBTB415309 P0001		01	NIL	36.00				
(2)	N/2/0115	29610771	T030/075	FILLER SIZE 12 YELLOW	HBTB415309 P0002	CLW/ES/3/0 154/R	01	77.00	77.00				
			T030/075	FILLER SIZE 12 YELLOW	HBTB415309 P0002		01	77.00	NIL				
			B030/075	FILLER SIZE 12 YELLOW	HBTB415309 P0002		01	NIL	77.00				
89				b) SET OF POLYAMIDE PROTECTION SLEEVE FOR CABLES						YES	STAGE-1 (In the stage 1 inspection, polymer identification and physical properties of raw material is to be checked before carrying out final inspection of product.)	AS PER IRS CONDITION	
(1)	N/3/0115	29720436	T031/498	EXP. INSULATED TUBE 11/22 PA	HBTB41609 9P0001	CLW/ES/3/0 154/R	22	425.4/441.4	425.40	NO	NA	AS PER IRS CONDITION	

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			T031/498	EXP. INSULATED TUBE 11/22 PA	HBTB416099 P0001		22	425.4/441.4	NIL				
			B031/498	EXP. INSULATED TUBE 11/22 PA	HBTB416099 P0001		22	NIL	425.40				
(2)	N/4/0115	29720448	T033/066	EXP. INSULATED TUBE 30/52 PA	HBTB416099 P0003	CLW/ES/3/0 154/R	22	354.00	354.00				
			T033/066	EXP. INSULATED TUBE 30/52 PA	HBTB416099 P0003		22	354.00	NIL				
			B033/066	EXP. INSULATED TUBE 30/52 PA	HBTB416099 P0003		22	NIL	354.00				
(3)	N/5/0115	29720450	T033/064	EXP. INSULATED TUBE 8/15 PA	HBTB416099 P0007	CLW/ES/3/0 154/R	22	107.00	107.00				
			T033/064	EXP. INSULATED TUBE 8/15 PA	HBTB416099 P0007		22	107.00	NIL				
			B033/064	EXP. INSULATED TUBE 8/15 PA	HBTB416099 P0007		22	NIL	107.00				
(4)	N/6/0115	29720461	T033/065	EXP. INSULATED TUBE 18/32 PA	HBTB416099 P0009	CLW/ES/3/0 154/R	22	42.00	42.00				
			T033/065	EXP. INSULATED TUBE 18/32 PA	HBTB416099 P0009		22	42.00	NIL				
			B033/065	EXP. INSULATED TUBE 18/32 PA	HBTB416099 P0009		22	NIL	42.00				
(5)	N/8/0115	29720485	T030/825	EXP. INSULATED TUBE 10/15 PA	HBTB416099 P0014	CLW/ES/3/0 154/R	22	55.00	55.00				
			T030/825	EXP. INSULATED TUBE 10/15 PA	HBTB416099 P0014		22	55.00	NIL				
			B030/825	EXP. INSULATED TUBE 10/15 PA	HBTB416099 P0014		22	NIL	55.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(6)	N/9/0115	29720497	T030/521	EXP. INSULATED TUBE 14//20 PA	HBTB41609 9P0015	CLW/ES/3/0 154/R	22	25.00	25.00				
			T030/521	EXP. INSULATED TUBE 14//20 PA	HBTB416099 P0015		22	25.00	NIL				
			B030/521	EXP. INSULATED TUBE 14//20 PA	HBTB416099 P0015		22	NIL	25.00				
(7)	N/10/0115	29720503	T029/265	EXP. INSULATED TUBE 22/35 PA	HBTB41609 9P0017	CLW/ES/3/0 154/R	22	415.00/432.5 0	415.00				
			T029/265	EXP. INSULATED TUBE 22/35 PA	HBTB416099 P0017		22	415.00/432.5 0	NIL				
			B029/265	EXP. INSULATED TUBE 22/35 PA	HBTB416099 P0017		22	NIL	415.00				
(8)	N/11/0115	29720515	T030/826	EXP. INSULATED TUBE 28/40 PA	HBTB41609 9P0018	CLW/ES/3/0 154/R	22	50.00	50.00				
			T030/826	EXP. INSULATED TUBE 28/40 PA	HBTB416099 P0018		22	50.00	NIL				
			B030/826	EXP. INSULATED TUBE 28/40 PA	HBTB416099 P0018		22	NIL	50.00				
(9)	N/12/0115	29720527	T033/067	EXP. INSULATED TUBE 70/91 PA	HBTB41609 9P0030	CLW/ES/3/0 154/R	22	2.00	2.00				
			T033/067	EXP. INSULATED TUBE 70/91 PA	HBTB416099 P0030		22	2.00	NIL				
			B033/067	EXP. INSULATED TUBE 70/91 PA	HBTB416099 P0030		22	NIL	2.00				
(10)	N/13/0115	29720965	T019/039	EXP. INSULATED TUBE 6/10 PA	HBTB41609 9P0012	CLW/ES/3/0 154/R	22	6.00	6.00				
			T019/039	EXP. INSULATED TUBE 6/10 PA	HBTB416099 P0012		22	6.00	NIL				
			B019/039	EXP. INSULATED TUBE 6/10 PA	HBTB416099 P0012		22	NIL	6.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
(11)	N/19/0115	2972095322 14P	T024/125	PROTECTIVE TUBING (EXP. INSULATION TUBE 4/8 PA) FOR SB - 1/2	HBTB41609 9P0011	CLW/ES/3/0 154/R	22	NIL	NIL				
			T024/125	PROTECTIVE TUBING (EXP. INSULATION TUBE 4/8 PA) FOR SB - 1/2	HBTB416099 P0011		22	NIL	NIL				
			B024/125	PROTECTIVE TUBING (EXP. INSULATION TUBE 4/8 PA) FOR SB - 1/2	HBTB416099 P0011		22	NIL	NIL				
90				c) POLYETHELENE SLEEVE						YES	STAGE-1 (In the stage 1 inspection, polymer identification and physical properties of raw material is to be checked before carrying out final inspection of product.)	AS PER IRS CONDITION	
(1)	N/15/0115	29610783	T031/121	END SLEEVE PG - 16 - PE	KN6726212P 0016	CLW/ES/3/0 154/R	01	20.00	20.00				
			T031/121	END SLEEVE PG - 16 - PE	KN6726212P 0016		01	20.00	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B031/121	END SLEEVE PG - 16 - PE	KN6726212P 0016		01	NIL	20.00				
(2)	N/16/0115	29610795	T031/118	END SLEEVE PG - 29 - PE	KN6726212P 0029	CLW/ES/3/0 154/R	01	100.00	100.00				
			T031/118	END SLEEVE PG - 29 - PE	KN6726212P 0029		01	100.00	NIL				
			B031/118	END SLEEVE PG - 29 - PE	KN6726212P 0029		01	NIL	100.00				
(3)	N/17/0115	29610801	T017/035	END SLEEVE PG - 36 - PE	KN6726212P 0036	CLW/ES/3/0 154/R	01	2.00	2.00				
			T017/035	END SLEEVE PG - 36 - PE	KN6726212P 0036		01	2.00	NIL				
			B017/035	END SLEEVE PG - 36 - PE	KN6726212P 0036		01	NIL	2.00				
(4)	N/18/0115	29610813	T016/202	END SLEEVE PG - 21- PE	KN6726212P 0021	CLW/ES/3/0 154/R	01	3.00	3.00				
			T016/202	END SLEEVE PG - 21- PE	KN6726212P 0021		01	3.00	NIL				
			B016/202	END SLEEVE PG - 21- PE	KN6726212P 0021		01	NIL	3.00				
91	N/0/0116	2969502801 14H	T016/004	PRIMARY VOLTAGE TRANSFORMER	3EHP585856 R0001	CLW/ES/3/0 009/C	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T016/004	PRIMARY VOLTAGE TRANSFORMER	3EHP585856 R0001		01	1.00	NIL				
			B016/004	PRIMARY VOLTAGE TRANSFORMER	3EHP585856 R0001		01	NIL	1.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
92	N/0/0117	29690043	T016/007	PRIMARY CURRENT TRANSFORMER	HBTB585560R0021	CLW/ES/3/0013/B	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T016/007	PRIMARY CURRENT TRANSFORMER	HBTB585560R0021		01	1.00	NIL				
			B016/007	PRIMARY CURRENT TRANSFORMER	HBTB585560R0021		01	NIL	1.00				
93	N/0/0118	29695016	T019/001	PRIMARY CURRENT SENSOR	HET428008P0002	CLW/ES/3/0084/A	01	6.00	6.00	NO	NA	AS PER IRS CONDITION	
			T023/020	CURRENT SENSOR AUX. CONVERTER	HET428008P0002		01	2.00	NIL				
			T021/008	CURRENT TRANSFORMER HARMONIC FILTER	HET428008P0002		01	2.00	NIL				
			T021/001	PRIMARY CURRENT SENSOR LEM	HET428008P0002		01	2.00	NIL				
			B023/020	CURRENT SENSOR AUX. CONVERTER	HET428008P0002		01	NIL	2.00				
			B021/008	CURRENT TRANSFORMER HARMONIC FILTER	HET428008P0002		01	NIL	2.00				
			B021/001	PRIMARY CURRENT SENSOR LEM	HET428008P0002		01	NIL	2.00				
94	N/1/0118	29695004	T021/241	CURRENT SENSOR HOTEL LOAD SUPPLY ALONG WITH CONNECTOR	3EHN424026P0002	CLW/ES/3/0465/A	01	NIL	NIL				
			T021/241	CURRENT SENSOR HOTEL LOAD SUPPLY	3EHN424026P0002		01	NIL	NIL				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
			B021/241	CURRENT SENSOR HOTEL LOAD SUPPLY	3EHN424026 P0002		01	NIL	NIL				
95	N/0/0119	29690092	T022/003	TRANSFORMER MODULE PRIMARY VOLTAGE	3EHP590547 R0001	CLW/ES/3/0 083/B	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T033/095	TRANSFORMER MODULE PRIMARY VOLTAGE	3EHP590547 R0001		01	2.00	NIL				
			B033/095	TRANSFORMER MODULE PRIMARY VOLTAGE	3EHP590547 R0001		01	NIL	2.00				
96	N/0/0120	29690079	T023/002	AUXILIARY TRANSFORMER 415V/110V (TRANSFORMER TRANELLA 15)	3EHP590064 R0015	CLW/ES/3/0 098/B	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	
			T023/002	AUXILIARY TRANSFORMER 415V/110V	3EHP590064 R0015		01	1.00	NIL				
			B023/002	AUXILIARY TRANSFORMER 415V/110V	3EHP590064 R0015		01	NIL	1.00				
97	N/0/0122	29500035	T026/001	TEMPERATURE SENSOR OIL CIRCUIT TRANSFORMER	3EHN424142 R3000	CLW/ES/3/0 033/G	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T017/199	TEMPERATURE SENSOR ALONG WITH CONNECTOR	3EHN424142 R3000		01	2.00	NIL				
			B017/199	TEMPERATURE SENSOR ALONG WITH CONNECTOR	3EHN424142 R3000		01	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
98	N/0/0123	2661038301 14P	T032/010	DIAGNOSTIC TERMINAL	3EHP590524 R0001	CLW/ES/3/0 080/B	01	NIL	NIL				
			T032/053	DIAGNOSTIC TERMINAL	3EHP590524 R0001		01	NIL	NIL				
			B032/053	DIAGNOSTIC TERMINAL	3EHP590524 R0001		01	NIL	NIL				
98a	N/1/0123	2917130101 4P	T032/424	DRIVER DISPLAY UNIT		CLW/ES/3/0 487/C	01	NIL	NIL				
99	N/0/0124	29500102	T031/001	CATENARY VOLTMETER	3EHP590546 R0001	CLW/ES/3/0 070	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T031/001	CATENARY VOLTMETER	3EHP590546 R0001		01	2.00	NIL				
			B031/001	CATENARY VOLTMETER	3EHP590546 R0001		01	NIL	2.00				
100	N/0/0125	29500126	T031/005	VOLTMETER BATTERY	3EHP590545 R0001	CLW/ES/3/0 073	01	2.00	2.00	NO	NA	AS PER IRS CONDITION	
			T031/005	VOLTMETER BATTERY	3EHP590545 R0001		01	2.00	NIL				
			B031/005	VOLTMETER BATTERY	3EHP590545 R0001		01	NIL	2.00				

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
101	N/0/0144	29640040	T023/019	TIME RELAY FOR MR BLOWER WITH AUX. CONTACTS CONSISTING OF (i) CONTACTOR / RELAY (1 NO.) (ii) TIME DELAY MODULE (1 NO.)	(i)HBTB5856 83R4227 (ii)3EHP5900 28R0003	CLW/ES/3/0 012/G	03	NIL	NIL				Procurement is to be done along with items in category no. N/0/0144a and N/0/0144b
			T023/179	TIME RELAY MR BLOWER CONSISTING OF (1)CONTACTOR/RELAY (2) TIME DELAY MODULE	(i)HBTB5856 83R4227 (ii)3EHP5900 28R0003		03	NIL	NIL				
			T023/032	TIME RELAY MR BLOWER CONSISTING OF (1)CONTACTOR/RELAY (2) TIME DELAY MODULE	(i)HBTB5856 83R4227 (ii)3EHP5900 28R0003		03	NIL	NIL				
			B023/179	TIME RELAY MR BLOWER CONSISTING OF (1)CONTACTOR/RELAY (2) TIME DELAY MODULE	(i)HBTB5856 83R4227 (ii)3EHP5900 28R0003		03	NIL	NIL				
			B023/032	TIME RELAY MR BLOWER CONSISTING OF (1)CONTACTOR/RELAY (2) TIME DELAY MODULE	(i)HBTB5856 83R4227 (ii)3EHP5900 28R0003		03	NIL	NIL				
101. 1	N/0/0144a	29640076	T023/660	TIME DELAY MODULE FOR VCU RESET IN SB-I	3EHP590028 R0003	CLW/ES/3/0 012/G	01	NIL	1.00	NO	NA	AS PER IRS CONDITION	Procurement is to be done along with items in category no. N/0/0144 and N/0/0144b

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG-9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
101. 2	N/0/0144b	29640052	T023/661	CONTACTOR/RELAY FOR VCU RESET IN SB-I	HBTB58568 3R4227	CLW/ES/3/0 012/G	01	1.00	1.00	NO	NA	AS PER IRS CONDITION	Procurement is to be done along with items in category no. N/0/0144 and N/0/0144a
102	N/0/0146	2961119201 14Y	T023/483	FERRITE CORE FOR BUR - 1/2	HIES419087 P0001	CLW/ES/3/0 431	01	NIL	NIL				
			T023/483	FERRITE CORE FOR BUR - 1/2	HIES419087 P0001		01	NIL	NIL				
			B023/483	FERRITE CORE FOR BUR - 1/2	HIES419087 P0001		01	NIL	NIL				
103	N/0/0148	29771018	T023/499	CAPACITOR FOR BUR INPUT SNUBBER FOR BUR - 1/2	HIES309976 P0001	CLW/ES/3/0 448/A	01	3.00	3.00	NO	NA	AS PER IRS CONDITION	
			T023/499	CAPACITOR FOR BUR INPUT SNUBBER FOR BUR - 1/2	HIES309976 P0001		01	3.00	NIL				
			B023/499	CAPACITOR FOR BUR INPUT SNUBBER FOR BUR - 1/2	HIES309976 P0001		01	NIL	3.00				

NOTE -

(A) MANUFACTURING SPARES ARE TO BE PROVIDED FOR THE FOLLOWING ITEMS :-

- (i) 2% FOR ITEMS AT SL. NO. 24,24a,24b,24c,24d,24e,24f,24g,24h(ALL SOCKETS AND PINS UNDER THE HEADING " SET OF CONNECTORS ").
- (ii) 5% FOR ITEMS AT SL. NO. 22 , 23 ,26 ,26a, 31,34,35,36,37,38,39,40,41 , 86 , 87 , 89 & 90 .
- (iii) 50 % FOR BULBS OF HEAD LIGHT AGAINST ITEM SL. NO. 32 .

(B) UNIT CODES USED IN THIS CATEGORY BOOKLET ARE DETAILED AS UNDER;

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II

SL. NO.	CATEGORY NO .	U.L. NO./P.L.NO.	C&D NO.	DESCRIPTION	ABB IDENTIFICATI ON NO.	CLW SPECIFICATI ON NO.	UNIT	REQ. QTY/ LOCO WAG- 9HC/WAP-7	REQ. QTY/ LOCO WAP-5	STAGE INSPECTION REQUIRED	NO. OF STAGES WITH DESCRIPTION OF EACH STAGE	WARRANTY PERIOD(IN MONTHS) FROM DATE OF DELIVERY	REMARKS
---------	---------------	------------------	---------	-------------	-------------------------	------------------------	------	-------------------------------	----------------------	---------------------------	--	--	---------

01 - NUMBER, 03 - SET, 06 - ROLL ,12 - GRAMME, 13 - KILOGRAMME , 22 - METRE , 51 - LITRE

(C) ALL ITEMS ARE TO BE DRAWN BY SHOP NO ELS - 19 UNLESS OTHERWISE MENTIONED.

Prepared by

Checked by

Issued by

SSE /Drg.

SSE/Drg

Dy.CEE/D-II