

DOC NO:ELDD/3646 Pt.
DATE:01.04.2024

CATEGORY AMENDMENT FOR 3 PHASE LOCO

Page 1 of 4
AMENDMENT NO.:1029

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29170266	T/9/0022 Steel Chequered Plates for M/C Room Flooring at Assembly Shop for WAG-9HC Loco	CLW/MS/3/077 Alt. 6	03			1 Set	Nil	Nil	Alteration No. of tender specification have been changed from Alt.5 to Alt.6 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel Assy. 'A'	1209-12.246-005 Alt.3	01	T326/001	12	12	Nil	Nil	Alteration No. of drawing have been changed from Alt.2 to Alt.3 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel 'B'	1209-12.246-006 Alt.2	01	T326/002	2	2	Nil	Nil	Alteration No. of drawing have been changed from Alt.1 to Alt.2 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel Assy. 'C' (Floor Installation)	1209-12.246-007 Alt.2	01	T326/003	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.1 to Alt.2 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel	1209-12.246-008 Alt.1	01	T326/004	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel 'D'	1209-12.246-009 Alt.1	01	T326/005	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.

S. Mondal
01.04.24
Prepared by
JE/D

B
01.04.24
Checked by
SSE/D

Issued By
Dy.CEE/D-II
11/04/24

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
		Floor Panel 'E' (Floor Installation)	1209-12.346-010 Alt.1	01	T326/006	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel 'F' (Floor Installation)	1209-12.346-011 Alt.1	01	T326/007	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
2	New PL No.	R/9/0157 MS Fabricated Items (Small)-1 for WAG-9HC / Category- Structural		03			1 Set	NIL	NIL	
a		T/9/0022 Steel Chequered Plates for M/C Room Flooring at Assembly Shop for WAG-9HC Loco	CLW/MS/3/077 Alt. 6	03			1 Set	Nil	Nil	Alteration No. of tender specification have been changed from Alt.5 to Alt.6 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel Assy. 'A'	1209-12.246-005 Alt.3	01	T326/001	12	12	Nil	Nil	Alteration No. of drawing have been changed from Alt.2 to Alt.3 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel 'B'	1209-12.246-006 Alt 2	01	T326/002	2	2	Nil	Nil	Alteration No. of drawing have been changed from Alt.1 to Alt.2 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel Assy. 'C' (Floor Installation)	1209-12.246-007 Alt.2	01	T326/003	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.1 to Alt.2 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel	1209-12.246-008 Alt.1	01	T326/004	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.

S. Mondal
01.04.24
Prepared by
JE/D

01.04.24
Checked by
SSE/D

Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
		Floor Panel 'D'	1209-12.246-009 Alt.1	01	T326/005	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel 'E' (Floor Installation)	1209-12.346-010 Alt.1	01	T326/006	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel 'F' (Floor Installation)	1209-12.346-011 Alt.1	01	T326/007	1	1	Nil	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
	<u>All other items will remain same</u>									
3	29400132	T/11/0022 Steel Chequered Plates for M/C Room Flooring at Assembly Shop for WAP-7 Loco	CLW/MS/3/077 Alt. 6	03			Nil	1 set	Nil	Alteration No. of tender specification have been changed from Alt.5 to Alt.6 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel Assy. 'A'	1209-12.246-005 Alt.3	01	T326/001	12	Nil	12	Nil	Alteration No. of drawing have been changed from Alt.2 to Alt.3 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel Assy. 'C' (Floor Installation)	1209-12.246-007 Alt.2	01	T326/003	1	Nil	1	Nil	Alteration No. of drawing have been changed from Alt.1 to Alt.2 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel	1209-12.246-008 Alt.1	01	T326/004	1	Nil	1	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.

S. Mondal
01.04.24
Prepared by
JE/D

B 01.04.24
Checked by
SSE/D

Ambar
01/04/24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
4	New PL No.	R/11/0157 MS Fabricated Items (Small)-1 for WAP-7 loco / Category- Structural		03			NIL	1 Set	Nil	
a		T/11/0022 Steel Chequered Plates for M/C Room Flooring at Assembly Shop for WAP-7 Loco	CLW/MS/3/077 Alt. 6	03			Nil	1 set	Nil	Alteration No. of tender specification have been changed from Alt.5 to Alt.6 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel Assy. 'A'	1209-12.246-005 Alt.3	01	T326/001	12	Nil	12	Nil	Alteration No. of drawing have been changed from Alt.2 to Alt.3 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel Assy. 'C' (Floor Installation)	1209-12.246-007 Alt.2	01	T326/003	1	Nil	1	Nil	Alteration No. of drawing have been changed from Alt.1 to Alt.2 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Floor Panel	1209-12.246-008 Alt.1	01	T326/004	1	Nil	1	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
	All other items will remain same									
5	New PL No.	T/9/0040 Tread Plate for Fabrication Shop	CLW/MS/3/077 Alt. 6	03			1 Set	1 Set	Nil	Alteration No. of tender specification have been changed from Alt.5 to Alt.6 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Tread Plate	1209-02.326-151 Alt.1	01	T302/180 T302/186	2 2	4	4	Nil	Alteration No. of drawing have been changed from Alt.0 to Alt.1 as per modification advice no. ELDD/3611/Pt. dated 26.03.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
Copy to: 1.CEE/LOCO 2.Dy CME/ELA 3.Dy.CME/ELF 4.Dy.CMM/M-I 5.Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.CQAM 8.SSE/Document										

S. Mondal
01.04.24
Prepared by
JE/D

01.04.24
Checked by
SSE/D

11/04/24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29171027	R/9/0130 Complete Shell Assy FOR WAG-9HC Locomotives	CLW/MS/3/152 Alt.9	03			1 Set	Nil	Nil	Notes: i) Inhouse target for 2024-25 = 225 Loco Sets (125 L/Set for WAG-9HC + 100 L/Sets for Twin Loco). ii) Balance qty from trade.
		Complete Shell Assy.For WAG-9HC locomotive With Pneumatic Piping & Painting	Drg. No.- As per Annexure-'A'(5 sheets) & 'C' (2 Sheets) of spec no. CLW/MS/3/152 Alt.9	01	T312/240	1	1	NIL	NIL	iii) Proposed target for 2025-26= 280 Loco Sets. iv) Manufacturing shop will remain same. This is as per modification advice no. ELDD/3611/Superstructure dated 01.04.2024 issued by Dy.CEE/D-III with immediate effect.
2	29170163 29120263 29120275 29120287	Q/9/0004 Modified Ballast Block over Spg. Pocket for IGBT WAG-9HC Loco.		03			1 Set	Nil	Nil	Notes: i) Inhouse target for 2024-25 = 300 Loco Sets . ii) Balance qty from trade. iii) Proposed target for 2025-26= Nil. iv) Manufacturing shop will remain same. This is as per modification advice no. ELDD/3611/Superstructure dated 01.04.2024 issued by Dy.CEE/D-III with immediate effect.
	All other items will remain same									
3	29120240	R/9/0102 Head Stock Assy. FOR WAG-9HC	CLW/MS/3/154 Alt-2	03			1 Set	Nil	Nil	Notes: i) Inhouse target for 2024-25 = 30 Loco Sets . ii) Balance qty from trade. iii) Proposed target for 2025-26= 30 Loco Sets . iv) Manufacturing shop will remain same. v) Purchase quantity to be calculated by subtracting the qty of loco shell vide category no.R/9/0130 from trade and subtracting the shop capacity. This is as per modification advice no. ELDD/3611/Superstructure dated 01.04.2024 issued by Dy.CEE/D-III with immediate effect.
	All other items will remain same									

S. Mondal
01.04.24
Prepared by
JE/D

AS
01.04.24
Checked by
SSE/D


Ambar
4/24
Issued by
Dy.CEE/D-II


CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.:1030

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
4	29100460	R/9/0104 Bolster Assy. for WAG-9HC	CLW/MS/3/154 Alt-2	03			1 Set	Nil	Nil	Notes: i) Inhouse target for 2024-25 = <u>30 Loco Sets</u> . ii) Balance qty from trade. iii) Proposed target for 2025-26= <u>30 Loco Sets</u> . iv) Manufacturing shop will remain same. v) Purchase quantity to be calculated by subtracting the qty of loco shell vide category no.R/9/0130 from trade and subtracting the shop capacity. This is as per modification advice no. ELDD/3611/Superstructure dated 01.04.2024 issued by Dy.CEE/D-III with immediate effect.
	All other items will remain same									
5	29130062	R/9/0074 Modified Striker casting Assembly	05/3/57/31. Alt.8	01	T320/035	2	2	Nil	Nil	Notes: i) Inhouse target for 2024-25 = <u>100 Loco Sets</u> . ii) Balance qty from trade. iii) Proposed target for 2025-26= <u>Nil</u> . iv) Manufacturing shop will remain same. This is as per modification advice no. ELDD/3611/Superstructure dated 01.04.2024 issued by Dy.CEE/D-III with immediate effect.
	Copy to: 1.CEE/LOCO 2.Dy.CME/ELA 3.Dy.CME/ELF 4.Dy.CME/SF 5.Dy.CME/MFG 6.Dy.CMM/M-I									

S. Mondal
01.04.24
Prepared by
JE/D


01.04.24
Checked by
SSE/D


02/04/24
Issued by
Dy.CEE/D-II

DOC NO:ELDD/3646 Pt.
DATE:02.04.2024

CATEGORY AMENDMENT FOR 3 PHASE LOCO

Page 1 of 1
AMENDMENT NO.:1031


AMM/3PL
CLW/CRJ


Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29171131	R/9/0024 DRIVER'S SEAT	CLW/MS/3/021 Alt.-9	01						Alt.No. of Specification No. CLW/MS/3/021 have been changed from Alt.-8 to Alt.-9 as per modification advice no. ELDD/3611/Pt dated 01.04.2024 issued by Dy.CEE/D-III with immediate effect.
		DRIVER'S SEAT & PEDESTAL ASSY.	1209-08.131-010 Alt.-7	01	T307/236 B308/090	4 4	4	4	4	
	Copy to: 1.CEE/LOCO 2.Dy.CME/ELA 3.Dy.CMM/M-II 4.Dy.CEE/I&D/HWH 5. Dy.CEE/I&D/DLI 6.SSE/Document									

S. Mondal
02.04.24
Prepared by
JE/D


02.04.24
Checked by
SSE/D


02/04/2024
Issued by
Dy.CEE/D-II

DOC NO:ELDD/3646 Pt.
DATE:02.04.2024

CATEGORY AMENDMENT FOR 3 PHASE LOCO

Page 1 of 1
AMENDMENT NO.:1032


AMM/3PL
CLW/CRJ


Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29100422	R/9/0140 Bogie Frame Complete for 3-Phase Co-Co Locomotive (Type WAG-9HC & WAP-7)	CLW/MS/3/BOGIE /003 Alt.2	03			1 Set	1 Set	Nil	Notes: i) Inhouse target for 2024-25 = <u>60 Loco Sets</u> . ii) Balance qty from trade. iii) Proposed target for 2025-26= <u>60 Loco Sets</u> . iv) Manufacturing shop will remain same. This is as per modification advice no. ELDD/3751/Pt./129 Vol.3 dated 02.04.2024 issued by <u>Dy.CEE/D-I</u> with immediate effect.
		Bogie Frame Complete for 3-Phase Co-Co Locomotive (Type WAG-9HC & WAP-7)	1209.01.112.202 Alt. Nil	01	T211/217 H211/402	2	2	2	Nil	
Copy to: 1.CEE/LOCO 2.Dy.CME/ELB 3.Dy.CMM/M-II										

S. Mondal
02.04.24
Prepared by
JE/D


02.04.24
Checked by
SSE/D


02/04/2024
Issued by
Dy.CEE/D-II

DOC NO:ELDD/3646 Pt.
DATE:04.04.2024

CATEGORY AMENDMENT FOR 3 PHASE LOCO

Page 1 of 2
AMENDMENT NO.:1033

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29170175	R/9/0036 Cubicle F-Driver's Cab	CLW/MS/3/045 Alt.-3							Notes: Procurement quantity of bare cubicle for WAG-9H will be 175 Loco Set for 2024-25 & 175 Loco Set for 2025-26 as per modification advice no. ELDD/3611/Pt. dated 02.04.2024 issued by Dy.CEE/D-III with immediate effect.
		Cubicle 'F' Driver's Cab	1209-15.143-003 Alt.-2	01	T307/210 B307/210	2 2	2	2	2	
2	29480139	R/9/0037 FILTER CUBICLE	CLW/MS/3/046 Alt.11							Notes: Procurement quantity of bare cubicle for WAG-9H will be 175 Loco Set for 2024-25 & 175 Loco Set for 2025-26 as per modification advice no. ELDD/3611/Pt. dated 02.04.2024 issued by Dy.CEE/D-III with immediate effect.
		Filter Cubicle	1209-15.143-004 Alt.12	01	T322/000 B322/004	1 1	1	1	1	
3	29170643	R/9/0038 Cubicle (Bare)	CLW/MS/3/047 Alt.-12	03			1 Set	Nil	1 Set	Notes: Procurement quantity of bare cubicle for WAG-9H will be 175 Loco Set for 2024-25 & 175 Loco Set for 2025-26 as per modification advice no. ELDD/3611/Pt. dated 02.04.2024 issued by Dy.CEE/D-III with immediate effect.
		Cubicle HB1 (Bare)	1209-15.143-001 Alt. 11	01	T322/001 B322/001	1 1	1	Nil	1	
		Cubicle HB2 (Bare)	1209-15.143-002 Alt. 13	01	T322/002 B322/002	1 1	1	Nil	1	
4	29170655	R/9/0060 Cubicles (Bare)	CLW/MS/3/098 Alt.11	03			1 Set	1 Set	1 Set	Notes: Procurement quantity of bare cubicle for WAG-9H will be 175 Loco Set for 2024-25 & 175 Loco Set for 2025-26 as per modification advice no. ELDD/3611/Pt. dated 02.04.2024 issued by Dy.CEE/D-III with immediate effect.
		Cubicles SB 1 (Bare)	1209-15.143-067 Alt.5 1209-15.143-069 Alt.12	01	T322/003 B322/005	1 1	1	1	1	
		Cubicles SB 2 (Bare)	1209-15.143-068 Alt.7 1209-15.143-070 Alt.13	01	T322/004 B322/006	1 1	1	1	1	

S. Mondal
04.04.24
Prepared by
JE/D

04.04.24
Checked by
SSE/D

Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
5	New PL No.	R/9/0154 Large Fabricated Items (SS) / Category- Structural for CLW/CRJ		03			1 Set	Nil	Nil	
a		R/9/0038 Cubicle (Bare)	CLW/MS/3/047 Alt.-12	03			1 Set	Nil	Nil	Notes: Procurement quantity of bare cubicle for WAG-9H will be 175 Loco Set for 2024-25 & 175 Loco Set for 2025-26 as per modification advice no. ELDD/3611/Pt. dated 02.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Cubicle HB1 (Bare)	1209-15.143-001 Alt. 11	01	T322/001	1	1	Nil	Nil	
		Cubicle HB2 (Bare)	1209-15.143-002 Alt. 13	01	T322/002	1	1	Nil	Nil	
b		R/9/0060 Cubicles (Bare)	CLW/MS/3/098 Alt.11	03			1 Set	Nil	Nil	Notes: Procurement quantity of bare cubicle for WAG-9H will be 175 Loco Set for 2024-25 & 175 Loco Set for 2025-26 as per modification advice no. ELDD/3611/Pt. dated 02.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Cubicles SB 1 (Bare)	1209-15.143-067 Alt. 5 1209-15.143-069 Alt.12	01	T322/003	1	1	Nil	Nil	
		Cubicles SB 2 (Bare)	1209-15.143-068 Alt.7 1209-15.143-070 Alt.13	01	T322/004	1	1	Nil	Nil	
c		R/9/0037 FILTER CUBICLE	CLW/MS/3/046 Alt.11	03			1 Set	Nil	Nil	Notes: Procurement quantity of bare cubicle for WAG-9H will be 175 Loco Set for 2024-25 & 175 Loco Set for 2025-26 as per modification advice no. ELDD/3611/Pt. dated 02.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Filter Cubicle	1209-15.143-004 Alt.12	01	T322/000	1	1	Nil	Nil	
Copy to: 1.CEE/LOCO 2.Dy.CME/ELA 3.Dy.CEE/EL 4.Dy.CMM/M-I										

S. Mondal
04.04.24
Prepared by
JE/D

04.04.24
Checked by
SSE/D

Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	New	M/9/0034 Screw Hex Head		03			1 Set	1 Set	Nil	
		Hex. Head Screw M12x35 Gr. 8.8 Zinc plated passivated	IS:1364 Pt. 2 1209-01.113-001 Alt.8	01	T212/027	24	24	24	NIL	Qty per C&D splitted into M12x35 (24 Nos) & M12x40 (24 Nos) and Drg. Alt. no. have been changed from '7' to '8' as per modification advice no. ELDD/3751/Pt./138 dated 05.04.2024 issued by <u>Dy.CEE/D-I</u> with immediate effect.
		Hex. Head Screw M12x40 Gr. 8.8 Zinc plated passivated	IS:1364 Pt. 2 1209-01.113-001 Alt.8	01	T212/032	24	24	24	Nil	New C&D generated as per modification advice no. ELDD/3751/Pt./138 dated 05.04.2024 issued by <u>Dy.CEE/D-I</u> with immediate effect.
2	29335360	M/10/0003 Screw Hex. Head	CLW/MS/10/ 054 Alt. 5	03			Nil	Nil	1 Set	
		Hex. Head Screw M12x35 Gr. 8.8 Zinc plated passivated	IS:1364 Pt. 2 1209-01.113-001 Alt.8	01	B212/050	24	Nil	Nil	24	Qty per C&D splitted into M12x35 (24 Nos) & M12x40(24 Nos) and Drg. Alt. no. have been changed from '7' to '8' as per modification advice no. ELDD/3751/Pt./138 dated 05.04.2024 issued by <u>Dy.CEE/D-I</u> with immediate effect.
		Hex. Head Screw M12x40 Gr. 8.8 Zinc plated passivated	IS:1364 Pt. 2 1209-01.113-001 Alt.8	01	B212/056	24	Nil	Nil	24	New C&D generated as per modification advice no. ELDD/3751/Pt./138 dated 05.04.2024 issued by <u>Dy.CEE/D-I</u> with immediate effect.
		All other items will remain same								

S. Mondal
08.04.24
Prepared by
JE/D

B
08.04.24
Checked by
SSE/D

Amber
08/04/2024
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
3	New	R/9/0161 Additional Shim (02 mm) for pivot ring.	1209-01.413-033	01	T212/033 B212/057	8 8	8	8	8	New Category generated as per modification advice no. ELDD/3751/Pt./138 dated 05.04.2024 issued by Dy.CEE/D-I with immediate effect.
Copy to: 1.CEE/LOCO 2.Dy.CME/ELB 3.Dy.CME/ELF 4.Dy.CMM/M-II 5.Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.SSE/Document										

S. Mondal
08.04.24
Prepared by
JE/D

08.04.24
Checked by
SSE/D

06/04/2024
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO


AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29171027	R/9/0130 Complete Shell Assy For WAG-9HC Locomotives	CLW/MS/3/152 Alt.10	03			1 Set	Nil	NIL	Alteration No. of tender spec have been changed from Alt.9 to Alt.10 and number of stages with description of each stage have been modified as per Notes mentioned below. This is as per modification advice no. ELDD/3611/Pt dated 12.04.24 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Complete Shell Assy. For WAG-9HC locomotive With Pneumatic Piping & Painting	Drg. No.- As per Annexure-'A'(5 sheets) & 'C' (2 Sheets) of spec no. CLW/MS/3/152 Alt.10	01	T312/240	1	1	NIL	NIL	
Notes:- B.No. of stages with description of each stage(NA/1/2/3) :- 5 Stages The stage inspection details are as under:-										
	1. Primary Stage	1 st Stage inspection :- Raw Material & 2 nd Stage inspection:- Component of Under Frame Assembly, Head Stock Assembly, Centre Sill, Side Sill, Central Under Frame Assembly & Bolster Assembly.								
	2. RWU-I	3 rd Stage inspection:- Under Frame Assembly with Tack Welding Condition & 4 th Stage inspection:- Under Frame Assembly with Full Welding Condition (RWU-I) & Camber Checking.								
	3. USD	5 th Stage inspection:- USD of Under Frame Assembly, Roof, Cab and Side Wall Assembly & 6 th Stage inspection:- Assembly of Cab, Side Wall over Under frame Assembly with full Welding Condition.								
	4. RWU-II	7 th Stage inspection:- RWU-II assembly, Floor Ventilation Ducting, Power Converter Bracket, CBC & Striker Casting Fitting etc.								
	5. Final Stage	8 th Stage inspection:- Short Blasting and Primer Stage & 9 th Stage inspection:- Full Painting and Piping with fitting of Roof, Cow Catcher, Operating Rod and fitment of all sub-components as per Annexure-A& C of Spec. No. CLW/MS/3/152 Alt-10.								

S. Mondal
13.04.24
Prepared by
JE/D



13.04.24
Checked by
SSE/D



13/4/24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
	All others remain same									
2	29171064	R/11/0130 Complete Shell Assly (piped & painted) for WAP-7 locomotive	CLW/MS/3/152 Alt.10	03			NIL	1 Set	NIL	Alteration No. of tender spec have been changed from Alt.9 to Alt.10 and number of stages with description of each stage have been modified as per Notes mentioned below. This is as per modification advice no. ELDD/3611/Pt dated 12.04.24 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Complete Shell Assly (piped & painted) for WAP-7 locomotive	Drg for Scope of Supply as per Annexure-'B' (6 Sheets) of spec no. CLW/MS/3/152 Alt.10	01			NIL	1	NIL	
	Notes:- B.No. of stages with description of each stage(NA/1/2/3) :- 5 Stages The stage inspection details are as under:-									
	1. Primary Stage	1 st Stage inspection :- Raw Material & 2 nd Stage inspection:- Component of Under Frame Assembly, Head Stock Assembly, Centre Sill, Side Sill, Central Under Frame Assembly & Bolster Assembly.								
	2. RWU-I	3 rd Stage inspection:- Under Frame Assembly with Tack Welding Condition & 4 th Stage inspection:- Under Frame Assembly with Full Welding Condition (RWU-I) & Camber Checking.								
	3. USD	5 th Stage inspection:- USD of Under Frame Assembly, Roof, Cab and Side Wall Assembly & 6 th Stage inspection:- Assembly of Cab, Side Wall over Under frame Assembly with full Welding Condition.								
	4. RWU-II	7 th Stage inspection:- RWU-II assembly, Floor Ventilation Ducting, Power Converter Bracket, CBC & Striker Casting Fitting etc.								
	5. Final Stage	8 th Stage inspection:- Short Blasting and Primer Stage & 9 th Stage inspection:- Full Painting and Piping with fitting of Roof, Cow Catcher, Operating Rod and fitment of all sub-components as per Annexure-B of Spec. No. CLW/MS/3/152 Alt-10.								
	All others remain same									

S. Mondal
13.04.24
Prepared by
JE/D


13.04.24
Checked by
SSE/D


13/4/24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.:1035

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
3	29171039	R/10/0089 Complete Shell Assly for WAP-5 locomotive (piped & painted)	CLW/MS/10/049 Alt.3 Annexure-A (3 sheets)	01	B301/000	1	NIL	NIL	1	Alteration No. of tender spec have been changed from Alt.2 to Alt.3 and number of stages with description of each stage have been modified as per Notes mentioned below. This is as per modification advice no. ELDD/3611/Pt dated 12.04.24 issued by <u>Dy.CEE/D-III</u> with immediate effect.
Notes:- B.No. of stages with description of each stage(NA/1/2/3) :- 5 Stages The stage inspection details are as under:-										
1. Primary Stage		1 st Stage inspection :- Raw Material & 2 nd Stage inspection:- Component of Under Frame Assembly, Head Stock Assembly, Centre Sill, Side Sill, Central Under Frame Assembly & Bolster Assembly.								
2. RWU-I		3 rd Stage inspection:- Under Frame Assembly with Tack Welding Condition & 4 th Stage inspection:- Under Frame Assembly with Full Welding Condition (RWU-I) & Camber Checking.								
3. USD		5 th Stage inspection:- USD of Under Frame Assembly, Roof, Cab and Side Wall Assembly & 6 th Stage inspection:- Assembly of Cab, Side Wall over Under frame Assembly with full Welding Condition.								
4. RWU-II		7 th Stage inspection:- RWU-II assembly, Floor Ventilation Ducting, Power Converter Bracket, CBC & Striker Casting Fitting etc.								
5. Final Stage		8 th Stage inspection:- Short Blasting and Primer Stage & 9 th Stage inspection:- Full Painting and Piping with fitting of Roof, Cow Catcher, Operating Rod and fitment of all sub-components as per Annexure-A of Spec. No. CLW/MS/10/049 Alt-3.								
All others remain same										

Copy to:

1.CEE/LOCO 2.Dy.CME/ELA 3.Dy.CME/ELF 4.Dy.CMM/M-II 5.Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.SSE/Document

S. Mondal

13.04.24

Prepared by

JE/D

13.04.24
Checked by
SSE/D

13/4/24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	New PL. No.	R/9/0155 Small Fabricated Items (SS)-1 for WAG-9HC / Category- Structural for CLW/CRJ.		03			1 Set	NIL	NIL	
f.		P/O/0045 Set of Panel Plates for WAG-9HC Loco	CLW/ES/3/0453/G	03			1 Set	Nil	Nil	Alt. No of specification have been changed from 'F' to 'G' as per modification advice no. ELDD/3611/Pt. dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
All other items will remain same										
2	New PL. No.	R/11/0155 Small Fabricated Items (SS)-1 for WAP-7 / Category- Structural		03			NIL	1 Set	NIL	
f.		P/O/0045A SET OF PANEL PLATES for WAP-7 Loco	CLW/ES/3/0453/G	03			NIL	1 Set	NIL	Alt. No of specification have been changed from 'F' to 'G' as per modification advice no. ELDD/3611/Pt. dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
All other items will remain same										
3	New PL. No.	R/9/0156 Small Fabricated Items (SS)-1 for WAG-9HC / Category- Structural for ELAAU/Dankuni.		03			1 Set	NIL	NIL	
f.		P/O/0045 Set of Panel Plates for WAG-9HC Loco	CLW/ES/3/0453/G	03			1 Set	NIL	NIL	Alt. No of specification have been changed from 'F' to 'G' as per modification advice no. ELDD/3611/Pt. dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
All other items will remain same										

S. Mondal
18.04.24
Prepared by
JE/D


18.04.24
Checked by
SSE/D


R. Raut
18.04.24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
4	New PL. No.	R/10/0094 Small Fabricated Items (SS)-1 for WAP-5 Loco / Category- Structural		03			NIL	NIL	1 Set	
f.		P/0/0045B Set of Panel Plates for WAP-5 Loco.	CLW/ES/3/0453/G	03			NIL	NIL	1 Set	Alt. No of specification have been changed from 'F' to 'G' as per modification advice no. ELDD/3611/Pt. dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
	<u>All other items will remain same</u>									
	Copy to: 1.CEE/LOCO 2.Dy.CEE/EL 3.Dy.CMM/M-II 4.Dy.CEE/I&D/HWH 5. Dy.CEE/I&D/DLI 6.SSE/Document									

S. Mondal
18.04.24
Prepared by
JE/D


18.04.24
Checked by
SSE/D


18.4.24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO


AMM/3PL
CLW/CRJ


Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29210010	S/9/0013 Clamps for WAG-9HC & WAP-7 for E-70 Brake System	CLW/MS/3/059 Alt.-6	03			1 Set	1 Set	Nil	
		TUBE CLAMP 1 1/2" dia 38 (in 2 halves)	1209-18.406-057 Ref.-3 Alt.5	01	T304/024 T309/054 T304/148	46 4 8	58	58	Nil	Drg. Alt. No. have been changed from '3' to '5' as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		TUBE CLAMP 1" dia 27 (In 2 halves)	1209-18.406-057 Ref.-2 Alt.5	01	T304/025 T309/103 T327/149 T309/325 T304/149 T304/156	37 16 2 82 4 2	143	143	Nil	Drg. Alt. No. have been changed from '3' to '5' as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		TUBE CLAMP 1/2" dia 14 (In 2 halves)	1209-18.406-057 Ref.-1 Alt.5	01	T304/026 T327/150 T309/014 T309/101 T309/167 T304/157	13 13 34 8 24 2	94	94	Nil	Drg. Alt. No. have been changed from '3' to '5' as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Dia 27 CHANNEL CLIP 1" (Tube Clamp)	1209-18.406-058 Ref.-2 Alt.3	01	T309/013	Nil	Nil	Nil	Nil	
		CLIP3/8" TUBE CLAMP DIA 11 (In 2 halves)	1209-18.406-057 Ref.4 Alt.5	01	T309/102 T309/076 T304/054	45 180 10	235	235	Nil	Drg. Alt. No. have been changed from '3' to '5' as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.

S. Mondal
24.04.24
Prepared by
JE/D



24.04.24
Checked by
SSE/D



24.4.24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
		1/2" Tube Clamp (Channel Clip Dia 13)	1209-18.406-058 Ref.-1 Alt.3	01	T331/005	Nil	Nil	Nil	Nil	
2	New	S/9/0086 Clamps for WAG-9HC & WAP-7 for CCB System	CLW/MS/3/059 Alt.-6	03			1 set	1 set	NIL	
		TUBE CLAMP 1 1/2" dia 38 (In 2 halves)	1209-18.406-057 Ref.-3 Alt.5	01	T304/283 T309/529 T304/284	46 4 8	58	58	NIL	Drg. Alt. No. have been changed from '3' to '5' as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		TUBE CLAMP 1" dia 27 (In 2 halves)	1209-18.406-057 Ref.-2 Alt.5	01	T304/285 T309/530 T327/235 T309/531 T304/286 T304/287	37 16 2 18 4 2	79	79	NIL	Drg. Alt. No. have been changed from '3' to '5' as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		TUBE CLAMP 1/2" dia 14 (In 2 halves)	1209-18.406-057 Ref.-1 Alt.5	01	T304/288 T327/236 T309/532 T309/533 T309/534 T304/289	13 13 34 8 24 2	94	94	NIL	Drg. Alt. No. have been changed from '3' to '5' as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		CLIP3/8" TUBE CLAMP DIA 11 (In 2 halves)	1209-18.406-057 Ref.4 Alt.5	01	T309/535 T309/536 T304/290	45 180 10	235	235	NIL	Drg. Alt. No. have been changed from '3' to '5' as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
3	29235078	S/10/0013 Clamps	CLW/MS/10/045 Alt. 2	03			Nil	Nil	1 Set	
		1/2" Tube Clamp (Channel Clip Dia 13)	1209-18.406-058 Ref. 1 Alt.3	01	B331/014	Nil	Nil	Nil	Nil	Drg. Alt. No. have been updated as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.

S. Mondal
24.04.24
Prepared by
JE/D


24.04.24
Checked by
SSE/D


24.4.24
Issued by
Dy.CEE/D-II


CATEGORY AMENDMENT FOR 3 PHASE LOCO


SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
		1 1/2" Clamp-Tubing Dia-38 Single.	1209-18.406-058 Ref. 3 Alt.3	01	B304/079	5	Nil	Nil	5	Drg. Alt. No. have been updated as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		TUBE CLAMP 1 1/2" dia 38 (in 2 halves)	1209-18.406-057 Ref. 3 Alt.5	01	B304/058	60	Nil	Nil	60	Drg. Alt. No. have been updated as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		TUBE CLAMP 1" dia 27 (In 2 halves)	1209-18.406-057 Ref. 2 Alt.5	01	B304/051 B309/111	160 20	Nil	Nil	180	Drg. Alt. No. have been updated as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		TUBE CLAMP 1/2" dia 14 (In 2 halves)	1209-18.406-057 Ref. 1 Alt.5		B304/057 B309/109 B309/020	39 8 62	Nil	Nil	109	Drg. Alt. No. have been updated as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Dia 27 CHANNEL CLIP 1" (Tube Clamp)	1209-18.406-058 Ref. 2 Alt.3		B309/021	Nil	Nil	Nil	Nil	Drg. Alt. No. have been updated as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		CLIP3/8" TUBE CLAMP DIA 11 (In 2 halves)	1209-18.406-057 Ref. 4 Alt.5		B304/059 B309/110 B309/129	15 190 50	Nil	Nil	255	Drg. Alt. No. have been updated as per modification advice no. ELDD/3610/Pt-I dated 16.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
		Clamp	1209-18.406-060 Alt.2		B309/252	2	Nil	Nil	2	

Copy to:

1.CEE/LOCO 2.Dy.CME/ELA 3.Dy.CMM/M-I 4.Dy.CEE/I&D/HWH 5. Dy.CEE/I&D/DLI 6.CQAM 7.SSE/DOCUMENT(MECH)

S. Mondal
24.04.24
Prepared by
JE/D


24.04.24
Checked by
SSE/D


24.4.24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	New	R/9/0162 Supply and installation of Water-Less urinal for 3-Ph. Electric locomotives as per RDSO Specification No./FRS No.: RDSO/2023/EL/FRS/0034 (Rev.'0') issued in February-2023	RDSO FRS No.: RDSO/2023/EL/FRS/ 0034 (Rev.'0') issued in: February-2023	01	T306/482	1	1	Nil	Nil	New Category generated as per modification advice no. ELDD/3611/Pt dated 24.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
A. Stage inspection for Routine Inspection required (Yes/No) :- No										
B.No. of stage inspections with description of each stage(NA/1/2/3) :- NA										
C.Warranty period(in months) from date of delivery :-As per IRS Condition.										

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CMM/M-I

4.Dy.CEE/I&D/HWH


5. Dy.CEE/I&D/DLI

6.CQAM

7.SSE/DOCUMENT(MECH)

S. Mondal
26.04.24

Prepared by
JE/D


26.04.24
Checked by
SSE/D


26.4.24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	New	R/9/0162 Supply and installation of Water-Less urinal for 3-Ph. Electric locomotives as per RDSO Specification No./FRS No.: RDSO/2023/EL/FRS/0034 (Rev.'0') issued in February-2023	RDSO FRS No.: RDSO/2023/EL/FRS/ 0034 (Rev.'0') issued in: February-2023	01	T306/482	1	1	Nil	Nil	1.New Category generated for 250 locos (1 no./loco) for the year 2024-25 as per modification advice no. ELDD/3611/Pt dated 24.04.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect. 2. This Amendment supersedes the previous Amendment No. 1038 dated 26.04.24 due to typographical error.
A. Stage inspection for Routine Inspection required (Yes/No) :- No										
B.No. of stage inspections with description of each stage(NA/1/2/3) :- NA										
C.Warranty period(in months) from date of delivery :-As per IRS Condition.										

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CMM/M-I

4.Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6.CQAM

7.SSE/DOCUMENT(MECH)

29.04.24
Prepared by
SSE/D

29/4/24
Checked by
SSE/D

29.4.24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29171027	R/9/0130 Complete Shell Assy For WAG-9HC Locomotives	CLW/MS/3/152 Alt.10	03			1 Set	Nil	NIL	Orientation of stage inspection have been changed as per modification advice no. ELDD/3611/Pt dated 29.04.24 issued by Dy.CEE/D-III with immediate effect. All other remain same.
		Complete Shell Assy. For WAG-9HC locomotive With Pneumatic Piping & Painting	Drg. No.- As per Annexure- 'A'(5 sheets) & 'C' (2 Sheets) of spec no. CLW/MS/3/152 Alt.10	01	T312/240	1	1	NIL	NIL	
Note:- A. Stage Inspection Required (Yes/No) :- Yes B. No. of stages with description of each stage(NA/1/2/3) :- 5 Stages The stage inspection details are as under:-										
	1. Primary Stage		1 st Stage inspection :- Raw Material.							
	2. RWU-I		2 nd Stage inspection:- Component of Under Frame Assembly, Head Stock Assembly, Centre Sill, Side Sill, Central Under Frame Assembly and Bolster Assembly & 3 rd Stage inspection:- Under Frame Assembly with Tack Welding Condition & 4 th Stage inspection:- Under Frame Assembly with Full Welding Condition (RWU-I) & Camber Checking.							
	3. USD		5 th Stage inspection:- USD of Under Frame Assembly, Roof, Cab and Side Wall Assembly & 6 th Stage inspection:- Assembly of Cab, Side Wall over Under frame Assembly with full Welding Condition.							
	4. RWU-II		7 th Stage inspection:- RWU-II assembly, Floor Ventilation Ducting, Power Converter Bracket, CBC & Striker Casting Fitting etc.							
	5. Pre Final Stage		8 th Stage inspection:- Short Blasting and Primer Stage.							
Note : Final inspection after full Painting and Piping with fitting of Roof, Cow Catcher, Operating Rod and fitment of all sub-components as per Annexure-A & C of Spec. No. CLW/MS/3/152 Alt-10. C. Warranty period (in months) from date of delivery :- As per IRS Condition.										

30.04.24
Prepared by
SSE/D

30/04/24
Checked by
SSE/D

30/4/2024
Reviewed by
SEE/Design

30.4.24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
2	29171064	R/11/0130 Complete Shell Assly (piped & painted) for WAP-7 locomotive	CLW/MS/3/152 Alt.10	03			NIL	1 Set	NIL	Orientation of stage inspection have been changed as per modification advice no. ELDD/3611/Pt dated 29.04.24 issued by <u>Dy.CEE/D-III</u> with immediate effect. All other remain same.
		Complete Shell Assly (piped & painted) for WAP-7 locomotive	Drg for Scope of Supply as per Annexure-'B' (6 Sheets) of spec no. CLW/MS/3/152 Alt.10	01			NIL	1	NIL	
Note:- A. Stage Inspection Required (Yes/No) :- Yes B. No. of stages with description of each stage(NA/1/2/3) :- 5 Stages The stage inspection details are as under:-										
	1. Primary Stage		1 st Stage inspection :- Raw Material.							
	2. RWU-I		2 nd Stage inspection:- Component of Under Frame Assembly, Head Stock Assembly, Centre Sill, Side Sill, Central Under Frame Assembly and Bolster Assembly & 3 rd Stage inspection:- Under Frame Assembly with Tack Welding Condition & 4 th Stage inspection:- Under Frame Assembly with Full Welding Condition (RWU-I) & Camber Checking.							
	3. USD		5 th Stage inspection:- USD of Under Frame Assembly, Roof, Cab and Side Wall Assembly & 6 th Stage inspection:- Assembly of Cab, Side Wall over Under frame Assembly with full Welding Condition.							
	4. RWU-II		7 th Stage inspection:- RWU-II assembly, Floor Ventilation Ducting, Power Converter Bracket, CBC & Striker Casting Fitting etc.							
	5. Pre Final Stage		8 th Stage inspection:- Short Blasting and Primer Stage.							
Note : Final inspection after full Painting and Piping with fitting of Roof, Cow Catcher, Operating Rod and fitment of all sub-components as per Annexure-B of Spec. No. CLW/MS/3/152 Alt-10. C. Warranty period (in months) from date of delivery :- As per IRS Condition.										

30.04.24
Prepared by
SSE/D

30/04/24
Checked by
SSE/D

30/04/2024
Reviewed by
SEE/Design

30.4.24
Issued by
Dy.CEE/D-II

CATEGORY AMENDMENT FOR 3 PHASE LOCO

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
3	29171039	R/10/0089 Complete Shell Assly for WAP-5 locomotive (piped & painted)	CLW/MS/10/049 Alt.3 Annexure-A (3 sheets)	01	B301/000	1	NIL	NIL	1	Orientation of stage inspection have been changed as per modification advice no. ELDD/3611/Pt dated 29.04.24 issued by <u>Dy.CEE/D-III</u> with immediate effect. All other remain same.
Note:- A. Stage Inspection Required (Yes/No) :- Yes B. No. of stages with description of each stage(NA/1/2/3) :- 5 Stages The stage inspection details are as under:-										
	1. Primary Stage		1 st Stage inspection :- Raw Material.							
	2. RWU-I		2 nd Stage inspection:- Component of Under Frame Assembly, Head Stock Assembly, Centre Sill, Side Sill, Central Under Frame Assembly and Bolster Assembly & 3 rd Stage inspection:- Under Frame Assembly with Tack Welding Condition & 4 th Stage inspection:- Under Frame Assembly with Full Welding Condition (RWU-I) & Camber Checking.							
	3. USD		5 th Stage inspection:- USD of Under Frame Assembly, Roof, Cab and Side Wall Assembly & 6 th Stage inspection:- Assembly of Cab, Side Wall over Under frame Assembly with full Welding Condition.							
	4. RWU-II		7 th Stage inspection:- RWU-II assembly, Floor Ventilation Ducting, Power Converter Bracket, CBC & Striker Casting Fitting etc.							
	5. Pre Final Stage		8 th Stage inspection:- Short Blasting and Primer Stage &							
	Note : Final inspection after full Painting and Piping with fitting of Roof, Cow Catcher, Operating Rod and fitment of all sub-components as per Annexure-A of Spec. No. CLW/MS/10/049 Alt-3. C. Warranty period (in months) from date of delivery :- As per IRS Condition.									

Copy to:

1.CEE/LOCO 2.Dy.CME/ELA 3.Dy.CME/ELF 4.Dy.CMM/M-II 5.Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.SSE/Document

30.04.24
Prepared by
SSE/D

30/04/24
Checked by
SSE/D

30/04/2024
Reviewed by
SEE/Design

30.4.24
Issued by
Dy.CEE/D-II