Page 1 of 1

AMENDMENT NO.: 1082

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end. QTY/LOCO SL QTY/ PL. NO CAT. NO. & DESCRIPTION DRG/SPEC NO UNIT C&D NO NO **REMARKS** C&D NO WAG-WAP-7 WAP-5 9НС R/9/0163 Inspector Seat Assembly New PL No 03 1 Set 1 Set 1 Set New Category generated as per modification advice no. for WAG-9, WAP-7 & WAP-5 locomotives. ELDD/3611/Pt. dated 03.09.2024 with immediate effect. Note: Procurement quantity as per loco production target. T308/184 2 Inspector's Seat Assembly 1209-08.031-301 01 2 2 2 B308/112 2 A. Stage Inspection Required(Yes/No) :- Yes B.No. of stages with description of each stage(NA/1/2/3) :- 1 (Raw material stage excluding final inspection as per drawing and specification) C.Warranty period(in months) from date of delivery :- As per IRS Condition

Copy to:

1. CEE/Loco 2.Dy.CME/ELA 3.Dy.CMM/M-II 4. Dy.CMM/Depot 5. Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7. CQAM 8. SSE/Doc (Mech)

S. Mondal 05-09. 24 Prepared by JE/D

Checked by SSE/D Reviewed by SEE/Design

Issued by Dy.CEE/D-III 284

Page 1 of 1

**AMENDMENT NO.: 1084** 

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

| PL. NO     | CAT. NO. & DESCRIPTION   | DRG/SPEC NO  | UNIT  | C&D NO  | QTY/<br>C&D NO  | QTY/LOCO   |   |        |  |
|------------|--|--|---|---|---|--|---|--------|--|
|            |  |  |   |   |   | WAG-   | WAP-7   | WAP-5  | REMARKS  |
| 29300137   | L/9/0018 Distance Bolt (Eq. Mounting, Roof, Cable lying, Connection,VB, VC, Testing Section) | CLW/ES/3/184<br>AltG   | 03  |   |   | 1 Set  | 1 Set   | 1 Set  | Alteration No. of Specification changed from 'F' to 'G' a per amendment advice no.ELDD/3645 dated 10.09.2024 with immediate effect.  |
|            |  | All other items will ren   | main same   | 2.  |   |  |   |        |  |
| New PL No. | L/9/0018A  Distance Bolt for Panel  Section  | CLW/ES/3/184<br>AltG   | 03  | 2   |   | 1 Set  | 1 Set   | 1 Set  | Alteration No. of Specification changed from 'F' to 'G' as per amendment advice no.ELDD/3645 dated 10.09.2024 with immediate effect. |
|            |  | All other items will ren   | nain same   |   |   |  |   |        |  |
| 29300150   | L/9/0043 Distance Bolt for ELAAU/ Dankuni  | CLW/ES/3/184<br>AltG   | 03  |   |   | 1 set  | Nil   | Nil    | Alteration No. of Specification changed from 'F' to 'G' a per amendment advice no.ELDD/3645 dated 10.09.2024 with immediate effect.  |
|            | 29300137<br>,<br>New PL No.  | L/9/0018 Distance Bolt (Eq. Mounting, Roof, Cable lying, Connection,VB, VC, Testing Section)  L/9/0018A  New PL No. Distance Bolt for Panel Section  L/9/0043 Distance Bolt for ELAAU/ | L/9/0018 Distance Bolt (Eq. Mounting, Roof, Cable lying, Connection, VB, VC, Testing Section)  All other items will ren  L/9/0018A  New PL No. Distance Bolt for Panel Section  All other items will ren  L/9/0043 Distance Bolt for ELAAU/  Distance Bolt for ELAAU/  CLW/ES/3/184 AltG  CLW/ES/3/184 AltG | L/9/0018 Distance Bolt (Eq. Mounting, Roof, Cable lying, Connection, VB, VC, Testing Section)  All other items will remain same  L/9/0018A  Distance Bolt for Panel Section  All other items will remain same  L/9/0043  Distance Bolt for ELAAU/  Distance Bolt for ELAAU/  Distance Bolt for ELAAU/  CLW/ES/3/184 AltG  O3  CLW/ES/3/184 AltG  O3 | L/9/0018 Distance Bolt (Eq. Mounting, Roof, Cable lying, Connection, VB, VC, Testing Section)  All other items will remain same.  L/9/0018A Distance Bolt for Panel Section  All other items will remain same.  L/9/0043 Distance Bolt for ELAAU/  Distance Bolt for ELAAU/  Distance Bolt for ELAAU/  CLW/ES/3/184 AltG  O3  CLW/ES/3/184 AltG  O3 | L/9/0018 Distance Bolt (Eq. Mounting, Roof, Cable lying, Connection, VB, VC, Testing Section)  All other items will remain same.  L/9/0018A  New PL No. Distance Bolt for Panel Section  All other items will remain same.  CLW/ES/3/184 AltG  All other items will remain same.  CLW/ES/3/184 AltG  O3  C&D NO  CAD NO  C | PL. NO CAT. NO. & DESCRIPTION  DRG/SPEC NO UNIT  C&D NO C&D NO WAG- 9HC  L/9/0018  Distance Bolt (Eq. Mounting, Roof, Cable lying, Connection, VB, VC, Testing Section)  All other items will remain same.  L/9/0018A  Distance Bolt for Panel Section  All other items will remain same.  L/9/0043  Distance Bolt for ELAAU/  Distance Bolt for ELAAU/  Distance Bolt for ELAAU/  AltG  O3  1 Set  1 Set | PL. NO | PL. NO   |

1. CEE/Loco 2.Dy.CME/ELA 3.Dy.CEE/EL 4.Dy.CMM/M-II 5. Dy.CMM/Depot 6. Dy.CEE/I&D/HWH 7. Dy.CEE/I&D/DLI 8.CQAM 9.SSE/Doc (Mech)

S. Mondal Prepared by JE/D

SSE/D

Reviewed by SEE/Design

Issued by Dy.CEE/D-III

Page 1 of 4

AMENDMENT NO.: 1086

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

| SL | PL. NO   | CAT. NO. & DESCRIPTION   | DRG/SPEC NO   | UNIT   | C&D NO   | QTY/<br>C&D NO | QTY/LOCO    |       |       |   |
|----|----------|--|---|--------|----------|----------------|-------------|-------|-------|---|
| NO |          |  |   | Oldin  | Cabino   |                | WAG-<br>9HC | WAP-7 | WAP-5 | REMARKS   |
| 1  | 29350130 | M/9/0026 Set of Spring Washers for ELAAU/DKAE ( Consisting of 07 Items)                      | CLW/MS/3/085<br>Alt-8                                 | 03     |          |                | 1 Set       | Nil   | Nil   |   |
|    | •        | HELICAL SPRING LOCK<br>WASHER<br>TYPE B M8   | IS: 3063 Type B<br>Spr. S. Zn. Plated<br>(Passivated) | 01     | T307/164 | 122            | 122         | Nil   | Nil   | Qty. per C&D have been revised as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HELICAL SPRING LOCK<br>WASHER<br>TYPE B M6   | IS: 3063 Type B<br>Spr. S. Zn. Plated<br>(Passivated) | 01     | T307/155 | 12             | 12          | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect.                 |
|    |          | All  | other items will ren                                  | nain s | ame.     |                |             |       |       |   |
| 2  | 29300125 | M/9/0027<br>Set of Bolts Hex. Head for<br>WAG-9HC for ELAAU/DKAE<br>(Consisting of 17 items) |   | 03     |          |                | 1 Set       | Nil   | Nil   |   |
|    |          | HEX. HEAD BOLT<br>M16x130/44x<br>2 P Zn. Plated (Passivated)                                 | IS:1364-S-8.8 Gr. A<br>to IS:1367                     | 01     | T304/083 | 2              | 2           | Nil   | Nil   | Items included as per amendment advice<br>no.ELDD/3645/Dankuni dated 26.09.24 with immediate<br>effect.           |

S. Mondal 30.09.24 Prepared by JE/D Checked by SSE/D

Reviewed by SEE/Design

Issued by Dy.CEE/D-III

Page 2 of 4

**AMENDMENT NO.: 1086** 

| SL | PL. NO   | CAT. NO. & DESCRIPTION  | DRG/SPEC NO                       | UNIT   | C&D NO               | QTY/<br>C&D NO | QTY/LOCO    |       |       |   |
|----|----------|---|-----------------------------------|--------|----------------------|----------------|-------------|-------|-------|---|
| NO |          |   |                                   |        |                      |                | WAG-<br>9HC | WAP-7 | WAP-5 | REMARKS   |
| 3  | 29330130 | M/9/0028 Set of SCREW HEX.HEAD for ELAAU/DKAE (Consisting of 09 items)  |                                   | 03     |                      |                | 1 Set       | NIL   | NIL   |   |
|    |          | HEX SCREW M10x35x1.5P<br>Zn. Plated (Passivated)                        | IS:1364-S-8.8 Gr. A<br>to IS:1367 | 01     | T242/121             | 32             | 32          | NIL   |       | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect.                 |
|    |          | HEX SCREW M8x16x1.25P<br>Zn. Plated (Passivated)                        | IS:1364-S-8.8 Gr. A<br>to IS:1367 | 01     | T307/278             | 82             | 82          | NIL   | NIL   | Qty. per C&D have been revised as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    | •        | HEX SCREW M8x20x1.25P<br>Zn. Plated (Passivated)                        | IS:1364-S-8.8 Gr. A<br>to IS:1367 | 01     | T307/162             | 24             | 24          | NIL   | NIL   | Qty. per C&D have been revised as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HEX HD. SCREW  M8x25x1.25P  Zn. Plated (Passivated)                     | IS:1364-S-8.8 Gr. A<br>to IS:1367 | 01     | T242/092             | 22             | 22          | NIL   | NIL   | Qty. per C&D have been revised as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HEX HD. SCREW M6x16x1P<br>Zn. Plated (Passivated)                       | IS:1364-S-8.8 Gr. A<br>to IS:1367 | 01     | T303/029<br>T303/053 | 4<br>8         | 12          | NIL   |       | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect.                 |
|    |          | All   | other items will ren              | nain s | ame.                 |                |             |       |       |   |
| 4  | 29400247 | M/9/0029 Stn. steel Hardware Items for ELAAU/DKAE (Consisting 30 items) | CLW/MS/3/040<br>Alt. 15           | 03     |                      |                | 1 Set       | Nil   | Nil   |   |
|    | *        | SCREW HEX HD.<br>M5X16x0.8 P  | 182-00225-003                     | 01     | T307/246<br>T309/160 | 6              | . 12        | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect.                 |
|    |          | SCREW HEX HD.<br>M10X25x1.5 P   | 182-00057-002<br>182-00051-002    | 01     | T307/233             | 16             | 16          | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect.                 |

S. Mondal 30.09.24 Prepared by JE/D

Checked by SSE/D Reviewed by SEE/Design



Page 3 of 4

**AMENDMENT NO.: 1086** 

| SL | PL. NO   | CAT. NO. & DESCRIPTION   | DRG/SPEC NO             | l        | 600 110  | QTY/<br>C&D NO | QTY/LOCO    |       |       |   |
|----|----------|--|-------------------------|----------|----------|----------------|-------------|-------|-------|---|
| NO | TENC     |  |                         | UNIT     | C&D NO   |                | WAG-<br>9HC | WAP-7 | WAP-5 | REMARKS   |
|    |          | SCREW PAN HD.<br>M5X12x0.8 P   | 182-00160-003           | 01       | C321/502 | 8              | 8           | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | Flat Washer M5   | 182-00062-003           | 01       | C321/503 | 8              | 8           | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | Al   | l other items will rer  | nain s   | ame.     |                |             |       |       | i e si e e e e e e e e e e e e e e e e e  |
| 5  | 29400235 | M/9/0030 Stn.steel Hardware Items for ELAAU/DKAE (Consisting 33 items) | CLW/MS/3/040<br>Alt. 15 | 03       |          |                | 1 set       | Nil   | Nil   |   |
|    |          | HEX SCREW M16 X 30 SST   | 3EHP416001P1630         |          | T035/159 | 6              | 6           | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HEX SCREW M8 X 120 SST   | NB312450P0327           | 01       | T035/164 | 2              | 2           | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HEX SCREW M8 X 130 SST   | NB312450P0328           | 01       | T035/165 | 2              | 2           | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HEX SCREW M10 X 40 SST   | 3EHP416001P1040         |          | T035/151 | 36             | 36          | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HEX BOLT M10 X 50/26 SST   | 3EHP416001P1050         | 1000 000 | T035/417 | 24             | 24          | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HEX SCREW M12 X 45 SST   | 3EHP416001P1245         |          | T035/157 | 4              | 4           | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|    |          | HEX SCREW M10 X 60 SST   | 3EHP416001P1060         |          | T035/461 | 8              | 8           | Nil   | Nil   | Items included as per amendment advice no ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |

S. Mondal Prepared by JE/D

Cheeked by SSE/D

Reviewed by SEE/Design

Issued by Dy.CEE/D-III

(294)

Page 4 of 4

**AMENDMENT NO.: 1086** 

| SL   | PL. NO   | CAT. NO. & DESCRIPTION  | DRG/SPEC NO           | UNIT   | C&D NO               | QTY/<br>C&D NO | QTY/LOCO    |       |       |   |
|------|----------|---|-----------------------|--------|----------------------|----------------|-------------|-------|-------|---|
| NO   |          |   |                       |        |                      |                | WAG-<br>9HC | WAP-7 | WAP-5 | REMARKS   |
|      |          | HEX SCREW M16 X 70 SST  | 3EHP416001P1670       | 01     | T035/957             | 2              | 2           | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect.                 |
|      |          | HEX SCREW M10 X 35 SST  | 3EHP416001P1035       |        | T035/150             | 6              | 6           | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect.                 |
|      |          | HEX NUT 0.8 D, M16 SST  | NB332600P0515         | 01     | T035/111             | 18             | 18          | Nil   |       | Qty. per C&D have been revised as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|      |          | HEX NUT 0.8 D, M10 SST  | NB332600P0513         | 01     | T035/109             | 251            | 251         | Nil   | Nil   | Qty. per C&D have been revised as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect. |
|      |          | All   | other items will ren  | nain s | ame.                 |                |             |       |       |   |
| 6    | 29350712 | M/9/0031 Flat Washers for ELAAU/Dankuni (Consisting 07 Items) | CLW/MS/3/087<br>Alt.6 | 03     |                      |                | 1 Set       | Nil   | Nil   |   |
|      |          | FLAT WASHERS M6 Zn.<br>Plated (Passivated)                    | 182-00044-005         | 01     | T307/272<br>T307/264 | 6<br>6         | 12          | Nil   | Nil   | Items included as per amendment advice no.ELDD/3645/Dankuni dated 26.09.24 with immediate effect.                 |
| Conv |          | All   | other items will rem  | nain s | ame.                 |                |             |       |       |   |

Copy to:

S. Mondal Prepared by JE/D Checked by SSE/D

Reviewed by SEE/Design

Issued by Dy.CEE/D-III

<sup>1.</sup> CEE/Dankuni 2.Dy.CME/Dankuni 3.Dy.CEE/Dankuni 4.Dy.CMM/M-II 5. Dy.CMM/Depot 6. Dy.CEE/I&D/HWH 7. Dy.CEE/I&D/DLI 8.AWM/PLG/Dankuni 9.SSE/Doc (Mech)