AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

|          | ease incorpo | rate the following amendmer                           | nt sheet for the said loco. T           | his is fo | or your kind |                |             | QTY/LOC |     | please be taken from your end.   |  |
|----------|--------------|---|---|-----------|--------------|----------------|-------------|---------|-----|--|--|
| SL<br>NO | PL. NO       | CAT. NO. & DESCRIPTION                                | DRG/SPEC NO                             | UNIT      | C&D NO       | QTY/<br>C&D NO | WAG-<br>9HC | WAP-7   |     | REMARKS  |  |
| 1        | 29041041     | R/9/0105<br>Helical Springs For<br>WAG-9HC            | CLW/MS/3/SPEC./ELDO-<br>BOGIE/004 Alt.2 | 03        |              |                | 1 set       | Nil     | Nil | Alt. No. of Specn. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect. |  |
|          |              |   | All others remain                       | n same    | <u>.</u>     |                |             |         |     |  |  |
| 2        | 29040176     | R/9/0105A<br>Secondary Helical Springs<br>for WAG-9HC | CLW/MS/3/SPEC./ELDO-<br>BOGIE/004 Alt.2 | 03        |              |                | 1 set       | Nil     | Nil | Alt. No. of Specn. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect. |  |
|          |              | Secondary Spring (outer)                              | 1209-01.115-028<br>Item -2              | 01        | T222/042     | 8              | 8           | Nil     | Nil | Drg. No. have been changed as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.                       |  |
|          |              | Secondary Spring (Inner)                              | 1209-01.115-028<br>Item -1              | 01        | T222/043     | 8              | 8           | Nil     | Nil | Drg.No. have been changed as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.                        |  |
|          |              |   | All others remain                       | n same    | <u>.</u>     |                |             |         |     |  |  |
| 3        | 29040188     | R/9/0105B<br>Primary Helical Springs for<br>WAG-9HC   | CLW/MS/3/SPEC./ELDO-<br>BOGIE/004 Alt.2 | 03        |              |                | 1 set       | Nil     | Nil | Alt. No. of Specn. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect. |  |
|          |              | Primary Spring (outer)                                | 1209-01.215-027<br>Item -2              | 01        | T222/044     | 24             | 24          | Nil     | Nil | Drg. No. have been changed as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.                       |  |
|          |              | Primary Spring (Inner)                                | 1209-01.215-027<br>Item -1              | 01        | T222/045     | 24             | 24          | Nil     | Nil | Drg. No. have been changed as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.                       |  |

S.Mondal Prepared by JE/D

Checked by SSE/D

Reviewed by
SEE/Design



### **CATEGORY AMENDMENT FOR 3 PHASE LOCO**

Page 2 of 3

**AMENDMENT NO.: 1107** 

| SL | DI NO     | CAT NO 6 PECCEUPTION                                 |  |        |          | QTY/   |             | QTY/LOC | 0     |  |
|----|-----------|--|--|--------|----------|--------|-------------|---------|-------|--|
| NO | PL. NO    | CAT. NO. & DESCRIPTION                               | DRG/SPEC NO                              | UNIT   | C&D NO   | C&D NO | WAG-<br>9HC | WAP-7   | WAP-5 | REMARKS  |
|    |           |  | All others remain                        | n same | <u>.</u> |        |             |         |       |  |
| 4  | 29045022  | R/10/0006<br>Helical Springs                         | CLW/MS/3/SPEC./ ELDO-<br>BOGIE/004 Alt.2 | 03     |          |        | Nil         | Nil     | 1 Set | Alt. No. of Specn. have been changed from 1 to 2 as pe modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.  |
|    |           |  | All others remain                        | n same | <u>.</u> |        |             |         |       |  |
| 5  | New PL No | R/10/0006A<br>Primary Helical Springs for<br>WAP-5   | CLW/MS/3/SPEC./ ELDO-<br>BOGIE/004 Alt.2 | 03     |          |        | Nil         | Nil     | 1 Set | Alt. No. of Specn. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect. |
|    |           | Primary Springs                                      | 1210-01.115-007<br>Alt. 2                | 01     | B222/006 | 16     | Nil         | Nil     | 16    | Alt. No. of Drg. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.   |
|    |           |  | All others remain                        | n same | <u>.</u> |        |             |         |       |  |
| 6  | New PL No | R/10/0006B<br>Secondary Helical Springs<br>for WAP-5 | CLW/MS/3/SPEC./ ELDO-<br>BOGIE/004 Alt.2 | 03     |          |        | Nil         | Nil     | 1 Set | Alt. No. of Specn. have been changed from 1 to 2 as permodification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.  |
|    |           | SECONDARY SPRING                                     | 1210-01.015-010<br>Alt. 2                | 01     | B222/009 | 8      | Nil         | Nil     | 8     | Alt. No. of Drg. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.   |
|    |           |  | All others remain                        | n same | <u>.</u> |        |             |         |       |  |
| 7  | 29045034  | R/9/0010<br>Helical Springs (for<br>WAP-7)           | CLW/MS/3/SPEC./ELDO-<br>BOGIE/004 Alt.2  | 03     |          |        | Nil         | 1 Set   | Nil   | Alt. No. of Specn. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect. |
|    |           |  | All others remain                        | same   |          |        |             |         |       | **   |
| 8  | New PL No | R/9/0010A<br>Primary Helical Springs<br>(for WAP-7)  | CLW/MS/3/SPEC./ELDO-<br>BOGIE/004 Alt.2  | 03     |          |        | Nil         | 1 Set   | Nil   | Alt. No. of Specn. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect. |

S. Mondal Prepared by JE/D

Checked by SSE/D

Reviewed by SEE/Design

Issued by Dy.CEE/D-III

#### **CATEGORY AMENDMENT FOR 3 PHASE LOCO**

Page 3 of 3

**AMENDMENT NO.: 1107** 

| SL | PL. NO    | CAT. NO. & DESCRIPTION                                | DRG/SPEC NO                             | UNIT   | C&D NO   | QTY/<br>C&D NO |             | QTY/LOC | О     |  |
|----|-----------|---|---|--------|----------|----------------|-------------|---------|-------|--|
| NO | PL NO     | CAT. NO. & DESCRIPTION                                |   |        |          |                | WAG-<br>9HC | WAP-7   | WAP-5 | REMARKS  |
|    |           | Primary Spring(End Axle)                              | 1209.01.115-008 Alt.2                   | 01     | T222/006 | . 16           | Nil         | 16      | Nil   | Alt. No. of Drg. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.   |
|    |           | Primary Spring Mid. Axle<br>Outer                     | 1209-01.115-009 Alt.2                   | 01     | T222/008 | 8              | Nil         | 8       | Nil   | Alt. No. of Drg. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.   |
|    |           | Primary Spring Mid. Axle<br>Inner                     | 1209-01.115-009 Alt.2                   | 01     | T222/040 | . 8            | Nil         | 8       |       | Alt. No. of Drg. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.   |
|    | 0.022     |   | All others remain                       | n same | <u>.</u> |                |             |         |       |  |
| 9  | New PL No | R/9/0010B<br>Secondary Helical Springs<br>(for WAP-7) | CLW/MS/3/SPEC./ELDO-<br>BOGIE/004 Alt.2 | 03     |          |                | Nil         | 1 Set   | Nil   | Alt. No. of Specn. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect. |
|    |           | Secondary Spring                                      | 1209-01.015-010 Alt.2                   | 01     | T222/010 | 8              | Nil         | 8       |       | Alt. No. of Drg. have been changed from 1 to 2 as per modification advice no. ELDD /3753/Pt.58 Vol-2 dated 01.01.2025 with immediate effect.   |
|    |           |   | All others remain                       | n same | •        |                |             |         |       |  |

Copy to:

1. CEE/Loco 2.Dy.CME/ELB 3.Dy.CMM/M-II 4. Dy.CMM/Depot 5. Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.CQAM 8.SSE/Doc (Mech)

5. Mondal

Prepared by JE/D

Checked by SSE/D

Reviewed by SEE/Design



Issued by Dy.CEE/D-III

#### TEGORY AMENDMENT FOR 3 PHASE LO

Page 1 of 1

**AMENDMENT NO.: 1108** 

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

| SL | PL NO    | CAT No & DESCRIPTION               | DRG/SPEC NO           | UNIT | C&D NO   | QTY/<br>C&D<br>NO | Q           | TY/LOC | )     | REMARKS   |
|----|----------|------------------------------------|-----------------------|------|----------|-------------------|-------------|--------|-------|---|
| NO | FLNO     | CAT NO & DESCRIPTION               | DRG/SPEC NO           | UNII |          |                   | WAG-<br>9HC | WAP-7  | WAP-5 |   |
| 1  | 29170710 | R/9/0136 DOOR WAY SURROUND (LOWER) | 1209-09.131-237 Alt.1 | 01   | T306/431 | 4                 | 4           | 4      | NIL   | CLW drawing no. introduced with Alt. 1 as per modification advice no. ELDD/3611/Pt. dated 06.01.2025 with immediate effect. |
|    |          | All other                          |                       |      |          |                   |             |        |       |   |

Copy to:

1.CEE/Loco

2.Dy. CME/ELF

3.Dy.CME/ELA

4 .Dy.CMM/M-II

5. Dy.CMM/Depot

6. Dy.CEE/I&D/HWH 7. Dy.CEE/I&D/DLI

8. SSE/Doc (Mech)

Prepared by JE/Drg

Checked by SSE/Drg

Reviewed by SEE/Design Dy.CEE/D-III

**AMENDMENT NO.: 1109** 

AMM/CSD CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

| 01       |       |  |   |         |             | QTY/         | Q           | TY/LOC  | )         | REMARKS  |
|----------|-------|--|---|---------|-------------|--------------|-------------|---------|-----------|--|
| SL<br>NO | PL NO | CAT No & DESCRIPTION   | DRG/SPEC NO                               | UNIT    | C&D NO      | C&D<br>NO    | WAG-<br>9HC | WAP-7   | WAP-5     |  |
| 1        | New   | T/9/0051 Set of P.U Paints for WAG-9HC for ELAAU/DKAE.                                   | M&C/PCN/100/2018<br>or Latest             | 03      |             |              | 1 Set       | Nil     | Nil       |  |
|          |       | Paint Signal White (RAL-9003)  | M&C/PCN/100/2018<br>or Latest             | 51      | T222/079    | 0.5<br>Ltrs. | 0.5 Ltrs.   | Nil     | Nil       |  |
|          |       | P.U Signal red paint   | M&C/PCN/100/2018<br>or Latest             | 51      | T222/078    | 0.5 Ltr.     | 0.5 Ltr.    | Nil     | Nil       | New Category generated as per modification advice no. ELDD/3751 dated    |
|          |       | Paint Signal Yellow (RAL-1003)   | M&C/PCN/100/2018<br>or Latest             | 51      | T222/076    | 01<br>Ltrs.  | 01 Ltrs.    | Nil     | Nil       | 13.01.2025 with immediate effect. Notes: Procurement quantity will be as |
|          |       | P.U White Aluminium (RAL-9006)   | M&C/PCN/110/2020 (<br>Rev.1.0) or Latest. | 51      | T222/077    | 01<br>Ltrs.  | 01 Ltrs.    | Nil     | Nil       | per production target of locos for ELAAU/Dankuni only. Not for CLW/CRJ.  |
|          |       | Paint Stone Grey (RAL-7030)  | M&C/PCN/100/2018<br>or Latest             | 51      | T222/070    | 31<br>Ltrs.  | 31 Ltrs.    | Nil     | Nil       |  |
|          |       | Paint Grass Green (RAL-6010)   | M&C/PCN/100/2018<br>or Latest             | 51      | T222/071    | 1 Ltrs.      | 1 Ltrs.     | Nil     | Nil       |  |
|          |       | Thinner for PU Finish (L-701 & L-707)  | M&C/PCN/100/2018<br>or Latest             | 51      | T222/074    | 20 trs.      | 20 Ltrs.    | Nil     | Nil       |  |
|          |       | A. Stage Inspection Required(Yes/No) :- NO(  | Not mentioned in the re                   | elevant | RDSO spec   | cification   | )           |         |           |  |
|          |       | B.No. of stages with description of each stag  | e(NA/1/2/3) :- NA                         |         |             |              |             |         |           | 15 - 15 - 17 D - 17 - 17 - 17 - 17 - 17 - 17 -                           |
|          |       | C.Warranty period(in months) from date of de 4/34) regarding the same is to be followed. | elivery :- Not mentioned                  | in the  | relevant RD | SO spec      | cification. | However | the relev | rant pages of the specification(Page no.3/34 &                           |

5 Mondal 14-01-25 Prepared by JE/Drg

Checked by SSE/Drg Reviewed by SEE/Design



# TEGORY AMENDMENT FOR 3 PHASE LO

Page 2 of 2

**AMENDMENT NO.: 1109** 

| SL |          |  |                               | LINUT | C&D NO | QTY/      | Q           | TY/LOC | )     | REMARKS   |
|----|----------|--|-------------------------------|-------|--------|-----------|-------------|--------|-------|---|
| NO | PL NO    | CAT No & DESCRIPTION   | DRG/SPEC NO                   | UNIT  |        | C&D<br>NO | WAG-<br>9HC | WAP-7  | WAP-5 |   |
| 2  | 77080166 | T/9/0041<br>Set of P.U Paints for WAG-9HC<br>outsourced Locos. | M&C/PCN/100/2018<br>or Latest | 03    |        |           | 1 Set       | Nil    | Nil   | Notes: Procurement quantity will be as per production target of locos for CLW/CRJ only. Not for ELAAU/Dankuni. This is as per modification advice no. ELDD/3751 dated 13.01.2025 with immediate effect. |
|    |          | All the remaining  |                               |       |        |           |             |        |       |   |

Copy to:

1.Dy.CME/Dankuni

2 .Dy.CMM/M-II

3. Dy.CMM/Depot

4. Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6. AWM/PLG/Dankuni

7.SSE/Doc (Mech)

S. Mondal 14:01:25 Prepared by JE/Drg Checked by SSE/Drg Reviewed by SEE/Design



## **EGORY AMENDMENT FOR 3 PHASE LOC**

Page 1 of 1 **AMENDMENT NO.: 1110** 

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

|          |          |  |   | UNIT |          | QTY/      |             |       |       | REMARKS   |
|----------|----------|--|---|------|----------|-----------|-------------|-------|-------|---|
| SL<br>NO | PL NO    | CAT No & DESCRIPTION   | DRG/SPEC NO   |      | C&D NO   | C&D<br>NO | WAG-<br>9HC | WAP-7 | WAP-5 | The second control of |
| 1        | 29720930 | R/9/0153 FRP Under Panel of Cab for WAG- 9HC Loco with Top Operated Handles at E-Type CBC.     | CLW/MS/3/158  | 03   |          | ,         | 1 Set       | Nil   | Nil   |   |
|          |          | Fibre Glass Under Panel of Cab for WAG-9HC<br>Loco with Top Operated Handles at<br>E-Type CBC. | 1209-08.130-592 Alt.1<br>1209-08.230-013 Alt.2<br>(Sec details of Fibre<br>Glass) | 01   | T306/476 | 2         | 2           | Nil   |       | Alt. No of drawing no. 1209-08.130-592 have been changed from 'Nil' to '1' as per modification advice no. ELDD/3611/Pt. dated 16.01.2025 with immediate effect.   |
|          |          | All other  | details will remain sa  | me.  |          |           |             |       |       |   |

Copy to:

1.CEE/Loco

2.Dy. CME/ELF

3.Dy.CME/ELA

4 .Dy.CMM/M-II

5. Dy.CMM/Depot

6. Dy.CEE/I&D/HWH 7. Dy.CEE/I&D/DLI

8. SSE/Doc (Mech)

SSE/Drg

Checked by SSE/Drg

Reviewed by SEE/Design

Issued by Dy.CEE/D-III