Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL						QTY/	Q	TY/LOCO		REMARKS
NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
1	29175252	R/9/0109 Fire Extinguishing System 22.5 kg. CO <sub>2</sub> with accessories (Consisting of 14 items) excluding 'Clamp for cylinder with pad' for WAG-9HC / WAP-7 loco	CLW/MS/3/108 Alt-8	03			1 Set	1 Set	Nil	Spec. Alt. No. have been changed from '7' to '8' a per modification advice no. ELDD/3611/Pt dated 08.05.2024 issued by <b>Dy.CEE/D-III</b> with immediat effect.
		Fire Extinguishing cylinder contain 22.5 kg. co <sub>2</sub>	1209-00.240-109 Alt. 8 Ref. 1	01	T319/155	2	2	2	Nil	
		Pressure Guage	1209-00.240-109 Alt. 8 Ref. 2	01	T319/156	2	2	2	Nil	
		Wheel Cock	1209-00.240-109 Alt. 8 Ref. 3	01	T319/157	2	2	2	Nil	_
		Isolating Cock	1209-00.240-109 Alt. 8 Ref. 4	01	T319/158	2	2	2	Nil	Drg. Alt. No. have been changed from '7' to '8' as
		Diffuser for Gas Discharge	1209-00.240-109 Alt. 8 Ref. 5	01	T319/159	4	4	4	Nil	per modification advice no. ELDD/3611/Pt dated 08.05.2024 issued by <b>Dy.CEE/D-III</b> with immediat
		Flexible Hose 1 Mtr. Lg. With Circlip	1209-00.240-109 Alt. 8 Ref. 6	01	T319/160	2	2	2	Nil	effect.
		Equal TEE for 1/8" BSPP x1/8" BSPPx1/8" BSPP	1209-00.240-109 Alt. 8 Ref. 8	01	T319/162	5	5	5	Nil	
		Hex. Hd. Screw M6x12	1209-00.240-109 Alt. 8 Ref. 9	01	T319/163	30	30	30	Nil	
		Clamp for 10 O/D" SS Tube	1209-00.240-109 Alt. 8 Ref. 10	01	T319/164	30	30	30	Nil	

S. Mondal 09.05.24 Prepared by JE/D

Checked by SSE/D Reviewed by SEE/Design Issued by

Page 2 of 2

**AMENDMENT NO.: 1043** 

SL						QTY/	a	TY/LOCO		
NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
		SS tube 10 O/DX 1/4" X 1/8"BSPT	1209-00.240-109 Alt. 8 Ref. 11	01	T319/165	*		*	Nil	Drg. Alt. No. have been changed from '7' to '8' as per modification advice no. ELDD/3611/Pt dated 08.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect. [* As per detail of pipe length & qty/length in drg.]
		Female Elbow 1/8" BSPP	1209-00.240-109 Alt. 8 Ref. 12	01	T319/166	8	8	8	Nil	Drg. Alt. No. have been changed from '7' to '8' as per modification advice no. ELDD/3611/Pt dated
		Hexagonal socket 1/8" BSPP	1209-00.240-109 Alt. 8 Ref. 13	03	T319/167	12	12	12	Nil	08.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
	,	3/8"x3/8" Nipple	1209-00.240-109 Alt. 8 Ref. 14	01	T319/168	2	2	2	Nil	Description of Item have been changed and Drg. Alt. No. have been changed from '7' to '8' as per
		1/8"x1/4" Nipple	1209-00.240-109 Alt. 8 Ref. 15	01	T319/169	2	2	2	Nil	modification advice no. ELDD/3611/Pt dated 08.05.2024 issued by <u>Dy.CEE/D-III</u> with immediate effect.
2	29175240	R/10/0065 Fire Extinguishing System 22.5 kg. CO <sub>2</sub> with accessories (Consisting of 15 items) for WAP-5 loco	CLW/MS/3/108 Alt-8	03			Nil	Nil	1 Set	Spec. Alt. No. have been changed from '7' to '8' as per modification advice no. ELDD/3611/Pt dated 08.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
		Pipe 6.4 N.B	1210-02.340-076 Alt.1 Ref. 11	01	B319/153		Nil	Nil		* Qty. As per Specn. No. CLW/MS/3/108 Alt. 8 Para 10 (i).
			All other ite	ms will r	emain same	ž.				
3	New PL No.	R/9/0158 Clamp for 22.5 KG CO <sub>2</sub> Fire Extinguisher Cylinder with Pad.	2	03			1 Set	1 Set	Nil	
		Clamp for Cylinder with Pad	1209-00.240-205	01	T319/161	2	2	2	Nil	Drg. No. have been changed as per modification advice no. ELDD/3611/Pt dated 08.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CMM/M-II

4.Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6.CQAM

7.SSE/DOCUMENT(MECH)

S. Mondal 09.05.24 Prepared by JE/D

Checked by SSE/D

Reviewed by SEE/Design

Issued by Dy.CEE/D-II (12

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL	PL. NO	CAT. NO. & DESCRIPTION	DDC/SDSC NG	UNIT	C&D NO	QTY/	q	TY/LOCO		
NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNII	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
1	29120366	R/9/0075 Bracket Assly Inner & Bracket Assly Outer		03			1 Set	Nil	Nil	
		Bracket Assly Inner RH	1209-02.341-003	01	T320/039	2	2	Nil	Nil	Item description have been changed and quantity/Loco have been reduced from '4' to '2' as per modification advice no. ELDD/3611/Pt dated 03.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
		Bracket Assly Inner LH	1209-02.341-131	01	T320/082	2	2	Nil	Nil	Item added in this Category with new C&D No. a per modification advice no. ELDD/3611/Pt dated 03.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
		Bracket Assly Outer RH	1209-02.341-132	01	T320/083	2	2	Nil	Nil	Item added in this Category with new C&D No. a per modification advice no. ELDD/3611/Pt dated 03.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
		Bracket Assly Outer LH	1209-02.341-004	01	T320/040	2	2	Nil	Nil	Item description have been changed and quantity/Loco have been reduced from '4' to '2' as per modification advice no. ELDD/3611/Pt dated 03.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.

Copy to:

1.CEE/LOCO

2.Dy.CME/ELF

3.Dy.CMM/M-II

4.Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6.CQAM

7.SSE/DOCUMENT(MECH)

Prepared by

JE/D

Checked by SSE/D

Reviewed by SEE/Design

Page 1 of 2

AMENDMENT NO.: 1045

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL						QTY/	q	TY/LOCO		REMARKS
NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REWARKS
1	29170072	S/9/0014 SADDLE LIGHT STAUFF	All the test the	03			1 Set	1 Set	Nil	there are
		SADDLE LIGHT STAUFF DIA13	1209-18.406-053 Ref. 2 Alt. 4	01	T331/002 T331/013 T242/022 T309/359	Nil Nil	7	7	Nil	Qty. per C&D No. T331/013 and T309/359 have been decreased from "2" to "Nil" as per modification advice no. ELDD/3606/Pt-III dated 10.05.2024 issued by <b>Dy.CEE/D-III</b> with immediat effect.
			All others re	main	unchanged					L. P. WELL GRAND
2	29230354	S/9/0049 Brass Pipe fittings for CCB System of WAG-9HC	CLW/TS/99/CF/5 Alt.8	03			1 Set	Nil	Nil	The very service of the service of t
		MALE CONNEC. 1/2" BSPTx1/2" TUBE	1209-18.406-100 Ref. 6 Alt. 7	01	T309/457 T309/458 T309/459 T309/460	2 3	11	Nil	Nil	Oty. per C&D No. T309/458 have been decreased from "3" to "2" as per modification advice no. ELDD/3606/Pt-III dated 10.05.2024 issued by Dy.CEE/D-III with immediate effect.

5. Mondal 17.05.24 Prepared by

JE/D

Checked by SSE/D

Reviewed by SEE/Design

Issued by Dy.CEE/D-II

13

**AMENDMENT NO.: 1045** 

SL	PL. NO	CAT NO 8 DESCRIPTION		LIBUT	C&D NO	QTY/	a	TY/LOCO		
NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	CADNO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
		1" TUBE x 3/4" BSPT MALE CONNEC	1209-18.406-100 Ref. 7 Alt. 7	01	T309/476	5	5	Nil	Nil	Qty. per C&D No. T309/476 have been decreased from "6" to "5" as per modification advice no. ELDD/3606/Pt-III dated 10.05.2024 issued by Dy.CEE/D-III with immediate effect.
	112.	MALE CONNECTOR 6 mm TUBE x 3/8" BSPT	1209-18.406-100 Ref.11 Alt. 7	01	T309/497	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/497 have been decreased from "2" to "Nil" as per modification advice no. ELDD/3606/Pt-III dated 10.05.2024 issued by Dy.CEE/D-III with immediate effect.
		,	All others re	main	unchanged.					
3	29234979	S/11/0049  Brass Pipe fittings for CCB System of WAP-7 Loco	CLW/TS/99/CF/5 Alt.8	03			NIL	1 Set	NIL	Sp 24 - 21 3 2
		1" TUBE x 3/4" BSPT MALE CONNEC	1209-18.406-100 Ref. 7 Alt. 7	01	T309/476 T327/215	5 NIL	Nil	5	Nil	Qty. per C&D No. T309/476 have been decreased from "6" to "5" as per modification advice no. ELDD/3606/Pt-III dated 10.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
		MALE CONNECTOR 6 mm TUBE x 3/8" BSPT	1209-18.406-100 Ref.11 Alt. 7	01	T309/497	NIL	Nil	Nil	Nil	Qty. per C&D No. T309/497 have been decreased from "2" to "Nil" as per modification advice no. ELDD/3606/Pt-III dated 10.05.2024 issued by <a href="https://dx.doi.org/doi.org/10.108/by.cee/b-III">Dy.CEE/D-III</a> with immediate effect.
			All others re	main	unchanged.				-	

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CMM/M-II

4.Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6.CQAM

7.SSE/DOCUMENT(MECH)

S. Mondal 17.05.24 Prepared by JE/D

Checked by SSE/D

Reviewed by SEE/Design

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL		CAT NO 9 DESCRIPTION	pps/spre vs	LIBUT	CODNO	QTY/	Q	TY/LOCO		DEMARKS
NO	PL NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNII	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
1	29250432	S/9/0037 GROMMET		03			1 Set	1 Set	1 Set	
		GROMMET Ø40	1209-03.330-240 Ref. 1 Alt. 2	01	T307/291 B307/354	Nil Nil	Nil	Nil	Nil	Qty. for C&D No. T307/291 have been decreased from "16" to "Nil" and new C&D No. B307/354 have been generated as per modification advice no. ELDD/3611/Grommet dated 17.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
		GROMMET Ø30	1209-03.330-240 Ref. 2 Alt. 2	01	T307/166 B307/238	16 16	16	16	16	C&D No. T307/166 have been added, Dia of C& No. B307/238 have been changed to '30 mm' and Drg. Alt No. have been updated from Alt.1 to All as per modification advice no. ELDD/3611/Grommet dated 17.05.2024 issued Dy.CEE/D-III with immediate effect.

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CMM/M-II

4.Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6.CQAM

7.SSE/DOCUMENT(MECH)

S. Mondal 18.05.24 Prepared by JE/D

Checked by SSE/D Reviewed by SEE/Design

Page 1 of 1

AMENDMENT NO.: 1048

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL				LINIT	CODNO	QTY/	d	TY/LOCO		
NO	PL NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
1	29171143	R/9/0055 Driver's Desk Frame Assly.	CLW/MS/3/117 Alt-8	03			1 Set	1 Set	1 Set	
		Upper Console Assly.	1209-08.130-017 Alt. 6 (Sheet 1 of 2) & (sheet 2 of 2)	01	T307/002 B307/079	2 2	2	2	2	Drg. Alt. No. have been changed from '5' to '6' as per modification advice no. ELDD/3611/Pt. dated 22.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
			All other item	ns will	remain san	ne.				

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CMM/M-II

4.Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6.PE/Loco

7.SSE/DOCUMENT(MECH)

S. Mondal 23.05.24 Prepared by JE/D

Checked by SSE/D Reviewed by SEE/Design

Page 1 of 2

**AMENDMENT NO.: 1049** 

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL	DI NO	CAT NO 8 DESCRIPTION		LINUT	COD NO	QTY/	Q	TY/LOCO		
NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
1	29400077	M/9/0002A Stn. steel Hardware Items	CLW/MS/3/040 Alt. 15	03			1 Set	1 Set	Nil	Spec Alt. No. have been changed from '14' to '15' as per modification advice no. ELDD/3645 dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediateffect.
			All others	remain	unchanged.					
2	29400089	M/9/0002B Stn.steel Hardware Items	CLW/MS/3/040 Alt. 15	03			1 Set	1 Set	Nil	Spec Alt. No. have been changed from '14' to '15' as per modification advice no. ELDD/3645 dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
			All others	remain	unchanged					
3	New PL	M/11/0002B Stn.steel Hardware Items for WAP-7	CLW/MS/3/040 Alt. 15	03			Nil	1 Set	Nil	Spec Alt. No. have been changed from '14' to '15' as per modification advice no. ELDD/3645 dated 23.05.2024 issued by <a href="Dy.CEE/D-III">Dy.CEE/D-III</a> with immediat effect.
			All others	remain	unchanged					
4	29301105	M/9/0002C Stn.steel Hardware Items	CLW/MS/3/040 Alt. 15	03			1 Set	1 Set	NIL	Spec Alt. No. have been changed from '14' to '15' as per modification advice no. ELDD/3645 dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediat effect.
			All others	remain	unchanged					

S. Mondal 24.05.24 Prepared by JE/D Checked by SSE/D

Reviewed by SEE/Design Issued by Dy.CEE/D-II

(46)

DOC NO:ELDD/3646 Pt. DATE: 24.05.2024

### **CATEGORY AMENDMENT FOR 3 PHASE LOCO**

Page 2 of 2

AMENDMENT NO.: 1049

SL					CRENC	QTY/	Q	TY/LOCO		
NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
5	29400247	M/9/0029 Stn. steel Hardware Items for ELAAU/DKAE (Consisting 26 items)	CLW/MS/3/040 Alt. 15	03			1 Set	NIL	NIL	Spec Alt. No. have been changed from '14' to '15' as per modification advice no. ELDD/3645 dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
			All others	remain	unchanged					
6	29400235	M/9/0030 Stn.steel Hardware Items for ELAAU/DKAE (Consisting 24 items)	CLW/MS/3/040 Alt. 15	03			1 Set	NIL	NIL	Spec Alt. No. have been changed from '14' to '15' as per modification advice no. ELDD/3645 dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
	•		All others	remain	unchanged					
7	29940321	M/9/0020 UNCOMMON S. S. HARDWARE FOR MOUNTING OF LEATHERR BELLOW FOR THE YEAR OF 2014- 15	CLW/MS/3/040 ALT.15	03			1 Set	1 Set	NIL	Spec Alt. No. have been changed from '14' to '15' as per modification advice no. ELDD/3645 dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
			All others	remain	unchanged					

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CMM/M-II

4.Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6.CQAM

7.SSE/DOCUMENT(MECH)

S. Mondal 24.05.24 Prepared by JE/D Checked by SSE/D

Reviewed by SEE/Design Q.P.P.

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL					CODNO	QTY/	Q	TY/LOCO		REMARKS
NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REWARKS
1	29170140	T/9/0005 St.Steel pressed sec.for WAG-9HC LOCO	CLW/MS/3/038 Alt.11	03			1 Set	Nil	Nil	
		Guide plate Assly	1209-10.337-212 Alt.1	01	T312/106	Nil	Nil	Nil	Nil	Item with C&D T312/106 have been deleted fom this category as per modification advice no. ELDD/3611/Pt dated 23.05.2024 issued by Dy.CEE/D-III with immediate effect.
			All other it	ems re	main same.					
2	29741129	T/11/0005 Stainless Steel pressed section. for WAP-7 Loco(Hotel load converter based)	CLW/MS/3/038 Alt.11	03			Nil	1 Set	Nil	
		Guide plate Assly	1209-10.337-212 Alt.1	01	H312/428	Nil	Nil	Nil	Nil	Item with C&D H312/428 have been deleted for this category as per modification advice no. ELDD/3611/Pt dated 23.05.2024 issued by Dy.CEE/D-III with immediate effect.
			All other it	ems re	main same.					

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CME/ELF

4.Dy.CMM/M-II

5.Dy.CEE/I&D/HWH

6. Dy.CEE/I&D/DLI

7.CQAM

8.SSE/DOCUMENT(MECH)

5. Mondal 24.05.24 Prepared by JE/D

Checked by SSE/D Reviewed by SEE/Design

Issued by Dy.CEE/D-II

(147

Page 1 of 2

AMENDMENT NO.: 1051

AMM/3PL CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end

SL	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/	q	TY/LOCO		
NO			5110/31/2010		CQD NO	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
1	2925051 <b>1</b> *	S/9/0045 Shim & Pad for Cab door & M/R door Hinge base & Striker Plate base for CLW fabrication shop made shell.		03			1 Set	1 Set	1 Set	Description of category changed as per modification advice no. ELDD/3611/Pt dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
		Pad-1	1209-09.433-080 Alt.5 Ref.1	01	T310/117 B310/073	6 18	6	6	18	
		Pad-2	1209-09.433-080 Alt.5 Ref. 2.	01	T310/118 B310/074	4 4	4	4	4	
		Shim-1	1209-09.433-080 Alt.5 Ref. 3	01	T310/119 B310/075	18 18	18	18	18	Qty. for C&D No. T310/119 & B310/075 decrease from '24' to '18' as per modification advice no. ELDD/3611/Pt dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.
		Shim-2	1209-09.433-080 Alt.5 Ref.4.	01	T310/120 B310/076	12 12	12	12		Qty. for C&D No. T310/120 & B310/076 decrease from '24' to '12' as per modification advice no. ELDD/3611/Pt dated 23.05.2024 issued by Dy.CEE/D-III with immediate effect.
		Shim-3	1209-09.433-080 Alt.5 Ref.5	01	T310/121 B310/077	4 4	4	4	4	Qty. for C&D No. T310/121 & B310/077 decrease from '8' to '4' as per modification advice no. ELDD/3611/Pt dated 23.05.2024 issued by Dy.CEE/D-III with immediate effect.

S.Mondal 27.05.24 Prepared by JE/D Checked by SSE/D

Reviewed by SEE/Design Z7:5:29 Issued by Dy.CEE/D-II

Page 2 of 2

**AMENDMENT NO.: 1051** 

SL	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/	q	TY/LOCO		
NO		CATHOL & DESCRIPTION	DRAYSPEC NO	UNIT	Cabivo	C&D NO	WAG-9HC	WAP-7	WAP-5	REMARKS
		Shim-4	1209-09.433-080 Alt.5 Ref.6.	01	T310/122 B310/078	4 4	4	4	4	Oty. for C&D No. T310/122 & B310/078 decreased from '8' to '4' as per modification advice no. ELDD/3611/Pt dated 23.05.2024 issued by Dy.CEE/D-III with immediate effect.
2	New PL	S/9/0088 Shim & Pad for Striking Plate for Trade Supplied Complete shell Assembly		03			1 Set	1 Set	1 Set	New category generated as per modification advice no. ELDD/3611/Pt dated 23.05.2024 issued by <b>Dy.CEE/D-III</b> with immediate effect.  1. User shop -  (i).CLW/CRJ/Assly Shop-16.  (ii).ELAAU/Dankuni
		Pad-2	1209-09.433-080 Alt.5 Ref. 2.	01	T310/118 B310/074	4 4	4	4	4	
		Shim-3	1209-09.433-080 Alt.5 Ref.5	01	T310/121 B310/077	4	4	4	4	
		Shim-4	1209-09.433-080 Alt.5 Ref.6.	01	T310/122 B310/078	4	4	4	4	

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CME/ELF

4.Dy.CMM/M-II

5.Dy.CEE/I&D/HWH

6. Dy.CEE/I&D/DLI

7.CQAM

8.SSE/DOCUMENT(MECH)

S. Mondal 27.05.24 Prepared by JE/D Checked by SSE/D

Reviewed by SEE/Design Issued by
Dy.CEE/D-II

(149

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	REWIARNS
1	29100422	R/9/0140  Bogie Frame Complete for 3-Phase Co-Co Locomotive (Type WAG-9HC & WAP-7)	Alt.3	03			1 Set	1 Set	Nil	Alteration No. of specification have been updated from '2' to '3' as per modification advice no. ELDD/3753/Pt.146,Vol.II dated 29.05.2024 issued by <a href="Dy.CEE/D-I">Dy.CEE/D-I</a> with immediate effect.
		Bogie Frame Complete for 3-Phase Co-Co Locomotive (Type WAG-9HC & WAP-7)		01	T211/217 H211/402	2 2	2	2	Nil	
2	29107520	R/10/0076 BOGIE FRAME WELD ON PART-2 FOR WAP-5	CLW/MS/3/BOGIE/003 Alt. 3	03			Nil	Nil	1 Set	Alteration No. of specification have been updated from '2' to '3' as per modification advice no. ELDD/3753/Pt.146,Vol.II dated 29.05.2024 issued by <a href="Dv.CEE/D-I">Dv.CEE/D-I</a> with immediate effect.
		BOGIE FRAME WELD ON PART-2 FOR WAP-5	IA011-00159 Rev.8	01	B211/000	2	Nil	Nil	2	

Copy to:

1.CEE/LOCO

2.Dy.CME/ELB

3.Dy.CMM/M-II

4.Dy.CEE/I&D/HWH

5. Dy.CEE/I&D/DLI

6.CQAM

7.SSE/DOCUMENT(MECH)

S. Mondal 30.05.2024 Prepared by JE/D Checked by SSE/D Reviewed by SEE/Design

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			
							WAG-9HC	WAP-7	WAP-5	REMARKS
1	New PL	R/9/0155 Small Fabricated Items (SS)- 1 for WAG-9HC / Category- Structural for CLW/CRJ.		03			1 Set	Nil	Nil	
		P/0/0042 SET OF METALLIC PLATE	CLW/ES/3/0450/G	03			1 Set	Nil	Nil	
		P/2/0042 WARNING PLATE	3EHP431593P0001	01	T019/136					Qty per loco have been changed from '1' to 'Nil' and item included in category no. "P/0/0291 - Warning Plate & Bracket Sheet for In-House production of Panels for CLW/CRJ" as per modification advice no. ELDD/3611/Pt dated 24.05.2024 issued by <u>Dy.CEE/D-III</u> with immediat effect.
			3EHP431593P0001	01	T021/073	Nil	Nil	Nil	Nil	
		P/0/0060 SET OF BRACKETED SHEET FOR WAG-9	CLW/ES/3/0153/I	03			1 Set	Nil	Nil	
		P/1/0060 BRACKET SHEET	3EHP431250R0001	01	T023/048	Nil	Nil	Nil	Nil	Oty per loco have been changed from '1' to 'Nil' and item included in category no. "P/0/0291 - Warning Plate & Bracket Sheet for In-House production of Panels for CLW/CRJ" as per modification advice no. ELDD/3611/Pt dated 24.05.2024 issued by Dy.CEE/D-III with immediate effect.
		All others remain unchanged.								

Copy to:

1.CEE/LOCO

2.Dy.CME/ELA

3.Dy.CEE/EL

4.Dy.CMM/M-II

5.Dy.CEE/I&D/HWH

6. Dy.CEE/I&D/DLI

7.CQAM

8.SSE/DOCUMENT(MECH

5. Mondal 30.05.24 Prepared by JE/D

SSE/D

Reviewed by SEE/Design

Dy.CEE/D-II