

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.										
SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29230147	S/9/0025 Brass pipe fittings for E-70 brake system for WAG-9HC	CLW/TS/99/CF/5 Alt.8	03			1 Set	Nil	Nil	
		Female Connector (Nylon Tube) Dia 6 TUBE x 3/8" BSPP	1209-18.406-107 Ref. 2 Alt. 6	01	T309/124 T309/295	9 Nil	9	Nil	Nil	Qty. per C&D No. T309/295 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Female Connec. 3/8" Tube x 3/8" BSPP	1209-18.406-104 Ref. 1 Alt. 7	01	T309/038 T309/105 T309/288	Nil 5 2	7	Nil	Nil	Qty. per C&D No. T309/038 have been reduced to 'Nil' and Qty per C&D No. T309/105 have been reduced to '5' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Male Connec. 1/2" BSPTx1/2" Tube	1209-18.406-100 Ref. 6 Alt. 7	01	T309/034 T309/098 T309/119 T309/381	7 3 3 4	17	Nil	Nil	Qty. per C&D No. T309/034 have been reduced to '71' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 1/2" BSPP Female Connec	1209-18.406-104 Ref. 4 Alt. 7	01	T309/106	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/106 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 3/8" BSPP Female Connec.	1209-18.406-104 Ref. 3 Alt. 7	01	T309/108	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/106 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
All other items will remain same.										

S. Mondal
04.10.24
Prepared by
JE/D

04.10.24
Checked by
SSE/D

04/10/2024
Reviewed by
SEE/Design

Issued by
Dy.CEE/D-III

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1087

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
2	29230354	S/9/0049 Brass Pipe fittings for CCB System OF WAG-9HC	CLW/TS/99/CF/5 Alt.8	03			1 Set	NIL	NIL	
		Female Connector (Nylon Tube) Dia 6 Tube x 3/8" BSPP	1209-18.406-107 Ref. 2 Alt. 6	01	T309/482 T309/483	9 Nil	9	NIL	NIL	Qty. per C&D No. T309/483 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Female Connec. 3/8" Tube x 3/8" BSPP	1209-18.406-104 Ref. 1 Alt. 7	01	T309/464 T309/465 T309/466	Nil 5 2	7	NIL	NIL	Qty. per C&D No. T309/464 have been reduced to 'Nil' and Qty per C&D No. T309/465 have been reduced to '5' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Male Connec. 1/4" BSPT x 3/8" Tube	1209-18.406-100 Ref. 2 Alt. 7	01	T309/462 T309/463	2 2	4	NIL	NIL	Qty. per C&D No. T309/463 have been reduced to '2' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Female Connector 1/2" BSPP x 3/8" Tube	1209-18.406-104 Ref. 2 Alt. 7	01	T327/219	Nil	Nil	NIL	NIL	Qty. per C&D No. T327/219 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Male Connec. 1/2" BSPTx1/2" Tube	1209-18.406-100 Ref. 6 Alt. 7	01	T309/457 T309/458 T309/459 T309/460	6 2 3 4	15	NIL	NIL	Qty. per C&D No. T309/457 have been reduced to '6' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 1/2" BSPP Female Connec.	1209-18.406-104 Ref. 4 Alt. 7	01	T309/474	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/474 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 3/8" BSPP Female Connec.	1209-18.406-104 Ref. 3 Alt. 7	01	T309/475	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/475 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		All other items will remain same.								
3	29234967	S/11/0025 Brass pipe fittings for E-70 brake system for WAP-7	CLW/TS/99/CF/5 Alt.8	03			Nil	1 Set	Nil	
		Female Connector (Nylon Tube) Dia 6 Tube x 3/8" BSPP	1209-18.406-107 Ref. 2 Alt. 6	01	T309/124 T309/295	9 Nil	Nil	9	Nil	Qty. per C&D No. T309/295 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.

S. Mondal
04.10.24
Prepared by
JE/D

04.10.24
Checked by
SSE/D

S. Mondal
04.10.24
Reviewed by
SEE/Design

Issued by
Dy.CEE/D-III

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1087

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
		Female Connec. 3/8" Tube x3/8" BSPP	1209-18.406-104 Ref. 1 Alt. 7		T309/038 T309/105 T309/288	Nil 5 2	Nil	7	Nil	Qty. per C&D No. T309/038 have been reduced to 'Nil' and Qty. per C&D No. T309/105 have been reduced to '5' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Male Connec. 1/2" BSPTx1/2" Tube	1209-18.406-100 Ref. 6 Alt. 7	03	T309/034 T309/098 T309/119 T309/381	8 2 3 4	Nil	17	Nil	Qty. per C&D No. T309/034 have been reduced to '8' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 1/2" BSPP Female Connec	1209-18.406-104 Ref. 4 Alt. 7	01	T309/106	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/106 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 3/8" BSPP Female Connec	1209-18.406-104 Ref. 3 Alt. 7	01	T309/108	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/108 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
All other items will remain same.										
4	29234979	S/11/0049 Brass Pipe fittings for CCB System of WAP-7 Loco	CLW/TS/99/CF/5 Alt.8	03			Nil	1 Set	Nil	
		Female Connector (Nylon Tube) Dia 6 Tube x 3/8" BSPP	1209-18.406-107 Ref. 2 Alt. 6	01	T309/482 T309/483	9 Nil	Nil	9	Nil	Qty. per C&D No. T309/483 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Female Connec. 3/8" Tube x3/8" BSPP	1209-18.406-104 Ref. 1 Alt. 7	01	T309/464 T309/465 T309/466	Nil 5 2	Nil	7	Nil	Qty. per C&D No. T309/464 have been reduced to 'Nil' and Qty. per C&D No. T309/465 have been reduced to '5' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Male Connec.1/4" BSPT x 3/8" Tube	1209-18.406-100 Ref. 2 Alt. 7	01	T309/462 T309/463	2 2	Nil	4	Nil	Qty. per C&D No. T309/463 have been reduced to '2' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Female Connector 1/2" BSPP x 3/8" Tube	1209-18.406-104 Ref. 2 Alt. 7	01	T327/219	Nil	Nil	Nil	Nil	Qty. per C&D No. T327/219 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.

S. Mondal
04.10.24
Prepared by
JE/D

04.10.24
Checked by
SSE/D

Sadhu Biswas
04/10/2024
Reviewed by
SEE/Design

04/10/24
Issued by
Dy.CEE/D-III

304

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1087

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
		Male Connec. 1/2" BSPTx1/2" Tube	1209-18.406-100 Ref. 6 Alt. 7	01	T309/457 T309/458 T309/459 T309/460	6 2 3 4	Nil	15	Nil	Qty. per C&D No. T309/457 have been reduced to '6' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 1/2" BSPP Female Connec	1209-18.406-104 Ref. 4 Alt. 7	01	T309/474	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/474 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 3/8" BSPP Female Connec	1209-18.406-104 Ref. 3 Alt. 7	01	T309/475	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/475 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		<u>All other items will remain same.</u>								
5	New PL No.	S/9/0084 Brass pipe fittings for E-70 brake system for WAG-9HC (Each set consisting of 41 items)	CLW/TS/99/CF/5 Alt.8	03			1 Set	Nil	Nil	In description, no of items to be changed from 35 to 41 as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Union Tee 3/8"x3/8"x3/8"	1209-18.406-103 Ref. 2 Alt.7	01	T309/005	11	11	Nil	Nil	Qty. per C&D No. T309/005 have been increased to '11' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		3/8"Tube x 3/8" BSPT Male Connec.	1209-18.406-100 Ref. 3 Alt. 7	01	T327/137	19	19	Nil	Nil	Qty. per C&D No. T327/137 have been increased to '19' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Male Connec. 1/2" BSPTx1/2" Tube	1209-18.406-100 Ref. 6 Alt. 7	01	T309/034	17	17	Nil	Nil	Qty. per C&D No. T309/034 have been increased to '17' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Female Connector (Nylon Tube) Dia 6 Tube x 3/8" BSPP	1209-18.406-107 Ref. 2 Alt. 6	01	T309/124	9	9	Nil	Nil	Qty. per C&D No. T309/124 have been increased to '9' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Male Connector (Nylon Tube) Dia 6 TUBE x 3/8" BSPT	1209-18.406-108 Ref. 2 Alt. 6	01	T309/551	3	3	Nil	Nil	New item included as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		3/8" Tubex 3/8" BSPT Male Elbow	1209-18.406-101 Ref. 2 Alt. 6	01	T309/552	2	2	Nil	Nil	New item included as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.

S. Mondal
04.10.24
Prepared by
JE/D

04.10.24
Checked by
SSE/D

04/10/2024
Reviewed by
SEE/Design

04/10/24
Issued by
Dy.CEE/D-III

303

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1087

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
		Female Tee 3/8" BSPP	3/PLW/EL/SK-038	01	T309/553	6	6	Nil	Nil	New item included as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Female Tee 1/2" BSPP	3/PLW/EL/SK-039	01	T309/554	4	4	Nil	Nil	New item included as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Hex. Plug 3/8" BSPT	3/PLW/EL/SK-040	01	T309/555	2	2	Nil	Nil	New item included as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Hex. Plug 1/2" BSPT	3/PLW/EL/SK-041	01	T309/556	4	4	Nil	Nil	New item included as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Hex. Nipple 3/8" BSPT x 3/8" BSPT	3/PLW/EL/SK-042	01	T309/557	4	4	Nil	Nil	New item included as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Red. Hex. Nipple 1/2" BSPT x 3/8" BSPT	3/PLW/EL/SK-043	01	T309/558	2	2	Nil	Nil	New item included as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		Female Connec. 3/8" Tube x 3/8" BSPP	1209-18.406-104 Ref. 1 Alt. 7	01	T309/038	7	7	Nil	Nil	Qty. per C&D No. T309/038 have been reduced to '7' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 1/2" BSPP Female Connec	1209-18.406-104 Ref. 4 Alt. 7	01	T309/106	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/106 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
		1/2" Tube x 3/8" BSPP Female Connec	1209-18.406-104 Ref. 3 Alt. 7	01	T309/108	Nil	Nil	Nil	Nil	Qty. per C&D No. T309/108 have been reduced to 'Nil' as per amendment advice no.ELDD/3610/Part-V dated 24.09.24 with immediate effect.
<u>All other items will remain same.</u>										

Copy to:
1. CEE/Loco 2.Dy.CME/ELA 3.Dy.CMM/M-II 4. Dy.CMM/Depot 5. Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.CQAM 8.SSE/Doc (Mech)

S.Mondal
04.10.24
Prepared by
JE/D

04.10.24
Checked by
SSE/D

04/10/2024
Reviewed by
SEE/Design

04.10.24
Issued by
Dy.CEE/D-III

302

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.										
SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	Not Applicable	T/9/0003 Cu. Tube	CLW/MS/3/030 Alt.-13	03			1 Set			Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
	All other will remain same.									
2	29170333	T/9/0003A Tube Cu. 38.1 (1 1/2") O/Dx1.651 mm WT x 6 Mtr. Lg.(Weight/Mtr = 1.682 Kg.)	CLW/MS/3/030 Alt.-13	22			13.06	21	11.20	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
	All other will remain same.									
3	29170321	T/9/0003B Tube Cu. 25.4 (1") O/D x 1.651 mm WT x 6 Mtr. Lg. (Weight/Mtr = 1.096 Kg.)	CLW/MS/3/030 Alt.-13	22			90.07	124	69.20	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
	All other will remain same.									
4	29170114	T/9/0003C Tube Cu. 9.52 (3/8") O/Dx1.245 mm WT x 6 Mtr. Lg. (Weight/Mtr = 0.288 Kg.)	CLW/MS/3/030 Alt.-13	22			205.1	64.2	1.2	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
	All other will remain same.									

S. Mondal
05.10.24
Prepared by
JE/D

05.10.24
Checked by
SSE/D

05.10.2024
Reviewed by
SEE/Design

Issued by
Dy.CEE/D-III

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1088

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
5	29170096	T/9/0003D Tube Cu.12.7mm (1/2") O/D x1.245 mm WT x 6 Mtr. Lg. (Weight/Mtr = 0.399 Kg.)	CLW/MS/3/030 Alt.-13	22			91.3	107	68	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										
6	29170138	T/9/0003E Tube Cu. 6.35 (1/4") O/Dx0.889 mm WT x 6 Mtr. Lg. (Weight/Mtr = 0.136 Kg.)	CLW/MS/3/030 Alt.-13	22			2.18	6	3	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										
7	29170126	T/9/0003F Tube Cu. 9.52 (3/8") O/Dx0.889 mm WT x 6 Mtr. Lg. (Weight/Mtr = 0.214 Kg.)	CLW/MS/3/030 Alt.-13	22			NIL	239.5	252.10	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										
8	29170850	T/9/0003H Cu Tube 6mm OD x 1mm. WT. X 6 Mtr. Lg. (Weight/Mtr = 0.140 Kg.)	CLW/MS/3/030 Alt.-13	22			12.58	16	16	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										
9	Not Applicable	T/9/0003I Annealed Cu. Pipe 16 O/D x 2 Thk. Min. Random Length 6 Mtrs.(Weight/Mtr. 0.78 Kg.)	CLW/MS/3/030 Alt.-13	22			Nil	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										

S. Mondal
05.10.24
Prepared by
JE/D

05.10.24
Checked by
SSE/D

05/10/2024
Reviewed by
SEE/Design

Issued by
Dy.CEE/D-III

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1088

SL NO	PL NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
10	Not Applicable	T/9/0003J Annealed Cu. Pipe 20 O/D x 2 Thk. Min. Random Length 6 Mtrs. (Weight/Mtr. 0.87 Kg.)	CLW/MS/3/030 Alt.-13	22			Nil	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										
11	Not Applicable	T/9/0003K Copper pipe 25 O/DX 2 thk min random length - 6 mts	CLW/MS/3/030 Alt.-13	22			Nil	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										
12	29170333	T/9/0003L Tube Cu. 38.1 (1 1/2") O/Dx1.651 mm WT x 6 Mtr. Lg. (Weight/Mtr = 1.682 Kg.)	CLW/MS/3/030 Alt.-13	22			12.41	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										
13	29170321	T/9/0003M Tube Cu. 25.4 (1") O/Dx1.651 mm WT x 6 Mtr. Lg. (Weight/Mtr = 1.096 Kg.)	CLW/MS/3/030 Alt.-13	22			30.93	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										
14	29170114	T/9/0003N Tube Cu. 9.52 (3/8") O/Dx1.245 mm WT x 6 Mtr. Lg. (Weight/Mtr = 0.288 Kg.)	CLW/MS/3/030 Alt.-13	22			233.73	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
<u>All other will remain same.</u>										

S. Mondal
05.10.24
Prepared by
JE/D

05.10.24
Checked by
SSE/D

05/10/2024
Reviewed by
SEE/Design

Issued by
Dy.CEE/D-III

309

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1088

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
15	29170096	T/9/0003P Tube Cu.12.7mm (1/2") O/D x1.245 mm WT x 6 Mtr. Lg. (Weight/Mtr = 0.399 Kg.)	CLW/MS/3/030 Alt.-13	22			94.89	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
All other will remain same.										
16	29170138	T/9/0003Q Tube Cu. 6.35 (1/4") O/Dx0.889 mm WT x 6 Mtr. Lg. (Weight/Mtr = 0.136 Kg.)	CLW/MS/3/030 Alt.-13	22			2.22	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
All other will remain same.										
17	29170850	T/9/0003R Cu Tube 6mm OD x 1mm. WT. X 6 Mtr. Lg. (Weight/Mtr = 0.140 Kg.)	CLW/MS/3/030 Alt.-13	22			13.08	Nil	Nil	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
All other will remain same.										
18	Not Applicable	T/9/0039 Copper tube transposition of B.P gauges in WAG-9HC LOCO	CLW/MS/3/030 Alt.-13	03			1 set	NIL	NIL	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
		Tube Cu. 9.52 (3/8") O/Dx1.245 mm WT x 6 Mtr. Lg. (Weight/Mtr= 0.27 Kg.)	CLW/MS/3/030 Alt.-13	22			40	NIL	NIL	Alt. No. of Specification have been changed from 12 to 13 as per modification advice no. ELDD /3610/Part-I dated 03.10.24 with immediate effect.
All other will remain same.										

Copy to:

1. CEE/Loco 2.Dy.CME/ELA 3.Dy.CMM/M-II 4. Dy.CMM/Depot 5. Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.CQAM 8.SSE/Doc (Mech)

S. Mondal
05.10.24
Prepared by
JE/D

B
05.10.24
Checked by
SSE/D

S. Mondal
05.10.24
Reviewed by
SEE/Design

Issued by
Dy.CEE/D-III

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.										
SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29130050	R/9/0128 LONG LIFE LOCO SIDE BUFFER ASSLY (CAPACITY 30 KJ MINIMUM)	RDSO drg no. SK.DL-4748 Alt.2 or Latest and RDSO Spec No MP-0.41.00.03 (Rev.03) August 2024 or Latest.	01	T320/059 B320/051	4 4	4	4	4	Alteration No. of drawing have been changed from Alt.1 to Alt. 2 and Revision No of Spec have been changed from Rev.02 to Rev.03 as per modification advice no. ELDD /3611/Pt dated 05.10.24 with immediate effect.

Copy to:

1. CEE/Loco 2.Dy.CME/ELA 3.Dy.CMM/M-II 4. Dy.CMM/Depot 5. Dy.CDE/Mech/BLW 6. Dy.CEE/Design/PLW 7. Dy.CEE/I&D/HWH
8. Dy.CEE/I&D/DLI 9.SSE/Doc (Mech)

S. Mondel
07.10.24
Prepared by
JE/D

07.10.24
Checked by
SSE/D

07.10.2024
Reviewed by
SEE/Design

07.10.24
Issued by
Dy.CEE/D-III

913

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.										
SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	New	T/9/0050 Sand Pipe for WAG-9HC for ELAAU/CLW/DKAE		03			1 Set	Nil	Nil	New Category have been generated as per modification advice no. ELDD /3610/Pt-1 dated 14.10.24 with immediate effect. <u>Notes:</u> Procurement quantity will be as per production target of locos for ELAAU/Dankuni only. Not for CLW/CRJ.
		Sand Pipe LH	IB011-00509	01	T242/313	4	4	Nil	Nil	
		Sand Pipe RH	IB011-00510	01	T242/314	4	4	Nil	Nil	

Copy to:

1. Dy.CEE/DKAE

2.Dy.CME/DKAE

3.AWM/Planning/DKAE

4.Dy.CMM/M-II

4. Dy.CMM/Depot

5. Dy.CEE/I&D/HWH

6. Dy.CEE/I&D/DLI

7.SSE/Doc (Mech)

S. Mondal
14.10.24
Prepared by
JE/D

[Signature]
14.10.24
Checked by
SSE/D

[Signature]
14/10/24
Reviewed by
SEE/Design

[Signature]
14/10/24
Issued by
Dy.CEE/D-III

315

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.										
SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	New	R/9/0164 Set of Small Fabricated Item (MS) consist of 04 items for ELAAU/CLW/Dankuni		03			1 Set	Nil	Nil	New Category have been generated for ELAAU /CLW/ Dankuni as per modification advice no. ELDD /3611/Pt. dated 09.10.24 with immediate effect.
		Tapped Pad	1209-10.437-082 Alt.2	01	T324/132	80	80	Nil	Nil	
		Packing Plate for side Buffer Assly	1209-02.441-117	01	T320/060	4	4	Nil	Nil	
		Mounting bracket for FRP Underpanel	1209-02.426-373	01	T306/478	4	4	Nil	Nil	
		Mounting bracket for FRP Underpanel	1209-02.426-374	01	T306/479	12	12	Nil	Nil	

Copy to:

1.Dy.CME/Dankuni 2.Dy.CMM/M-II 3. Dy.CMM/Depot 4. Dy.CEE/I&D/HWH 5. Dy.CEE/I&D/DLI 6. AWM/PLG/Dankuni 7.SSE/Doc (Mech)

S. Mondal
15.10.24
Prepared by
JE/D


15.10.24
Checked by
SSE/D


15/10/24
Reviewed by
AEE/D/CONV-I


15/10/24
Issued by
Dy.CEE/D-III

317

CATEGORY AMENDMENT FOR 3 PHASE LOCO


AMM/3PL
CLW/CRJ


Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.										
SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29170072	S/9/0014 SADDLE LIGHT STAUFF		03			1 Set		Nil	
		SADDLE LIGHT DIA 23	1209-18.406-053 Ref. 4 Alt. 4	01	T242/020 T304/276	Nil Nil	Nil	Nil	Nil	Qty. per C&D No. T304/276 have been decreased from '3' to 'Nil' as per modification advice no.ELDD/3610/Pt-V dated 17.10.24 with immediate effect.
	All others remain unchanged.									

Copy to:
1.CEE/Loco 2. Dy.CME/ELA 3. Dy.CMM/M-II 4. Dy.CMM/Depot 5. Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.SSE/Doc (Mech)

S.Mondal
19.10.24
Prepared by
JE/D


19.10.24
Checked by
SSE/D


19/10/24
Reviewed by
SEE/Design


19/10/24
Issued by
Dy.CEE/D-III

321

CATEGORY AMENDMENT FOR 3 PHASE LOCO**AMENDMENT NO.: 1093**

AMM/3PL


CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	29175252	R/9/0109 Fire Extinguishing System 22.5 kg. CO₂ with accessories for WAG-9HC /WAP-7 loco	CLW/MS/3/108 Alt-9	03			1 Set		Nil	Description changed and Alt. No. of Specn. have been changed from 8 to 9 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Fire Extinguishing cylinder contain 22.5 kg. co ₂	1209-00.240-109 Alt. 9 Ref. 1	01	T319/155	2	2	2	Nil	Alt. No. of Drg. have been changed from 8 to 9 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Pressure Gauge with manifold	1209-00.240-109 Alt. 9 Ref. 2	01	T319/156	2	2	2	Nil	Description changed and Alt. No. of Drg. have been changed from 8 to 9 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Wheel Cock	1209-00.240-109 Alt. 9 Ref. 3	01	T319/157	2	2	2	Nil	Alt. No. of Drg. have been changed from 8 to 9 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Isolating Cock	1209-00.240-109 Alt. 9 Ref. 4	01	T319/158	2	2	2	Nil	Alt. No. of Drg. have been changed from 8 to 9 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Diffuser Assembly	1209-00.440-246	01	T319/159	4	4	4	Nil	Description changed and New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Flexible Hose Assembly	1209-00.340-244	01	T319/160	2	2	2	Nil	Description changed and New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.

S. Mondal
19.10.24
Prepared by
JE/D


19.10.24
Checked by
SSE/D


19/10/2024
Reviewed by
SEE/Design


Issued by
Dy.CEE/D-III


324


CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1093

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
		Clamp for Holding 22.5 Kg CO ₂ Cylinder .	1209-00.440-205 Alt.1	01	T319/161	2	2	2	Nil	New item have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Equal TEE for 1/8" BSPP x1/8" BSPPx1/8" BSPP	1209-00.440-241	01	T319/162	5	5	5	Nil	New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Hex. Hd. Screw M6x12	1209-18.406-360-001	01	T319/163	30	30	30	Nil	New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Clamp for 10 O/D SS Tube	1209-00.440-237	01	T319/164	30	30	30	Nil	New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		SS tube 10 ODX 1/4" ID X 1/8" BSPT	1209-00.440-242	01	T319/165	*	*	*	Nil	Description changed and New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect. (* As per detail of pipe length & qty/length in drg.)
		Female Elbow 1/8" BSPP	1209-00.440-245	01	T319/166	8	8	8	Nil	New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Hexagonal socket 1/8" BSPP	1209-00.440-240	01	T319/167	12	12	12	Nil	New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		3/8"x3/8" Nipple	1209-00.240-109 Alt. 9 Ref. 14	01	T319/168	2	2	2	Nil	Alt. No. of Drg. have been changed from 8 to 9 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		1/8"x1/4" Nipple	1209-00.240-109 Alt. 9 Ref. 15	01	T319/169	2	2	2	Nil	Alt. No. of Drg. have been changed from 8 to 9 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Bracket for Diffuser Stand	1209-00.440-243	01	T319/185	4	4	4	Nil	New item have been added and New C&D allotted as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.

S. Mondal
19.10.24
Prepared by
JE/D


19.10.24
Checked by
SSE/D


19/10/2024
Reviewed by
SEE/Design


Issued by
Dy.CEE/D-III

323

CATEGORY AMENDMENT FOR 3 PHASE LOCO

AMENDMENT NO.: 1093

SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
2	29175240	R/10/0065 Fire Extinguishing System 22.5 kg. CO₂ with accessories (Consisting of 15 items) for WAP-5 loco	CLW/MS/3/108 Alt-9	03			Nil	Nil	1 Set	Alt. No. of Specn. have been changed from 8 to 9 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Pipe 6.4 N.B	1210-02.340-076 Alt.1 Ref. 11	01	B319/153	*	Nil	Nil	*	* Qty. as per Specn. No. CLW/MS/3/108 Alt. 9 Para 10 (i).
		<u>All other items will remain same.</u>								
3	Not Applicable	R/9/0158 Clamp for 22.5 KG CO₂ Fire Extinguisher Cylinder with Pad.		03			Nil	Nil	Nil	Qty/ loco have been changed from '1 Set ' to 'Nil' as this item has been merged with Category No. R/9/0109 as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.
		Clamp for cylinder with Pad	1209-00.440-205 Alt.1	01	T319/161	Nil	Nil	Nil	Nil	New Drg. have been added as per modification advice no. ELDD /3611/Pt. dated 18.10.24 with immediate effect.

Copy to:

1. CEE/Loco 2.Dy.CME/ELA 3.Dy.CMM/M-II 4. Dy.CMM/Depot 5. Dy.CEE/I&D/HWH 6. Dy.CEE/I&D/DLI 7.CQAM 8.SSE/Doc (Mech)

S. Mondal
19.10.24
Prepared by
JE/D

19.10.24
Checked by
SSE/D

19/10/2024
Reviewed by
SEE/Design

Issued by
Dy.CEE/D-III

322

DOC NO:ELDD/3646 Pt.
DATE: 30.10.2024

CATEGORY AMENDMENT FOR 3 PHASE LOCO

Page 1 of 1
AMENDMENT NO.: 1094

AMM/3PL
CLW/CRJ

Sub: Category Amendment for 3 phase Loco.

Please incorporate the following amendment sheet for the said loco. This is for your kind information and necessary action may please be taken from your end.										
SL NO	PL. NO	CAT. NO. & DESCRIPTION	DRG/SPEC NO	UNIT	C&D NO	QTY/ C&D NO	QTY/LOCO			REMARKS
							WAG-9HC	WAP-7	WAP-5	
1	New	R/9/0164 Set of Small Fabricated Item (MS) consist of 04 items for ELAAU/CLW/Dankuni		03			1 Set	Nil	Nil	Notes for stage inspection and warranty period have been included as per modification advice no. ELDD /3611/Pt. dated 25.10.24 with immediate effect.
		Tapped Pad	1209-10.437-082 Alt.2	01	T324/132	80	80	Nil	Nil	
		Packing Plate for side Buffer Assly	1209-02.441-117	01	T320/060	4	4	Nil	Nil	
		Mounting bracket for FRP Underpanel	1209-02.426-373	01	T306/478	4	4	Nil	Nil	
		Mounting bracket for FRP Underpanel	1209-02.426-374	01	T306/479	12	12	Nil	Nil	
A. Stage inspection for Routine Inspection required (Yes/No) : No										
B. No. of stage inspections with description of each stage (NA/1/2/3): NA										
C. Warranty period (in months) from date of delivery : As per IRS condition										

Copy to:

1.Dy.CME/Dankuni

2 .Dy.CMM/M-II

3. Dy.CMM/Depot


4. Dy.CEE/I&D/HWH


5. Dy.CEE/I&D/DLI


6. AWM/PLG/Dankuni

7.SSE/Doc (Mech)

S. Mondal
30.10.2024
Prepared by
JE/D


Checked by
SSE/D 30.10.24


Reviewed by
SEE/Design


Issued by
Dy.CEE/D-III